

AEG

IN THE PERFECT HOME

KITCHEN RETAIL PRODUCT RANGE 2017



AFTER SALES SUPPORT / CUSTOMER CARE

WARRANTY

AEG appliances come with a 12 month warranty from date of purchase. When you register your new appliance your warranty will be extended to 2 or 5 years (depending on model). During your warranty period you are protected against the cost of parts, call-out and labour charges. All work is carried out by our national network of approved AEG engineers.

You can register your appliance by completing the warranty registration card enclosed with your appliance, calling our dedicated warranty registration phone number printed on the card, or online at www.aeg.co.uk



For additional peace of mind you have the option to extend your guarantee even further with our AEG Protection Plan. You'll be protected against damage caused by accident from the moment you join and if one of our approved engineers can't fix it, you could receive a brand new replacement. This coverage is provided by our specialist insurers Domestic and General.

To find out more visit www.aeg.co.uk or call 0800 479 0775

CUSTOMER SERVICE

Should you need to contact us about your product we have a dedicated AEG customer service team to help. Our team is based in the AEG UK head office and can be contacted by phone on 03445 611 611 or via www.aeg.co.uk

LOCAL SERVICE, NATIONWIDE

Our national network of Service Force agents provide product maintenance, genuine parts and repairs for all AEG Major Appliances. Genuine AEG parts ensure you continue to experience the excellent performance you expect from your AEG product.

If you require a visit from one of our agents for your Major Appliance please call our Service Force team on 03445 616 616.

SERVICE FORCE

AEG Major Appliances
Addington Way
Luton LU4 9QQ
Telephone: 03445 611 611

AEG Major Appliances is a division of Electrolux plc.
Registered in England, No. 2331516.
Registered Office, Addington Way,
Luton LU4 9QQ

AEG Major Appliances
Electrolux Group Ireland Ltd
Suite 7 & 8 Westland House,
Westland Business Park,
Nangor Road,
Dublin 12 D12 TR98

Tel: 00353 (0)818 543000

Registered in Ireland No 9118.
Registered office:
Nangor Road,
Dublin 12 D12 TR98

IN THE PERFECT HOME, YOU'RE IN COMPLETE CONTROL

Welcome to AEG's kitchen and laundry range. Inside every appliance, you'll find intelligent technology and responsive design, guaranteeing you exceptional performance and results time after time. You'll discover that one touch redefines what's possible at home.

We innovate so that you can elevate what you do to new heights every day.

WE ARE PIONEERS WITH A VISION

We thrive upon innovation designed to give you the ultimate feeling of mastery in your home and laundry care. We see your needs of today.

And foresee the ones of tomorrow. So that you can achieve results that don't just meet your standards, but exceed them.

We believe in intelligent technology and exceptional performance, helping you to take anything you do at home to the next level, every day.

We are proud of our distinctive engineering and responsive design, guaranteeing you the performance you expect and deserve.

We are a brand that people turn to for intelligent and exciting new ways to guarantee their outcome.

This has been our passion for over 125 years, and continues to be our passion today.

We are AEG.

And together with you, we are always an idea ahead.



CONTENTS

KITCHEN

Flavour. Conducted your way.

Refrigeration

Ovens

Induction Hobs

Gas Hobs

Hoods

Dishwashers

LAUNDRY

06	Unprecedented Care	116
08	Laundry Design Highlights	118
32	Washing Machines	120
66	9000 Series Washing Machines	120
76	8000 Series Washing Machines	124
88	7000 Series Washing Machines	126
102	6000 Series Washing Machines	128
	Tumble Dryers	132
	Washer Dryers	140

FLAVOUR. CONDUCTED YOUR WAY.

The new Mastery Range from AEG works with you in unique ways to take your cooking to the next level. Every appliance ready to play their part, working in harmony and instantly responding to your second-by-second commands.

Now, for the first time, you can even tell the oven how you want your dish cooked – using just the words you would in a restaurant – rare, medium, well done. Or play with a hob where the entire surface follows every pan you move, no matter how big or small. It's time to expect more from the way you cook. Step into the world's most responsive cooking experience.

MAESTRO, YOUR
KITCHEN IS WAITING.





REFRIGERATION

Flavour is all about freshness and storing ingredients – the right humidity and temperature is vital. But how do you want your fridge arranged? Our solution lets you decide. Everything and anything fits in perfectly for long-lasting flavour.

Taste and texture

Nature's freshness preserved.

Space management

Adaptable to your taste.




Energy efficiency

Take care of the environment and your household budget.

REFRIGERATION WHAT'S NEW

Create your own perfectly organised fridge with the CustomFlex® storage system. This unique and practical innerdoor storage system allows you to arrange shelves, clips and compartments in all shapes and sizes in hundreds of different layouts, so there's always one that works best for you at any time.

ADAPTABLE FOR EVERY TASTE



CustomFlex®

CustomFlex® enables you to move and rearrange compartments quickly and easily to maximize storage space.





Retractable lower shelf for flexible storage.

Self-closing door

An elegant solution, with no risk of slamming. Automatically closes from an opening angle of 25–30 degrees.



High Efficiency LED lighting ensures a good spread of light, shining downwards in the fridge. An intelligent fan function prevents warm areas in the upper part of the fridge and creates an even temperature in all fridge levels.

A+++

Did you know?

Our appliances are leaders in energy performance, with the highest ratings of up to A+++ -20% energy saving.



Display

Touch controls with new white LED digital display.

REFRIGERATION WORTH KNOWING

Precision chilling for exceptional cooking. Carefully sourced ingredients need exact conditions to preserve their greatness. Our Zero Degree compartments make it possible to create different chilling conditions in each part of your refrigerator. Adjust each drawer's temperature at a touch.

Without Zero Degree



With Zero Degree



Without Zero Degree



With Zero Degree



**Top:**

Ripe vegetables.

Bottom:

Fish and meat that require more humidity and lower temperature.

Door:

Glass jars, cans and drinks.

Exceptions:


Potatoes and apples are best stored outside the fridge.

**AEG TwinTech® technology**

Unlike conventional fridge freezers that use cold, ultra-dry air from the freezer and recirculate it to cool the fridge, TwinTech® Plus units have two separate cooling systems. This provides the ideal humidity in each compartment, preventing food from drying out in the fridge and delivering frost-free storage in the freezer.

Nature's flavours in peak condition

When each ingredient and element of your cooking is carefully chosen, they need to remain at their best until you come to use them. With the TwinTech+ system, carefully selected temperature and humidity levels are maintained with minimal fluctuations. So, your produce is not subjected to the variations that cause its quality to deteriorate. Your ingredients are chilled in peak conditions – fruits and vegetables stay crisp and bursting with flavour, meat and fish stay vibrant. From the moment you choose them to the moment they reach your plate.



CUSTOMFLEX® | SCE81864TC

ADAPTABLE FOR EVERY TASTE

CustomFlex® a unique storage system that allows you to organise your fridge just the way you want. Move and rearrange compartments quickly and easily to maximise storage space. Keeping all your fresh ingredients to hand is key to creating fresh, delicious dishes. Clips for herbs, clear boxes for cheeses, secure shelves for dairy, sauces and condiments. All positioned exactly where you want them to be. Finally a fridge that adapts to your taste.



(HxWxD) in mm
1769 x 556 x 549

Door fixing
Door on door

Energy rating
A+++

aeg.co.uk/kitchen/cooling/fridge-freezers

KEY FEATURES



TwinTech®

The TwinTech® cooling system in the fridge prevents food from drying out ensuring your produce is stored at the optimum temperature and humidity levels, meaning fruit and vegetables stay crisp and fresh for longer.



Dynamic Air

DynamicAir technology maintains the airflow inside the fridge, ensuring a consistent temperature at every shelf level so that your ingredients stay fresh.



**EXTRA TALL INTEGRATED
NO FROST
FRIDGE FREEZER**
SCE81921TS
KEY FEATURES



TwinTech® No frost Dynamic air

Our AEG extra tall fridge freezer maximises the space within your furniture housing, providing you with more food storage space.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

(HxWxD) in mm
1842 x 540 x 552

Door fixing
Sliding hinge

Energy rating
A++



**EXTRA TALL INTEGRATED
NO FROST
FRIDGE FREEZER**
SCE81911TS
KEY FEATURES



TwinTech® No frost Dynamic air

Our AEG extra tall fridge freezer maximises the space within your furniture housing, providing you with more useful and much needed food storage space.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

(HxWxD) in mm
1842 x 540 x 552

Door fixing
Sliding hinge

Energy rating
A+



**CUSTOM FLEX INTEGRATED
NO FROST
FRIDGE FREEZER**
SCE81824NC
KEY FEATURES



Custom flex TwinTech® No frost Touch controls

The AEG Customflex refrigerator allows you to organise your fridge storage just the way that you want, so all your fresh ingredients are to hand when creating delicious dishes.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

(HxWxD) in mm
1769 x 556 x 549

Door fixing
Door on door

Energy rating
A++



**INTEGRATED NO FROST
FRIDGE FREEZER**
SCE81826NC



KEY FEATURES



Soft close door



TwinTech®



No frost



Touch controls

SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

(HxWxD) in mm
1769 x 556 x 549

Door fixing
Door on door

Energy rating
A++



**CUSTOM FLEX INTEGRATED
NO FROST
FRIDGE FREEZER**
SCE81824TS



KEY FEATURES



Custom flex



TwinTech®



No frost



Touch controls

The AEG Customflex refrigerator allows you to organise your fridge storage just the way that you want, so all your fresh ingredients are to hand when creating delicious dishes.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

(HxWxD) in mm
1772 x 540 x 549

Door fixing
Sliding hinge

Energy rating
A++



**INTEGRATED NO FROST
FRIDGE FREEZER**
SCE81827TS



KEY FEATURES



TwinTech®



No frost



Touch controls



Frostmatic

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

(HxWxD) in mm
1772 x 540 x 549

Door fixing
Sliding hinge

Energy rating
A++



**INTEGRATED NO FROST
FRIDGE FREEZER**
SCE81812NS



KEY FEATURES



With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

(HxWxD) in mm
1772 x 540 x 549

Door fixing
Sliding hinge

Energy rating
A+



**INTEGRATED NO FROST
FRIDGE FREEZER**
SCE81816TS



KEY FEATURES



Our AEG extra tall fridge freezer maximises the space within your furniture housing, providing you with more food storage space.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

(HxWxD) in mm
1772 x 540 x 549

Door fixing
Sliding hinge


Energy rating
A+



**INTEGRATED LOW FROST
FRIDGE FREEZER**
SCB61811LS



KEY FEATURES



Faster, more efficient defrosting. Time is of the essence when you're defrosting your freezer. To help you keep disruption to a minimum, this fridge-freezer comes with efficient LowFrost technology, which makes the defrosting faster and less frequent than ever before. As a result, you can soon start using your appliance at full capacity once more.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

Our simple to use electronics, with Frostmatic function, ensures that you can set the fridge freezer to your desired temperature.

(HxWxD) in mm
1772 x 540 x 549

Door fixing
Sliding hinge

Energy rating
A+



**INTEGRATED LOW FROST
FRIDGE FREEZER**
SCB61812LS



KEY FEATURES



Low frost



Frostmatic



LED
Lighting



Easy
to use
controls

Faster, more efficient defrosting. Time is of the essence when you're defrosting your freezer. To help you keep disruption to a minimum, this fridge-freezer comes with efficient LowFrost technology, which makes the defrosting faster and less frequent than ever before. As a result, you can soon start using your appliance at full capacity once more.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

Our simple to use electronics, with Frostmatic function, ensures that you can set the fridge freezer to your desired temperature.

(HxWxD) in mm
1772 x 540 x 549

Door fixing
Sliding hinge

Energy rating
A+



**INTEGRATED LOW FROST
FRIDGE FREEZER**
SCB51421LS



KEY FEATURES



Low frost



4 Star
freezer



Fridge
shelves



Half width
sliding
shelf

Faster, more efficient defrosting. Time is of the essence when you're defrosting your freezer. To help you keep disruption to a minimum, this fridge-freezer comes with efficient LowFrost technology, which makes the defrosting faster and less frequent than ever before. As a result, you can soon start using your appliance at full capacity once more.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.

Half width sliding door shelf provides versatile storage space.

(HxWxD) in mm
1441 x 540 x 549

Door fixing
Sliding hinge

Energy rating
A++



**INTEGRATED UNDER
COUNTER FREEZER**
ABE68216NF



KEY FEATURES



No frost



Frostmatic



4 Star
freezer



Tempera-
ture alarm

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

If the temperature rises too high a visible and audible alarm alerts you.

*Image for illustration purposes only.

(HxWxD) in mm
815 x 596 x 550

Door fixing
Door on door

Energy rating
A+



INTEGRATED UNDER COUNTER FREEZER
ABE68221AF



KEY FEATURES



Frostmatic 4 Star freezer Temperature alarm

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

If the temperature rises too high a visible and audible alarm alerts you.



INTEGRATED UNDER COUNTER FREEZER
ABB68211AF



KEY FEATURES



Frostmatic 4 Star freezer Temperature alarm

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

If the temperature rises too high a visible and audible alarm alerts you.



INTEGRATED UNDER COUNTER FRIDGE
SFB58211AF



KEY FEATURES



Frostmatic 4 Star freezer Fridge shelves Half width sliding shelf

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.

Half width sliding door shelf provides versatile storage space.

(HxWxD) in mm
815 x 596 x 550

Door fixing
Door on door

Energy rating
A++

(HxWxD) in mm
815 x 596 x 550

Door fixing
Door on door

Energy rating
A+

(HxWxD) in mm
815 x 596 x 550

Door fixing
Door on door

Energy rating
A+



INTEGRATED UNDER COUNTER FRIDGE
SFE58221AF

KEY FEATURES



Frostmatic



4 Star freezer



Fridge shelves



Half width sliding shelf

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.

Half width sliding door shelf provides versatile storage space.



INTEGRATED UNDER COUNTER LARDER FRIDGE
SKB58211AF

KEY FEATURES



Fridge shelves



Half width sliding shelf

Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.

Full width recessed salad drawer with 2 glass lids makes the best use of the space available.

Half width sliding door shelf provides versatile storage space.

Adjustable feet for ease of installation.



INTEGRATED UNDER COUNTER LARDER FRIDGE
SKE58221AF

KEY FEATURES



Fridge shelves



Half width sliding shelf

Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.

Full width recessed salad drawer with 2 glass lids makes the best use of the space available.

Half width sliding door shelf provides versatile storage space.

Adjustable feet for ease of installation.

(HxWxD) in mm
815 x 596 x 550

Door fixing
Door on door

Energy rating
A++

(HxWxD) in mm
815 x 596 x 550

Door fixing
Door on door

Energy rating
A+

(HxWxD) in mm
815 x 596 x 550

Door fixing
Door on door

Energy rating
A++



INTEGRATED NO FROST FREEZER

ABK81826NC



KEY FEATURES



No frost



Soft close door



Touch controls



Frostmatic

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.



INTEGRATED NO FROST FREEZER

ABB81816NC



KEY FEATURES



No frost



Touch controls



Frostmatic



Temperature alarm

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

If the temperature rises too high a visible and audible alarm alerts you.



INTEGRATED NO FROST FREEZER

ABB81216NF



KEY FEATURES



No frost



Touch controls



Frostmatic



Temperature alarm

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

If the temperature rises too high a visible and audible alarm alerts you.

(HxWxD) in mm
1769 x 556 x 549

Door fixing
Door on door

Energy rating
A++

(HxWxD) in mm
1769 x 556 x 549

Door fixing
Door on door

Energy rating
A+

(HxWxD) in mm
1224 x 556 x 549

Door fixing
Door on door

Energy rating
A+



**INTEGRATED NO FROST
FREEZER**

ABE81226NC

KEY FEATURES



No frost



Soft close door



Touch controls



Frostmatic

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

(HxWxD) in mm
1224 x 556 x 549

Door fixing
Door on door

Energy rating
A++



**INTEGRATED NO FROST
FREEZER**

ABE68821LS

KEY FEATURES



No frost



Touch controls



Frostmatic



Temperature alarm

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

If the temperature rises too high a visible and audible alarm alerts you.

(HxWxD) in mm
873 x 540 x 549

Door fixing
Sliding hinge

Energy rating
A+



**INTEGRATED FRIDGE
WITH FREEZER
COMPARTMENT**

SFE81821DC

KEY FEATURES



Soft close door



Touch controls



LED Lighting



X Large veg drawer

SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

An extra large, telescopic salad drawer with divider provides a large amount of space for the weekly shop of fresh vegetables and salad.

(HxWxD) in mm
1772 x 540 x 549

Door fixing
Sliding hinge

Energy rating
A++



**INTEGRATED
LONG FRESH FRIDGE
SKK81826ZC**



KEY FEATURES



LongFresh Dynamic air Soft close door Touch controls

The LongFresh feature is a zero degree compartment with adjustable temperature settings & separate humidity. To maintain the deep blushing crimson of a fillet of beef, to ensure the sweet freshness of a lobster tail, or to hold the ultimate flavour of fresh fruit they must be treated and chilled with precision. The two Zero Degree compartments in the AEG refrigerator allow you to choose and adjust the humidity and temperature settings in each drawer. Ensure that each element is at peak condition, by chilling them in unique conditions.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

(HxWxD) in mm
1769 x 556 x 549

Door fixing
Door on door

Energy rating
A++



**INTEGRATED FRIDGE WITH
SOFT CLOSE DOORS
SKK81821DC**



KEY FEATURES



Soft close door Dynamic air Touch controls LED Lighting

SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

(HxWxD) in mm
1769 x 556 x 549

Door fixing
Door on door

Energy rating
A++



**INTEGRATED FRIDGE WITH
SOFT CLOSE DOORS
SKB81811DC**



KEY FEATURES



Soft close door Dynamic air Touch controls LED Lighting

SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

(HxWxD) in mm
1769 x 556 x 549

Door fixing
Door on door

Energy rating
A+



**INTEGRATED FRIDGE WITH
SOFT CLOSE DOORS**
SKE81221AC



KEY FEATURES



Soft close door



Touch controls



LED Lighting

SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.



INTEGRATED FRIDGE
SKB81211AF



KEY FEATURES



Soft close door



Touch controls



LED Lighting

SoftClose door hinges that automatically close from an angle of 23-30 degrees - providing an elegant solution to slamming doors.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.



**INTEGRATED FRIDGE
WITH FREEZER
COMPARTMENT**
SFE68811AS



KEY FEATURES



No frost



Frostmatic



LED Lighting

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

(HxWxD) in mm
1219 x 556 x 550

Door fixing
Door on door

Energy rating
A++

(HxWxD) in mm
1219 x 556 x 550

Door fixing
Door on door

Energy rating
A+

(HxWxD) in mm
873 x 540 x 549

Door fixing
Sliding hinge

Energy rating
A++



INTEGRATED FRIDGE

SKE68811AS

KEY FEATURES



- LED Lighting
- Fridge shelves
- Half width sliding shelf

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.

Full width recessed salad drawer with 2 glass lids makes the best use of the space available.

Half width sliding door shelf provides versatile storage space.



PERFECT FIT FRIDGE FREEZER WITH WINE CELLAR
RXE75911TM

KEY FEATURES



- No frost
- Dynamic air
- Touch controls
- LED Lighting

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.



PERFECT FIT FRIDGE FREEZER
RXE75411NM

KEY FEATURES



- No frost
- Dynamic air
- Touch controls
- LED Lighting

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

(HxWxD) in mm
873 x 540 x 549

Door fixing
Door on door

Energy rating
A++

(HxWxD) in mm
1855 x 1110 x 583

Door fixing
N/A

Energy rating
A+

(HxWxD) in mm
1855 x 1100 x 583

Door fixing
N/A

Energy rating
A+



**AMERICAN STYLE
FRIDGE FREEZER**
RMB76111NX



KEY FEATURES



The indoor ice and chilled water dispenser offers chilled filtered water and ice - up to 120 ice cubes per 24 hours.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

(HxWxD) in mm
1780 x 912 x 758

Colour
N/A

Energy rating
A+



**FRENCH DOOR
FRIDGE FREEZER**
RMB76311NX



KEY FEATURES



With a fully integrated water dispenser, you can enjoy a supply of fresh and chilled water.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

(HxWxD) in mm
1776 x 912 x 765

Colour
Stainless steel


Energy rating
A+



**CUSTOM FLEX
FRIDGE FREEZER**
RCB53724MX/MW



KEY FEATURES



The AEG Customflex refrigerator allows you to organise your fridge storage just the way that you want, so all your fresh ingredients are to hand when creating delicious dishes.

The Multi-airflow technology provides the precise temperature and humidity your ingredients need to stay fresh throughout your fridge, nutritious and full of flavour for even longer.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

(HxWxD) in mm
2005 x 595 x 647

Colour
Stainless steel: RCB53724MX
White: RCB53724MW

Energy rating
A++



**CUSTOM FLEX
FRIDGE FREEZER**
RCB53324MX/MW



KEY FEATURES



Custom flex Multi-airflow TwinTech® No frost

The AEG Customflex refrigerator allows you to organise your fridge storage just the way that you want, so all your fresh ingredients are to hand when creating delicious dishes.

The Multi-airflow technology provides the precise temperature and humidity your ingredients need to stay fresh throughout your fridge, nutritious and full of flavour for even longer.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

(HxWxD) in mm
1845 x 595 x 647

Colour
Stainless steel: RCB53324MX
White: RCB53324MW

Energy rating
A++



**CUSTOM FLEX
FRIDGE FREEZER**
RCB83724MX/MW



KEY FEATURES



Custom flex Multi-airflow TwinTech® No frost

Keeping all your fresh ingredients to hand is key to creating fresh, delicious dishes. Now the Customflex refrigerator from AEG lets you organise your fridge storage just the way you want.

The Multi-airflow technology provides the precise temperature and humidity your ingredients need to stay fresh throughout your fridge, nutritious and full of flavour for even longer.

With the pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it No frost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity.

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

(HxWxD) in mm
2000 x 595 x 647

Colour
Stainless steel: RCB83724MX
White: RCB83724MW

Energy rating
A++



**NO FROST UNDER
COUNTER FREEZER**
ATB81011NX/NW



KEY FEATURES



No frost Frostmatic 4 star freezer Temperature alarm

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

If the temperature rises too high a visible and audible alarm alerts you.

(HxWxD) in mm
850 x 595 x 635

Colour
Stainless steel: ATB81011NX
White: ATB81011NW

Energy rating
A+



UNDER COUNTER FREEZER

ATB81121AX

KEY FEATURES



- Frostmatic
- 4 star freezer
- Temperature alarm

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

You can safely freeze a quantity of fresh food and store frozen food safely for up to one year.

If the temperature rises too high a visible and audible alarm alerts you.



UNDER COUNTER LARDER FRIDGE

RTB81521AX/AW

KEY FEATURES



- Fridge shelves

Full width glass shelves with metal look trim, strong, durable and easy to clean whilst helping to maintain low temperatures following door open and closure.



NO FROST CABINET FREEZER

A72710GNX0/WO

KEY FEATURES



- No frost
- Touch controls
- LED lighting
- Frostmatic

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.

(HxWxD) in mm
850 x 595 x 635

Colour
Stainless steel

Energy rating
A++

(HxWxD) in mm
850 x 595 x 635

Colour
Stainless steel: RTB81521AX
White: RTB81521AW

Energy rating
A++

(HxWxD) in mm
1850 x 595 x 668

Colour
Stainless steel: A72710GNX0
White: A72710GNW0

Energy rating
A++



**NO FROST
CABINET FREEZER**
A72020GNX0/WO

KEY FEATURES



No frost



Touch controls



Frostmatic

Never defrost your freezer again. No frost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

Frostmatic - ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.



CABINET LARDER FRIDGE
S74010KDX0/WO

KEY FEATURES



Touch controls



Dynamic Air



LED lighting



X Large veg drawer

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

An extra large, telescopic salad drawer with divider provides a large amount of space for the weekly shop of fresh vegetables and salad.



CABINET LARDER FRIDGE
S73320KDX0/WO

KEY FEATURES



Touch controls



Dynamic Air



LED lighting



X Large veg drawer

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.

A premium and modern lighting in the fridge thanks to the bright LED light with rise-on effect.

An extra large, telescopic salad drawer with divider provides a large amount of space for the weekly shop of fresh vegetables and salad.

(HxWxD) in mm
1544 x 595 x 668

Colour
Stainless steel: A72020GNX0
White: A72020GNW0

Energy rating
A++

(HxWxD) in mm
1850 x 595 x 668

Colour
Stainless steel: S74010KDX0
White: S74010KDWO

Energy rating
A++

(HxWxD) in mm
1544 x 595 x 668

Colour
Stainless steel: S73320KDX0
White: S73320KDWO

Energy rating
A++



**UNDERCOUNTER
46 BOTTLE
WINE COOLER**
SWE66001DG
KEY FEATURES



Wine Wine temp UV Glass

Our Wine Cellar Range has dedicated technology for optimal wine storage, to store your wine bottles at the perfect temperature throughout the cooler.

The single temperature zone, with a range of 5° - 20°, provides the perfect environment for your wine.

UV protected glass door to protect wine from light damage.

Internal fan ensures a stable, constant temperature.



**UNDERCOUNTER
18 BOTTLE
WINE COOLER**
SWE63001DG
KEY FEATURES



Wine Wine temp UV Glass

Our Wine Cellar Range has dedicated technology for optimal wine storage, to store your wine bottles at the perfect temperature throughout the cooler.

The single temperature zone, with a range of 5° - 20°, provides the perfect environment for your wine.

UV protected glass door to protect wine from light damage.

Internal fan ensures a stable, constant temperature.



**UNDERCOUNTER
7 BOTTLE WINE COOLER**
SWE61501DG
KEY FEATURES



Wine Wine temp UV Glass

Our Wine Cellar Range has dedicated technology for optimal wine storage, to store your wine bottles at the perfect temperature throughout the cooler.

The single temperature zone, with a range of 5° - 20°, provides the perfect environment for your wine.

UV protected glass door to protect wine from light damage.

Internal fan ensures a stable, constant temperature.

(HxWxD) in mm
820 x 595 x 565

Colour
Black glass

Energy rating
A

(HxWxD) in mm
820 x 294 x 571

Colour
Black glass

Energy rating
A

(HxWxD) in mm
870 x 148 x 526

Colour
Black glass

Energy rating
A

OVENS

However you like to cook and whatever your favourite dishes, there's an AEG oven that's just right for you. Featuring our intelligent technology, every oven makes it effortless and enjoyable to create great tasting food, exactly the way you like it.

SteamBoost

Turn flavour up to full.

SteamPro

Master even the most complex flavours.

SurroundCook®

Expect even, every time.



SteamCrisp

Steam. Your new standard for flavour.

SteamBake™

Add steam for crispier baking.

SenseCook®

Rare. Medium. Well done.
At your command.

Ovens WHAT'S NEW

The latest furniture trends are becoming more linear and we have designed our products in line with that. We've also included more glass and less stainless steel for a seamless finish.

Command wheel

An innovative Command Wheel removes the need for a busy dashboard and makes the cooking experience simple and streamlined for perfection on a plate, every time.



Humidity sensor

Our unique humidity sensor automatically ensures you introduce the exact amount of steam into your dishes for perfect taste and texture.



LCD display

With just a touch, your current cooking settings appear immediately on the clear colour LCD display for at-a-glance monitoring of your meal, making adjustments exact and precise.

The AEG Vacuum Sealer drawer lets you be a SousVide pro chef at home, by sealing in the flavour, moisture and nutrients of ingredients until you are ready to cook them to perfection.



Food Sensor



By precisely measuring the core temperature of your food, the Food Sensor lets you know when your rare, medium or well done meat is ready. As well as cooking fish, casseroles and vegetables just the way you like them.



OVENS WORTH KNOWING

For the first time, you can trust that your oven understands the result you want, just from the words you choose.

.....

Why steam?

- **Prevents flavour exchange**
Stops flavour exchange between different dishes.
- **Food stays moist**
Prevents food from drying out.
- **Preserves nutrients**
Preserves nutrients, vitamins and minerals.
- **Evenly cooked**
Cooks food more evenly from surface to core.
- **More efficient**
Delivers heat more efficiently to the food than dry, hot air, so the temperature can be lower.



MASTER A NEW LEVEL OF FLAVOUR. JUST ADD STEAM TO HEAT.

By adding steam to traditional heat, our range of ovens ensures your dishes are cooked to your exact preference. The combination of heat and steam delivers crisp and golden on the outside and juicy

and succulent on the inside – every single time. It's an uncomplicated and highly effective way of ensuring that everything you cook is packed with maximum flavour.

STEAMCRISP



Grill

Steam plus Hot Air

STEAMBOOST



Poached

FullSteam


STEAMPRO



Grill

SousVide

SURROUND COOK®



Standard oven

SurroundCook® oven

The SurroundCook® oven ensures that every part of your dish is getting exactly the heat it needs. Evenly. Consistently. Wherever it's placed. Whether it's one dish or several. No more turning dishes halfway through cooking. Just the results that meet your expectations.

SOUSVIDE OVEN WITH COMMAND WHEEL CONTROL | BSK892330M

STEAM. YOUR NEW STANDARD FOR FLAVOUR.

SteamPro, with SousVide you can create tastier and healthier dishes. Cook with absolute purity, sealing in all the aromas, taste and nutrients under vacuum, then applying gentle steam heat to cook delicious dishes.



(HxWxD) in mm
590 x 560 x 550

Colour
Stainless steel

Energy rating
A++

aeg.co.uk/kitchen/cooking/ovens

KEY FEATURES



SteamPro

SteamPro, with Sous Vide you can create tastier and healthier dishes. Cook with absolute purity, sealing in all the aromas, taste and nutrients under vacuum, then applying gentle steam heat to cook delicious dishes.



Command wheel

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.




Humidity sensor

The unique Humidity Sensor controls steam level in the cavity to ensure food is perfectly cooked everytime.



**SOUSVIDE OVEN
WITH PROSIGHT
TOUCH CONTROLS**
BSK792320M

KEY FEATURES



**FULLY INTEGRATED SOUSVIDE
VACUUM SEALER**
KDK911423M

KEY FEATURES



**MULTIFUNCTION STEAM
OVEN WITH COMMAND
WHEEL CONTROL**
BSK882320M

KEY FEATURES



SteamPro



Touch
control



Humidity
sensor



SenseCook

SteamPro, with SousVide you can create tastier and healthier dishes. Cook with absolute purity, sealing in all the aromas, taste and nutrients under vacuum, then applying gentle steam heat to cook delicious dishes.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

The unique Humidity Sensor controls steam level in the cavity to ensure food is perfectly cooked everytime.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

SousVide cooking uses vacuum packed food and then gently steams at a very low temperature resulting in outstanding food texture every time.

100% vacuum packed food ensure heat and flavour transfer is at its highest.

Vacuum cooked food keeps all the flavour juices and nutrients inside with only 5% weight loss in cooking process.

Flavours, spices and marinades are transferred instantly ensuring maximum flavour.



Steam
Boost



Command
wheel



SenseCook



Soft Motion

Turn flavour up to full, whether you are baking, roasting or steaming with SteamBoost. The right amount of steam locks in the natural moisture to deliver juicy and succulent dishes.

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

(HxWxD) in mm

590 x 560 x 550

Colour

Stainless steel

Energy rating

A+

(HxWxD) in mm

139 x 595 x 510

Colour

Stainless steel & Black glass: KDK911423M
Black glass: KDE911423B

(HxWxD) in mm

590 x 560 x 550

Colour

Stainless steel

Energy rating

A+



MULTIFUNCTION STEAM OVEN WITH PROSIGHT CONTROLS
BSK782320M

KEY FEATURES



Steam Boost



Touch control



SenseCook



Soft Motion

Turn flavour up to full, whether you are baking, roasting or steaming with SteamBoost. The right amount of steam locks in the natural moisture to deliver juicy and succulent dishes.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

(HxWxD) in mm
590 x 560 x 550

Colour
Stainless steel

Energy rating
A+



QUARTER STEAM & PYROLYTIC OVEN
BSK874320M

KEY FEATURES



Steam Crisp



Command wheel



SenseCook



Soft Motion

SteamCrisp, by combining steam and traditional heat, food is cooked gently from the outside to the centre, enhancing food taste and achieving better results. Perfect for all your favorite roasting and baking recipes.

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

(HxWxD) in mm
590 x 560 x 550

Colour
Stainless steel

Energy rating
A+



QUARTER STEAM & PYROLYTIC OVEN WITH PROSIGHT
BSK774320M

KEY FEATURES



Steam Crisp



Touch control



SenseCook



Soft Motion

SteamCrisp, by combining steam and traditional heat, food is cooked gently from the outside to the centre, enhancing food taste and achieving better results. Perfect for all your favorite roasting and baking recipes.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

(HxWxD) in mm
590 x 560 x 550

Colour
Stainless steel

Energy rating
A+



**QUARTER STEAM &
PYROLYTIC OVEN WITH
ROTARY CONTROLS**
BSK574221M

KEY FEATURES



Steam
Crisp



Program-
mable
timer



Soft Motion



Multifunction

SteamCrisp, by combining steam and traditional heat, food is cooked gently from the outside to the centre, enhancing food taste and achieving better results. Perfect for all your favorite roasting and baking recipes.

Retractable rotary controls provide a flush finish for easy cleaning.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

(HxWxD) in mm

590 x 560 x 550

Colour

Stainless steel

Energy rating

A+



**PYROLYTIC OVEN WITH
COMMAND WHEEL
CONTROL**
BPK842720M

KEY FEATURES



SenseCook



Command
wheel



Pyrolytic



Pyro proof
telescopic
runner

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

Telescopic runners allow easy access to your dishes as well as the ability to leave them in the oven while running the pyrolytic cleaning program.

(HxWxD) in mm

590 x 560 x 550

Colour

Stainless steel

Energy rating

A+



**PYROLYTIC OVEN WITH
PROSIGHT
TOUCH CONTROLS**
BPK742320M

KEY FEATURES



SenseCook



LED
Touch
control



Pyrolytic



Soft
Motion

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

(HxWxD) in mm

590 x 560 x 550

Colour

Stainless steel

Energy rating

A+



**SIDE OPENING
PYROLYTIC OVEN
BPK744L21M**

KEY FEATURES



SenseCook



Touch control



Pyrolytic



Soft Motion

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

(HxWxD) in mm
590 x 560 x 550

Colour
Stainless steel

Energy rating
A+



**PYROLYTIC OVEN
WITH PROSIGHT
TOUCH CONTROLS
BPK642020M**

KEY FEATURES



SenseCook



Touch control



Pyrolytic



Multifunction

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

(HxWxD) in mm
590 x 560 x 550

Colour
Stainless steel

Energy rating
A+



**PYROLYTIC MULTIFUNCTION
OVEN WITH
ROTARY CONTROLS
BPK552220M**

KEY FEATURES



SenseCook



Program-
mable
timer



Pyrolytic



Steam-
Bake™

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

Retractable rotary controls provide a flush finish for easy cleaning.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

SteamBake™ enhances your baking results, by making the bakes soft and tender inside, while the outside gets a delicious golden colour and a perfect tasty crust.

(HxWxD) in mm
590 x 560 x 550

Colour
Stainless steel: BPK552220M
Black glass: BPE552220B
White glass: BPK552220W

Energy rating
A+



PYROLYTIC MULTIFUNCTION OVEN WITH ROTARY CONTROLS
BPK351020M

CATALYTIC MULTIFUNCTION OVEN WITH ROTARY CONTROLS
BCK452210M

MULTIFUNCTION OVEN WITH ROTARY CONTROLS
BEK351010M

KEY FEATURES

KEY FEATURES

KEY FEATURES



Steam-Bake™



Program-mable timer



Pyrolytic



Multifunction



SenseCook



Program-mable timer



CataFan



Steam-Bake™



Steam-Bake™



Program-mable timer



Enamel liners



Multifunction

SteamBake™ enhances your baking results, by making the bakes soft and tender inside, while the outside gets a delicious golden colour and a perfect tasty crust.

Retractable rotary controls provide a flush finish for easy cleaning.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

Retractable rotary controls provide a flush finish for easy cleaning.

The Fan Cover is coated with a catalytic lining which activates at high temperatures, assisting to remove grease on hard accessible areas.

SteamBake™ enhances your baking results, by making the bakes soft and tender inside, while the outside gets a delicious golden colour and a perfect tasty crust.

SteamBake enhances your baking results, by making the bakes soft and tender inside, while the outside gets a delicious golden colour and a perfect tasty crust.

Stay in control of your cooking with the fully programmable timer.

Diamond glazed enamel interior, durable and easy to clean.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

(HxWxD) in mm
 590 x 560 x 550

(HxWxD) in mm
 590 x 560 x 550

(HxWxD) in mm
 590 x 560 x 550

Colour
 Stainless steel

Colour
 Stainless steel

Colour
 Stainless steel: BEK351010M
 Black: BEB351010B
 White: BEB351010W

Energy rating
 A+

Energy rating
 A

Energy rating
 A



**WIDE MULTIFUNCTION
OVEN WITH ROTARY
CONTROLS**

KEK442910M

KEY FEATURES



SenseCook



Multi-
function



Program-
mable
timer



Enamel
liners

SenseCook, Rare, Medium, Well done?

The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

Stay in control of your cooking with the fully programmable timer.

Diamond glazed enamel interior, durable and easy to clean.

(HxWxD) in mm

475 x 860 x 550

Colour

Stainless steel

Energy rating

A



MULTIFUNCTION DOUBLE OVEN WITH PROSIGHT CONTROLS

DCK731110M
KEY FEATURES



Touch controls



Dual multi-function



Catalytic liners



Surround Cook

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result in both ovens.

Catalytic lining oxidises grease and dirt aiding cleaning.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.



MULTIFUNCTION DOUBLE OVEN WITH CATALYTIC LINERS

DCK431110M
KEY FEATURES



Multi-function



Retractable controls



Catalytic liners



Surround Cook

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

Retractable rotary controls provide a flush finish for easy cleaning.

Catalytic lining oxidises grease and dirt aiding cleaning.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.



MULTIFUNCTION DOUBLE OVEN DEK431010M

KEY FEATURES



Multi-function



Retractable controls



Enamel liners



Surround Cook

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

Retractable rotary controls provide a flush finish for easy cleaning.

Diamond glazed enamel interior, durable and easy to clean.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

(HxWxD) in mm
888 x 594 x 548

Colour
Stainless steel

Energy rating
A / A

(HxWxD) in mm
888 x 594 x 548

Colour
Stainless steel

Energy rating
A / A

(HxWxD) in mm
888 x 594 x 548

Colour
Stainless steel

Energy rating
A / A



MULTIFUNCTION DOUBLE OVEN WITH CATALYTIC LINERS
DCB331010M

KEY FEATURES



MULTIFUNCTION DOUBLE OVEN
DEB331010M

KEY FEATURES



MULTIFUNCTION DOUBLE OVEN WITH CATALYTIC LINERS
DUK731110M

KEY FEATURES



Multi-function



Retractable controls



Catalytic liners



Surround Cook



Multi-function



Retractable controls



Enamel liners



Surround Cook



Touch controls



Dual multi-function



Catalytic liners



Surround Cook

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

Retractable rotary controls provide a flush finish for easy cleaning.

Catalytic lining oxidises grease and dirt aiding cleaning.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

Retractable rotary controls provide a flush finish for easy cleaning.

Diamond glazed enamel interior, durable and easy to clean.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result in both ovens.

Catalytic lining oxidises grease and dirt aiding cleaning.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

(HxWxD) in mm
888 x 594 x 548

Colour
Stainless steel

Energy rating
A / A

(HxWxD) in mm
888 x 594 x 548

Colour
Stainless steel: DEB331010M
Black glass: DEE43101OB

Energy rating
A / A

(HxWxD) in mm
715 x 594 x 548

Colour
Stainless steel

Energy rating
A / A



**MULTIFUNCTION
DOUBLE OVEN**
DUK431110M

KEY FEATURES



Multifunction



Retractable controls



Catalytic liners



Surround Cook

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

Retractable rotary controls provide a flush finish for easy cleaning.

Catalytic lining oxidises grease and dirt aiding cleaning.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

(HxWxD) in mm
715 x 594 x 548

Colour
Stainless steel

Energy rating
A / A



**MULTIFUNCTION
DOUBLE OVEN**
DUB331110M

KEY FEATURES



Multifunction



Retractable controls



Catalytic liners



Surround Cook

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

Retractable rotary controls provide a flush finish for easy cleaning.

Catalytic lining oxidises grease and dirt aiding cleaning.

Expect even, every time with SurroundCook. Every part of your dish receives the exact consistent heat that it needs.

(HxWxD) in mm
715 x 594 x 548

Colour
Stainless steel

Energy rating
A / A

INTRODUCING THE AEG BLACKLINE RANGE





SOUSVIDE OVEN WITH PROSIGHT TOUCH CONTROLS

BSE792320B

KEY FEATURES



FULLY INTEGRATED SOUSVIDE VACUUM SEALER

KDE911423B

KEY FEATURES



COMBINATION MICROWAVE COMPACT OVEN

KME761000B

KEY FEATURES



SteamPro



ProSight touch controls



Humidity sensor



SenseCook

SteamPro, with SousVide you can create tastier and healthier dishes. Cook with absolute purity, sealing in all the aromas, taste and nutrients under vacuum, then applying gentle steam heat to cook delicious dishes.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

The unique Humidity Sensor controls steam levels in the cavity to ensure food is perfectly cooked everytime.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

SousVide cooking uses vacuum packed food and then gently steams at a very low temperature resulting in outstanding food texture every time.

100% vacuum packed food ensure heat and flavour transfer is at its highest.

Vacuum cooked food keeps all the flavour juices and nutrients inside with only 5% weight loss in cooking process.

Flavours, spices and marinades are transferred instantly ensuring maximum flavour.



Combi-Quick



ProSight touch controls



Multi-function



Microwave

CombiQuick, The Combi Microwave Oven gives you the option to combine heating function and microwave mode together to achieve great taste in up to half the time.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

The pure microwave function gives you the option to re-heat, cook and defrost your dish.

(HxWxD) in mm

590 x 560 x 550

Colour

Black glass

Energy rating

A+

(HxWxD) in mm

139 x 595 x 510

Colour

Black glass

(HxWxD) in mm

455 x 594 x 520

Colour

Black glass



**BEAN TO CUP COMPACT
COFFEE MACHINE**
KKE884500B



KEY FEATURES



Authentic Italian coffee



ProSight touch controls



Uses fresh coffee beans




Fully automatic

Have authentic Italian coffee at home at the touch of a button.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

Uses fresh coffee beans for an authentic taste.

Fully automatic preprogrammed machine offering a selection of coffee including automatic cappuccino function.



**14CM WARMING DRAWER
WITH PUSH/PULL
MECHANISM**
KDE911422B



KEY FEATURES



14cm



6 Place

Stylish half steel, half black glass warming drawer, with a six place setting capacity.

Ideal for keeping hot food warm until you are ready to serve without drying food out.

Plate warming at 60°C food will stay warmer for longer on pre-warmed plates.

Warming cups and glasses at 40°C, hot liquids will not cool down as quickly when served in pre-warmed cups.

(HxWxD) in mm
455 x 594 x 361

Colour
Black glass

(HxWxD) in mm
131 x 595 x 535

Colour
Black glass

SOUS VIDE COMPACT OVEN WITH COMMAND WHEEL CONTROL | KSK892220M

COMPACT OVENS

SteamPro, with Sous Vide you can create tastier and healthier dishes. Cook with absolute purity, sealing in all the aromas, taste and nutrients under vacuum, then applying gentle steam heat to cook delicious dishes



(HxWxD) in mm
455 x 594 x 520

Colour
Stainless steel

Energy rating
A+

aeg.co.uk/kitchen/ovens



KEY FEATURES



Command wheel

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process



Humidity sensor

The unique Humidity Sensor controls steam level in the cavity to ensure food is perfectly cooked everytime.



SenseCook

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.



**MULTIFUNCTION
COMPACT STEAM OVEN**
KSK882220M

KEY FEATURES



Steam Boost Command wheel SenseCook Soft Motion

Turn flavour up to full, whether you are baking, roasting or steaming with SteamBoost. The right amount of steam locks in the natural moisture to deliver juicy and succulent dishes.

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.



**MULTIFUNCTION
COMPACT STEAM OVEN**
KSK782220M

KEY FEATURES



Steam Boost Touch controls SenseCook Soft Motion

Turn flavour up to full, whether you are baking, roasting or steaming with SteamBoost. The right amount of steam locks in the natural moisture to deliver juicy and succulent dishes.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.



**PYROLYTIC
COMPACT OVEN**
KPK842220M

KEY FEATURES



SenseCook Command wheel Pyrolytic Soft Motion

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.

(HxWxD) in mm
455 x 594 x 520

Colour
Stainless steel

Energy rating
A+

(HxWxD) in mm
455 x 594 x 520

Colour
Stainless steel

Energy rating
A+

(HxWxD) in mm
455 x 594 x 520

Colour
Stainless steel

Energy rating
A+



PYROLYTIC COMPACT OVEN WITH PROSIGHT
KPK742220M



KEY FEATURES



SenseCook Touch controls Pyrolytic Soft Motion

SenseCook, Rare, Medium, Well done? The built in food probe measures the precise cooking temperature inside the food, for perfect results every time.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

A total self-cleaning function, that heats up to 500°C and turns food residue to ash.

The Soft Closing Door system ensures a smooth and soundless door closing with an effortless touch.



COMBINATION MICROWAVE COMPACT OVEN
KMK861000M



KEY FEATURES



Combi-Quick Command wheel Multi-function Microwave

The Combi Microwave Oven gives you the option to combine heating function and microwave mode together to achieve great taste in up to half the time with CombiQuick.

The touch sensitive Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

The pure microwave function gives you the option to re-heat, cook and defrost your dish.



COMBINATION MICROWAVE COMPACT OVEN
KMK761000M



KEY FEATURES



Combi-Quick Touch controls Multi-function Microwave

The Combi Microwave Oven gives you the option to combine heating function and microwave mode together to achieve great taste in up to half the time with CombiQuick.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

The pure microwave function gives you the option to re-heat, cook and defrost your dish.

(HxWxD) in mm
455 x 594 x 520

Colour
Stainless steel

Energy rating
A+

(HxWxD) in mm
455 x 594 x 520

Colour
Stainless steel

(HxWxD) in mm
455 x 594 x 520

Colour
KMK761000M - Stainless Steel
KME761000B - Black glass



**COMBINATION MICROWAVE
COMPACT OVEN**
KMK561000M



KEY FEATURES



Combi-Quick Programmable timer Multi-function Microwave

The Combi Microwave Oven gives you the option to combine heating function and microwave mode together to achieve great taste in up to half the time with CombiQuick.

Retractable rotary controls provide a flush finish for easy cleaning.

Multifunction cooking combines all the benefits of hot air cooking with other functions, like conventional cooking, enabling you to achieve your desired result.

The pure microwave function gives you the option to re-heat, cook and defrost your dish.

(HxWxD) in mm
455 x 594 x 520

Colour
Stainless steel



**MICROWAVE & GRILL
COMPACT**
KMK721000M



KEY FEATURES



Solo Microwave and grill Touch controls Grill Quick start

The Microwave Oven gives you faster delicious results with microwave and grill combination.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

A 1900W grill to crisp and brown dishes, for fantastic results.

(HxWxD) in mm
455 x 594 x 520

Colour
Stainless steel



**BEAN TO CUP
COFFEE MACHINE**
KKK884500M



KEY FEATURES



Authentic Italian coffee Touch controls Uses fresh coffee beans Fully automatic

Have authentic Italian coffee at home at the touch of a button.

Intuitive touch controls provide instant feedback, easy to use and look sleek in the kitchen.

Uses fresh coffee beans for an authentic taste.

Fully automatic preprogrammed machine offering a selection of coffee including automatic cappuccino function.

(HxWxD) in mm
455 x 594 x 361


Colour
KKK884500M - Stainless Steel
KKE884500B - Black Glass



29CM WARMING DRAWER
KDK912922M



KEY FEATURES



Stylish half steel, half black glass warming drawer, with a twelve place setting capacity.


Ideal for keeping hot food warm until you are ready to serve without drying food out.

Plate warming at 60°C food will stay warmer for longer on pre-warmed plates.

Warming cups and glasses at 40°C, hot liquids will not cool down as quickly when served in pre-warmed cups.

(HxWxD) in mm
295 x 595 x 535

Colour
Stainless steel & black glass



14CM WARMING DRAWER
KDK911422M



KEY FEATURES



Stylish half steel, half black glass warming drawer, with a twelve place setting capacity.

Ideal for keeping hot food warm until you are ready to serve without drying food out.

Plate warming at 60°C food will stay warmer for longer on pre-warmed plates.

Warming cups and glasses at 40°C, hot liquids will not cool down as quickly when served in pre-warmed cups.

(HxWxD) in mm
131 x 595 x 535


Colour
Stainless steel & black glass
Black glass: KDE911422B



29CM WARMING DRAWER
KDE912922M



KEY FEATURES



Full steel warming drawer, with a twelve place setting capacity.


Ideal for keeping hot food warm until you are ready to serve without drying food out.

Plate warming at 60°C food will stay warmer for longer on pre-warmed plates.

Warming cups and glasses at 40°C, hot liquids will not cool down as quickly when served in pre-warmed cups.

(HxWxD) in mm
295 x 595 x 535

Colour
Stainless Steel



14 CM WARMING DRAWER
KDE911422M



KEY FEATURES



14 cm

6 Place

Full steel warming drawer, with a twelve place setting capacity.

Ideal for keeping hot food warm until you are ready to serve without drying food out.

Plate warming at 60°C food will stay warmer for longer on pre-warmed plates.

Warming cups and glasses at 40°C, hot liquids will not cool down as quickly when served in pre-warmed cups.

(HxWxD) in mm

131 x 595 x 535

Colour


Stainless steel



14 CM WARMING DRAWER
KD91405M



KEY FEATURES



14 cm

6 Place

Ability to install behind a kitchen cabinetry panel for an integrated design.

Six place setting capacity.

Ideal for keeping hot food warm until you are ready to serve without drying food out.

Plate warming at 60°C food will stay warmer for longer on pre-warmed plates.

(HxWxD) in mm

125 x 595 x 535

Colour

N/A

HIGH PERFORMANCE 17L MICROWAVE | MBB1755S-M

MICROWAVES

The new AEG multifunctional microwave ovens come with a range of fully built-in and semi built-in options with a perfect design alignment with ovens. This fully built in microwave oven has an intuitive touchscreen control panel that features a simple, wipe-clean surface. The touch-sensitive panel lets you change functions and timings in seconds, too.



(HxWxD) in mm
371 x 494 x 316

Colour
Black glass and stainless steel

aeg.co.uk/kitchen/cooking/microwaves

KEY FEATURES



Solo Microwave



800 Watts



17 Litres





**HIGH PERFORMANCE
17L MICROWAVE
MBB1756S-M**



KEY FEATURES

 Solo microwave
 60cm
 800w
 17L

Our 17L solo microwaves with their 30 cm built in depth can be installed in many positions and any kitchen with slim wall hanging cabinets.

Our microwave ovens can be installed in all cabinets, non-ventilated or ventilated kitchen cabinets, making them perfect for replacements or kitchen upgrades.

The new touch display does not only make it easier and more intuitive for you to control your microwave, the surface is also easy to clean.

With our perfect fit installation you will always install the product in the right way. To make it extra easy, the installation only requires one single tool.

(HxWxD) in mm
371 x 594 x 316

Colour
Black glass and stainless steel



**LARGE 26L MICROWAVE
MBE2658S-M**



KEY FEATURES

 Solo microwave
 60cm
 900w
 26L

Our microwave ovens can be installed in all cabinets, non-ventilated or ventilated kitchen cabinets, making them perfect for replacements or kitchen upgrades.

With our perfect fit installation you will always install the product in the right way. To make it extra easy, the installation only requires one single tool.

The new touch display does not only make it easier and more intuitive for you to control your microwave, the surface is also easy to clean.

(HxWxD) in mm
459 x 596 x 404

Colour
Black glass and stainless steel



**LARGE 26L BLACK GLASS
MICROWAVE
MBE2658S-B**



KEY FEATURES

 Solo microwave
 60cm
 900w
 26L

Our microwave ovens can be installed in all cabinets, non-ventilated or ventilated kitchen cabinets, making them perfect for replacements or kitchen upgrades.

With our perfect fit installation you will always install the product in the right way. To make it extra easy, the installation only requires one single tool.

The new touch display does not only make it easier and more intuitive for you to control your microwave, the surface is also easy to clean.

(HxWxD) in mm
459 x 594 x 404

Colour
Black glass



17L DUO MICROWAVE AND GRILL
MBB1756D-M



KEY FEATURES



Microwave grill



60cm



800w



17L

This microwave can do all the things you expect a microwave to do. And in addition to that it has a grill function as well as the possibility to use convection cooking, making it even faster and more convenient to cook delicious meals in your microwave.

Our 17L solo microwaves with their 30 cm built in depth can be installed in many positions and any kitchen with slim wall hanging cabinets.

Our microwave ovens can be installed in all cabinets, non-ventilated or ventilated kitchen cabinets, making them perfect for replacements or kitchen upgrades.

The new touch display does not only make it easier and more intuitive for you to control your microwave, the surface is also easy to clean.

(HxWxD) in mm

371 x 594 x 316

Colour

Black glass and stainless steel



LARGE 26L MICROWAVE
MBE2658D-M



KEY FEATURES



Microwave grill



60cm



900w



26L

As well as being able to do all the things you expect from a microwave, this one also has a grill function making it possible to prepare even more delicious meals.

Our microwave ovens can be installed in all cabinets, non-ventilated or ventilated kitchen cabinets, making them perfect for replacements or kitchen upgrades.

With our perfect fit installation you will always install the product in the right way. To make it extra easy, the installation only requires one single tool.

The new touch display does not only make it easier and more intuitive for you to control your microwave, the surface is also easy to clean.

(HxWxD) in mm


459 x 596 x 404

Colour

Black glass and stainless steel

INDUCTION COOKING

FREESTANDING COOKING WORTH KNOWING



Standard oven

SurroundCook® oven

SURROUND COOK®

The SurroundCook® oven ensures that every part of your dish is getting exactly the heat it needs. Evenly. Consistently. Wherever it's placed. Whether it's one dish or several. No more turning dishes halfway through cooking. Just the results that meet your expectations.

FOOD SENSOR

By precisely measuring the core temperature of your food, the Food Sensor lets you know when your rare, medium or well done meat is ready. As well as cooking fish, casseroles and vegetables just the way you like them.



XXL CAVITY

Our large main oven has more usable space which allows you to cook on all 5 levels simultaneously, which means you can bake 150 cookies at the same time.

CATALYTIC LINING

The Catalytic lining oxidises grease and dirt within both ovens, aiding oven cleaning.

INDUCTION COOKING | 49176IW-MN

FREESTANDING COOKING

Our MaxiSense® induction hob has flexible sections ensuring pots and pans have maximum space and choice of position. The 4 zones can be switched to 2 large cooking areas, ideal for large pans or fish kettles.

Stop + Go allows you to reduce all the hob zones to Keep Warm setting and back again - all at the touch of a button. Ideal for unexpected interruptions.

Touch controls for both hob and oven functionality offer precise operation, give a flush finish to the cooker and are easy to wipe clean.

To help you reach perfection the food probe measures the precise temperature deep inside the food.



(HxWxD) in mm
900 x 596 x 600

Colour
Stainless steel

Energy rating
A/A

aeg.co.uk/kitchen/cooking/ovens

KEY FEATURES



DirekTouch



Catalytic Lining



Maxi Tray



Programmable oven



**60CM WIDE
MULTIFUNCTION
COOKER**
49176V-MN
KEY FEATURES



**60CM WIDE
MULTIFUNCTION
COOKER**
43172V-MN
KEY FEATURES



**60CM WIDE
MULTIFUNCTION
COOKER**
43102V-MN
KEY FEATURES



Catalytic lining



DirekTouch



Maxi Tray



Programmable oven

Touch controls for both hob and oven functionality offer precise operation, give a flush finish to the cooker and are easy to wipe clean.

To help you reach perfection the food probe measures the precise temperature deep inside the food.

Catalytic lining oxidises grease and dirt aiding oven cleaning.

Multifunction cooking in the main oven with 9 cooking functions enables you to achieve your desired result.

Our large capacity main oven accommodates a large turkey whilst the SurroundCook system ensures mouth watering results are achieved.



Catalytic lining



Cool touch oven door



Maxi Tray



Programmable oven

Telescopic rails in the main oven aid the loading and unloading of heavy food items.

The front left zone has dual sizing, so can be used for 2 sizes of pan for efficient cooking.

To help you reach perfection the food probe measures the precise temperature deep inside the food.

Catalytic lining oxidises grease and dirt aiding oven cleaning.

Multifunction cooking in the main oven with 9 cooking functions enables you to achieve your desired result.



Catalytic lining



Cool touch oven door



Maxi Tray



Programmable oven

To help you reach perfection the food probe measures the precise temperature deep inside the food.

Our large capacity main oven accommodates a large turkey and our Hot Air cooking system ensures mouth watering results are achieved.

Multifunction cooking in the main oven with 9 cooking functions enables you to achieve your desired result.

Catalytic lining oxidises grease and dirt aiding oven cleaning.

Stay in control of your cooking with the fully programmable main oven.

(HxWxD) in mm
900 x 596 x 600

Colour
Stainless steel

Energy rating
A / A

(HxWxD) in mm
900 x 596 x 600

Colour
Stainless steel

Energy rating
A / A

(HxWxD) in mm
900 x 596 x 600

Colour
Stainless steel

Energy rating
A / A



**60CM WIDE
MULTIFUNCTION
COOKER**

47102V-MN

KEY FEATURES



**60CM WIDE
GAS COOKER**
17166GM-MN

KEY FEATURES



Catalytic lining



Cool touch oven door



Maxi Tray



Programmable oven



Catalytic lining



Cool touch oven door



Maxi Tray

Our large capacity main oven accommodates a large turkey and our Hot Air cooking system ensures mouth watering results are achieved.

Multifunction cooking in the main oven with 9 cooking functions enables you to achieve your desired result.

Catalytic lining oxidises grease and dirt aiding oven cleaning.

Stay in control of your cooking with the fully programmable main oven timer.

Large capacity top and bottom ovens offer total flexibility and space for cooking lots of dishes.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

Catalytic lining oxidises grease and dirt aiding oven cleaning.

Large capacity top and bottom ovens offer total flexibility and space for cooking lots of dishes.

The clock with minute minder can be set to alert you to check food or end cooking.

(HxWxD) in mm

900 x 596 x 600

Colour

Stainless steel

Energy rating

A / A

(HxWxD) in mm

900 x 596 x 600

Colour

Stainless steel

Energy rating

A / A

MAXISENSE® COMBI WITH EXSIGHT® TOUCH CONTROLS | HKH81700FB

TASTE HAS A NEW PLAYING FIELD

The **MaxiSense® Combi** cooking zone allows you to place up to 3 pots anywhere in this zone. Individually controlling temperature and timers.



(WxD) in mm
780 x 520

Colour
Black glass

aeg.co.uk/kitchen/cooking/hobs

KEY FEATURES



Powerslide

Powerslide function allows you to turn the MaxiSense® Combi zone in to a self controlling hotplate varying temp from full power at the front to simmer at the back.



DirekTouch

DirekTouch controls for quick, precise heat level selection.



MaxiSense® Combi

The MaxiSense® Combi cooking zone allows you to place up to 3 pots anywhere in this zone. Individually controlling temperature and timers.



**80CM MAXISENSE® HOB
HKH81700FB**

**80CM MAXISENSE®
INDUCTION HOB
HKP87420FB**

**60CM MAXISENSE®
INDUCTION HOB
HKP67420FB**



KEY FEATURES

KEY FEATURES

KEY FEATURES



MaxiSense® Combi Flexible Zone DirektTouch Stop+Go



MaxiSense® Flexibridge Rotary DirektTouch Stop+Go



MaxiSense® Flexibridge Rotary DirektTouch Stop+Go

The MaxiSense® Combi cooking zone allows you to place up to 3 pots anywhere in this zone. Individually controlling temperature and timers.

Powerslide function allows you to turn the MaxiSense® Combi zone in to a self controlling hotplate varying temp from full power at the front to simmer at the back.

DirekTouch controls for quick, precise heat level selection.

The 2 Maxisense zones allows you to use up to 5 pans at any one time.

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

A special 4-segment induction cooking area where you can choose to connect up to 4 zones, offering one of the largest single cooking areas with exceptional, uniform heat distribution. Perfect from the smallest blini pan up to a super large casserole dish.

DirekTouch rotary slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

A special 4-segment induction cooking area where you can choose to connect up to 4 zones, offering one of the largest single cooking areas with exceptional, uniform heat distribution. Perfect from the smallest blini pan up to a super large casserole dish.

DirekTouch rotary slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

(WxD) in mm
780 x 520

(WxD) in mm
780 x 520

(WxD) in mm
620 x 520

Colour
Black

Colour
Black

Colour
Black



**80CM MAXISENSE®
INDUCTION PUREHOB
HK874400FB**



KEY FEATURES



MaxiSense® Single Bridging Zones Rotary DirektTouch Stop+Go

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

Bridge function links the two sections creating a larger section for versatile cooking.

DirekTouch rotary slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.



**60CM MAXISENSE®
INDUCTION HOB
HK674400FB**



KEY FEATURES




MaxiSense® Single Bridging Zones Rotary DirektTouch Stop+Go

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

Bridge function links the two sections creating a larger section for versatile cooking.

DirekTouch rotary slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.



**90CM MAXISENSE®
INDUCTION HOB
HK956600FB**



KEY FEATURES



MaxiSense® Flexibridge DirektTouch Stop+Go

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

A special 4-segment induction cooking area where you can choose to connect up to 4 zones, offering one of the largest single cooking areas with exceptional, uniform heat distribution. Perfect from the smallest blini pan up to a super large casserole dish.

DirekTouch slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

(WxD) in mm
780 x 520



Colour
Black

(WxD) in mm
590 x 520

Colour
Black

(WxD) in mm
910 x 520

Colour
Black



**80CM MAXISENSE®
INDUCTION HOB
HKP85410FB**



KEY FEATURES



MaxiSense® Flexibridge DirektTouch Hob to hood

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

A special 4-segment induction cooking area where you can choose to connect up to 4 zones, offering one of the largest single cooking areas with exceptional, uniform heat distribution. Perfect from the smallest blini pan up to a super large casserole dish.

DirekTouch slide controls for quick, precise heat level selection.

Hob2Hood completely automates the control of the cooker hood from the hob. Turn the hob on and the hood will turn on automatically, power boost on hob will put hood on intensive speed.

**60CM MAXISENSE®
INDUCTION HOB
HKP65410FB**



KEY FEATURES



MaxiSense® Flexibridge DirektTouch Hob to hood

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

A special 4-segment induction cooking area where you can choose to connect up to 4 zones, offering one of the largest single cooking areas with exceptional, uniform heat distribution. Perfect from the smallest blini pan up to a super large casserole dish.

DirekTouch slide controls for quick, precise heat level selection.

Hob2Hood completely automates the control of the cooker hood from the hob. Turn the hob on and the hood will turn on automatically, power boost on hob will put hood on intensive speed.

**SLIM 90CM MAXISENSE®
INDUCTION HOB
HK953400FB**



KEY FEATURES



MaxiSense® DirektTouch Stop+Go Residual heat

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

DirekTouch slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

OptiHeat control with 3 levels of residual heat on each cooking zone.

(WxD) in mm
780 x 520

Colour
Black

(WxD) in mm
590 x 520

Colour
Black

(WxD) in mm
910 x 410

Colour
Black



**80CM MAXISENSE®
INDUCTION HOB
HKM85510FB**



KEY FEATURES



MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.


DirekTouch slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

Hob2Hood completely automates the control of the cooker hood from the hob. Turn the hob on and the hood will turn on automatically, power boost on hob will put hood on intensive speed.

(WxD) in mm
780 x 520

Colour
Black



**80CM MAXISENSE®
INDUCTION HOB
HK854401FB**



KEY FEATURES



MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.


DirekTouch slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

Hob2Hood completely automates the control of the cooker hood from the hob. Turn the hob on and the hood will turn on automatically, power boost on hob will put hood on intensive speed.

(WxD) in mm
780 x 520

Colour
Black



**70CM MAXISENSE®
INDUCTION HOB
HK764403FB**



KEY FEATURES



MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.


Bridge function links the two sections creating a larger section for versatile cooking.

DirekTouch slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

(WxD) in mm
710 x 520

Colour
Frameless: HK764403FB
Stainless frame: HK764403XB



**60CM MAXISENSE®
INDUCTION HOB
HK654400FB**

**80CM INDUCTION HOB
HKL85410FB**


**80CM INDUCTION HOB
HK854210FB**




KEY FEATURES

KEY FEATURES

KEY FEATURES



MaxiSense® Double bridging zones DirektTouch Stop+Go



MaxiSense® Single bridging zones DirektTouch Hob to hood



DirektTouch Stop+Go Residual heat Hob to hood

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

MaxiSense® Simply cover the centre of the cross, the cooking zone will adapt to the size and shape of your cookware.

DirektTouch slide controls for quick, precise heat level selection.

Bridge function links the two sections creating a larger section for versatile cooking.

Bridge function links the two sections creating a larger section for versatile cooking.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

DirekTouch slide controls for quick, precise heat level selection.

DirekTouch slide controls for quick, precise heat level selection.

OptiHeat control with 3 levels of residual heat on each cooking zone.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

Hob2Hood completely automates the control of the cooker hood from the hob. Turn the hob on and the hood will turn on automatically, power boost on hob will put hood on intensive speed.

Hob2Hood completely automates the control of the cooker hood from the hob. Turn the hob on and the hood will turn on automatically, power boost on hob will put hood on intensive speed.

(WxD) in mm
590 x 520

(WxD) in mm
780 x 520

(WxD) in mm
780 x 520

Colour
Frameless: HK654400FB
Stainless frame: HK654400XB

Colour
Black

Colour
Black



60CM INDUCTION HOB
HK6542H0FB



KEY FEATURES



DirektTouch



Stop+Go



Hob to hood



Residual heat

DirekTouch slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

Hob2Hood completely automates the control of the cooker hood from the hob. Turn the hob on and the hood will turn on automatically, power boost on hob will put hood on intensive speed.

OptiHeat control with 3 levels of residual heat on each cooking zone.



60CM INDUCTION HOB
HK654200FB



KEY FEATURES



DirektTouch



Stop+Go



Residual heat



AutoMax

DirekTouch slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

OptiHeat control with 3 levels of residual heat on each cooking zone.

AutoMax quickly brings the hob to the boil, then automatically reduces to the pre-selected power level.



60CM INDUCTION HOB
HK634200XB



KEY FEATURES



Touch control



Stop+Go



Residual heat



Child lock

Touch controls give a flush finish to the hob, they offer precise operation and are easy to wipe clean.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

OptiHeat control with 3 levels of residual heat on each cooking zone.

Controls can be locked for additional safety and prevent alteration to cooking selection.

(WxD) in mm
590 x 520

Colour
Black

(WxD) in mm
590 x 520

Colour
Frameless: HK654200FB
Stainless frame: HK654200XB

(WxD) in mm
576 x 516

Colour
Black



**60CM PLUG & PLAY
INDUCTION HOB
HK6042001B**



KEY FEATURES



Touch controls give a flush finish to the hob, they offer precise operation and are easy to wipe clean.

Ability to plug your induction hob into a domestic plug socket, thanks to the internal power management system.

OptiHeat control with 3 levels of residual heat on each cooking zone.

Controls can be locked for additional safety and prevent alteration to cooking selection.

**90CM CERAMIC HOB
WITH 5 ZONES
HK955070FB**



KEY FEATURES



DirekTouch slide controls for quick, precise heat level selection.

Optimized and efficient cooking possibilities with the extendable triple zone.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

For added safety the residual heat indicators warn when the hob is still hot after cooking.

**80CM CERAMIC HOB
WITH 4 ZONES
HK854080FB**



KEY FEATURES



DirekTouch slide controls for quick, precise heat level selection.

Optimized and efficient cooking possibilities with the extendable triple zone.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

For added safety the residual heat indicators warn when the hob is still hot after cooking.

(WxD) in mm
590 x 520

Colour
Black

(WxD) in mm
910 x 520

Colour
Black

(WxD) in mm
780 x 520

Colour
Black



70CM CERAMIC HOB WITH 4 ZONES
HK764070FB



KEY FEATURES




DirektTouch slide controls for quick, precise heat level selection.

Optimized and efficient cooking possibilities with the extendable triple zone.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

For added safety the residual heat indicators warn when the hob is still hot after cooking.



60CM CERAMIC HOB WITH 4 ZONES
HK634060XB



KEY FEATURES



Touch controls give a flush finish to the hob, they offer precise operation and are easy to wipe clean.

Optimized and efficient cooking possibilities with the extendable double zone.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.


For added safety the residual heat indicators warn when the hob is still hot after cooking.



60CM CERAMIC HOB WITH TOUCH CONTROLS
HK624010FB



KEY FEATURES



Touch controls give a flush finish to the hob, they offer precise operation and are easy to wipe clean.

Optimized and efficient cooking possibilities with the extendable double zone.

Controls can be locked for additional safety and prevent alteration to cooking selection.

For added safety the residual heat indicators warn when the hob is still hot after cooking.

(WxD) in mm
710 x 520


Colour
Black

(WxD) in mm
576 x 516

Colour
Black

(WxD) in mm
590 x 520

Colour
Frameless: HK624010FB
Stainless frame: HK624010XB



**60CM CERAMIC HOB WITH
ROTARY CONTROLS**
HRA64100CB



KEY FEATURES



Rotary controls



Double Zone



Residual heat

Rotary side controls with 9 power levels for accurate control.

Optimized and efficient cooking possibilities with the extendable double zone.

For added safety the residual heat indicators warn when the hob is still hot after cooking.

(WxD) in mm

590 x 520

Colour

Black

.....



**75CM FLUSH VERTICAL FLAME
GAS ON GLASS HOB**
HG795840NB



KEY FEATURES



Vertical Flame ensures the heat is evenly distributed on the bottom of the pan making it up to 20% more efficient than standard burners.


Flush Burners are easy to remove and dishwasher safe, ensuring that cleaning the hob is as simple as possible.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
740 x 510


Colour
Black



**60CM FLUSH VERTICAL FLAME
GAS ON GLASS HOB**
HG694840NB



KEY FEATURES



Vertical Flame ensures the heat is evenly distributed on the bottom of the pan making it up to 20% more efficient than standard burners.

Flush Burners are easy to remove and dishwasher safe, ensuring that cleaning the hob is as simple as possible.

Front controls with automatic integrated ignition for easy operation.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
590 x 520

Colour
Black



**75CM FLUSH VERTICAL
FLAME HOB**
HG755820UM



KEY FEATURES



Vertical Flame ensures the heat is evenly distributed on the bottom of the pan making it up to 20% more efficient than standard burners.

Flush Burners are easy to remove and dishwasher safe, ensuring that cleaning the hob is as simple as possible.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
745 x 515

Colour
Stainless steel



60CM FLUSH VERTICAL FLAME HOB
HG654820UM



KEY FEATURES



Vertical Flame ensures the heat is evenly distributed on the bottom of the pan making it up to 20% more efficient than standard burners.

Flush Burners are easy to remove and dishwasher safe, ensuring that cleaning the hob is as simple as possible.

Front controls with automatic integrated ignition for easy operation.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
590 x 520


Colour
Stainless steel



75CM SLIM CERAMIC GAS ON GLASS HOB
HG775450VB



KEY FEATURES



5 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Front controls with automatic integrated ignition for easy operation.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
740 x 510


Colour
Black



60CM SLIM CERAMIC GAS ON GLASS HOB
HG674550VB



KEY FEATURES



4 burner gas hob maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Front controls with automatic integrated ignition for easy operation.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
590 x 520

Colour
Black



**70CM SEMI FLUSH
GAS ON GLASS HOB**
HG795450XB



KEY FEATURES



5 burners



Wok burner



Auto ignition



Cast iron pan supports

5 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.


Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Front controls with automatic integrated ignition for easy operation.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
696 x 516

Colour
Black



**75CM SEMI FLUSH
GAS ON GLASS HOB**
HG795550XB



KEY FEATURES



5 burners



Wok burner



Auto ignition



Cast iron pan supports

5 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.


Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Front controls with automatic integrated ignition for easy operation.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
766 x 516

Colour
Black



**60CM SEMI FLUSH
GAS ON GLASS HOB**
HG694550XB



KEY FEATURES



4 burners



Wok burner



Auto ignition



Cast iron pan supports

4 burner gas hob maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Front controls with automatic integrated ignition for easy operation.


Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
576 x 516


Colour
Black



90CM GAS ON GLASS HOB
HG995440NB




75CM GAS ON GLASS HOB
HG795440NB



60CM GAS ON GLASS HOB
HG694340NB

KEY FEATURES




5 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Special LED heat intensity indicators that get brighter the hotter the temperature.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

KEY FEATURES




5 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Special LED heat intensity indicators that get brighter the hotter the temperature.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

KEY FEATURES



4 burner gas hob maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Front controls with automatic integrated ignition for easy operation.

Special LED heat intensity indicators that get brighter the hotter the temperature.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
880 x 510

Colour
Black

(WxD) in mm
740 x 510

Colour
Black

(WxD) in mm
590 x 520

Colour
Black



75CM ULTRAFLAT HOB
HG755421UM



KEY FEATURES



5 burners



Wok burner



Auto ignition



Cast iron pan supports

5 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Front controls with automatic integrated ignition for easy operation.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
745 x 515

Colour
Stainless steel



75CM ULTRAFLAT HOB
HG755521UM



KEY FEATURES



5 burners



Wok burner



Auto ignition



Cast iron pan supports

5 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Front controls with automatic integrated ignition for easy operation.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
745 x 515

Colour
Stainless steel



60CM ULTRAFLAT HOB
HG654421UM



KEY FEATURES



4 burners



Auto ignition



Cast iron pan supports



Rapid burner

4 burner gas hob maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Front controls with automatic integrated ignition for easy operation.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

The powerful rapid burner is ideal for larger pans as well as a gentle simmer burner.

(WxD) in mm
595 x 525

Colour
Stainless steel



**90CM GAS HOB WITH
6 BURNERS**
HG956440SM



KEY FEATURES



6 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.


Front controls with automatic integrated ignition for easy operation.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

**75CM GAS HOB WITH
CENTRAL WOK BURNER**
HG755450SY



KEY FEATURES



5 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.


Thanks to the design of the new high efficiency burners, the flame goes straight to the bottom of the pan for faster cooking, saving up to 20% energy.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

**75CM GAS HOB WITH
SIDE WOK BURNER**
HG75551SY



KEY FEATURES



5 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Thanks to the design of the new high efficiency burners, the flame goes straight to the bottom of the pan for faster cooking, saving up to 20% energy.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
894 x 510

Colour
Stainless steel

(WxD) in mm
744 x 510

Colour
Stainless steel

(WxD) in mm
745 x 510

Colour
Stainless steel



75CM HOB WITH ENAMEL PAN SUPPORTS
HG745451SM



KEY FEATURES

- 5 burners
- Wok burner
- Efficient burners
- Enamel pan supports

5 burner gas hob, maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Thanks to the design of the new high efficiency burners, the flame goes straight to the bottom of the pan for faster cooking, saving up to 20% energy.

Easy clean enamel pan supports.

(WxD) in mm
744 x 510

Colour
Stainless steel



60CM GAS HOB WITH WOK BURNER
HG654550SY



KEY FEATURES

- 4 burners
- Wok burner
- Efficient burners
- Cast iron pan supports

4 burner gas hob maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Thanks to the design of the new high efficiency burners, the flame goes straight to the bottom of the pan for faster cooking, saving up to 20% energy.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
595 x 510

Colour
Stainless steel



60CM GAS HOB WITH CAST IRON SUPPORTS
HG654351SM



KEY FEATURES

- 4 burners
- Auto ignition
- Efficient burners
- Cast iron pan supports

4 burner gas hob maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Front controls with automatic integrated ignition for easy operation.

Thanks to the design of the new high efficiency burners, the flame goes straight to the bottom of the pan for faster cooking, saving up to 20% energy.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
595 x 510


Colour
Stainless steel



60CM GAS HOB WITH WOK BURNER
HG644351SM



KEY FEATURES



4 burner gas hob maximising the usable cooking space, and a variety of different size burners for all your cooking needs.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Thanks to the design of the new high efficiency burners, the flame goes straight to the bottom of the pan for faster cooking, saving up to 20% energy.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
595 x 510

Colour
Stainless steel



90CM MIXED FUEL HOB
HD955100NB



KEY FEATURES



DirekTouch slide controls for quick, precise heat level selection.

Maximum heat is generated through the powerful triple crown burner perfect for wok cooking.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

(WxD) in mm
880 x 520


Colour
Black



60CM MIXED FUEL HOB
HD634170NB



KEY FEATURES



DirekTouch slide controls for quick, precise heat level selection.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

Cast iron pan supports assure the stability of your pans. These supports hold the heat more efficiently, keeping your food warmer for longer.

Front controls with automatic integrated ignition for easy operation.

(WxD) in mm
590 x 520

Colour
Black



**MAXISENSE® 2 ZONE
INDUCTION HOB
HC452401EB**



KEY FEATURES



Max-iSense®



Bridging function



Touch slide controls



Stop & Go

Bridge function links the two sections creating a larger section for versatile cooking.

DirekTouch controls for quick, precise heat level selection.

Öko Timer, save energy by setting the timer which cleverly switches off the zone and uses residual heat to complete the last few minutes of cooking.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

(WxD) in mm
360 x 520

Colour
Black



**INDUCTION HOB WITH
COMPATIBLE WOK
HC451501EB**



KEY FEATURES



Max-iSense®



Touch slide controls



Stop & Go



ÖKO Timer

Induction wok for the ultimate stir fries due to the advance induction technology designed for a large wok that accompanies the hob.

DirekTouch controls for quick, precise heat level selection.

Öko Timer, save energy by setting the timer which cleverly switches off the zone and uses residual heat to complete the last few minutes of cooking.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

(WxD) in mm
360 x 520

Colour
Black



**TEPPANYAKI WITH
DIREKTOUCH
HC452601EB**



KEY FEATURES



Touch slide controls



Stop & Go



ÖKO Timer



Child Lock

Our reverse induction technology heats up very quickly enabling you to cook directly on the surface.

Easy to clean surface offering real cooking flexibility, perfect for meat, fish and vegetables.

Two separate temperature zones for cooking different food.

Cleaning function, heats hob to required temperature to aid cleaning process.

(WxD) in mm
360 x 520

Colour
Stainless steel



CERAMIC HOB WITH DIREKTOUCH CONTROLS

HC452021EB

KEY FEATURES



Dual Zone



Touch
slide
controls



Stop & Go



ÖKO
Timer

Flexible triple zone to accommodate a variety of different sized pans.

DirekTouch controls for quick, precise heat level selection.

Öko Timer, save energy by setting the timer which cleverly switches off the zone and uses residual heat to complete the last few minutes of cooking.

Stop+Go reduces all zones to a keep warm setting if cooking is interrupted. When you return to cooking, Stop+Go remembers the selected settings.

(WxD) in mm

360 x 520

Colour

Stainless steel



GAS WOK BURNER WITH CAST IRON PAN SUPPORT

HC411521GB

KEY FEATURES



Wok



Auto
ignition

For high performance cooking our specially designed Wok burner provides maximum heat enabling you to create authentic stir-fries.

Designer cast iron pan supports that enhance the hob, creating a design feature in your kitchen.

Front controls with automatic integrated ignition for easy operation.

(WxD) in mm

360 x 520

Colour

Black



GAS HOB WITH CAST IRON PAN SUPPORT

HC412001GB

KEY FEATURES



4 burners



Auto
ignition

Offering 2 different size burners, this gas hob has a rapid burner perfect for use with larger pans and a semi-rapid burner that is ideal for everyday cooking.

Designer cast iron pan supports that enhance the hob, creating a design feature in your kitchen.

Front controls with automatic integrated ignition for easy operation.

(WxD) in mm

360 x 520

Colour

Black

HOB HOOD INTEGRATED | IDK844511B

COMBOHOB

The ComboHob combines an Induction hob and an integrated hood into one single product. So you can place the hob wherever you want without having to install a hood above it giving you many creative options for individual kitchen design.



2
YEAR
GUARANTEE

(HxWxD) in mm
210 x 510 x 830

Colour
Black glass

aeg.co.uk/kitchen/cooking/hobs

KEY FEATURES



Easy Installation

The unique 2in1 design of the ComboHob makes it possible to integrate it anywhere in the kitchen.



Hob2Hood

The AEG Hob2Hood adapts to your cooking to keep your kitchen free of steam and vapours without you even having to touch it.



Easy Cleaning and Maintenance

This hobs glass surface makes it easy to clean. Easily access the aluminum grease filter to clean and effortlessly maintain the high-efficiency odor filter inside.



COMBOHOB
IDK844511B

KEY FEATURES



Easy
installation



Hob2Hood



Easy
Clean

The unique 2in1 design of the ComboHob makes it possible to integrate it anywhere in the kitchen.

This hob's glossy glass surface just needs a quick wipe to make it look as good as new, even after preparing numerous dishes. The integrated hood has an easy to remove filter that you simply take out and wash.

Hob2Hood, a useful feature that automatically controls your cooker hood.



COMBOHOB EASY
IDE842411B

KEY FEATURES



Easy
installation



Hob2Hood



Easy
Clean

The unique 2in1 design of the ComboHob makes it possible to integrate it anywhere in the kitchen.

This hob's glossy glass surface just needs a quick wipe to make it look as good as new, even after preparing numerous dishes. The integrated hood has an easy to remove filter that you simply take out and wash.

Hob2Hood, a useful feature that automatically controls your cooker hood.

Available in

IDK844511B recirculating
IDK844521B venting

(HxWxD) in mm

210 x 510 x 830

Colour

Black glass

Available in

IDE842411B recirculating
IDE842421B venting

(HxWxD) in mm

210 x 510 x 830

Colour

Black glass

HOODS

Our cooking environments need to be fresh, bright and peaceful, enriching the time that we spend there. We use advanced technology to ensure that the design and build of our cooker hoods give you the optimum combination of high-end design and powerful functionality.

Enjoyable ambience

Creating the perfect setting.

Assisted convenience

Supporting you automatically.
Just when you need it.



Architectural solutions

A subtle or a bold statement. Your choice.

Performance

Performance you can rely on.

HOODS WHAT'S NEW



AEG's intelligent Hob²Hood System ensures your hood works in harmony with your hob as soon as you turn your hob on. A wireless signal is sent to the hood, switching on the lights and providing optimal visibility.



Our new premium and modern user interface combines super responsive capacitive touch buttons along with back lit white LED indicators. The LED turns red to show which feature is on or off.



Dimmable LED

Provides the possibility to adjust the intensity of the light according to your needs, creating the perfect ambient illumination in your kitchen.



SilenceTech

Our more advanced hood technology reduces the noise level down to the lowest number of decibels so that you can cook powerfully and enjoy the experience without loud sounds from the appliance.



Aligned across our range, your choice of hood will integrate seamlessly with any of our hob models. Our top line models feature our signature flow line for design harmony, together with a sophisticated white LED display on layered glass and metal.



Run it for less energy

Our hoods are highly efficient, using less energy than standard models. This is thanks to our brushless Inverter Technology. In fact, when you run the hood at its maximum speed, you'll use up to 40% less energy than standard models. And at the minimum setting, it needs less energy to run than a standard light bulb.

HOODS WORTH KNOWING

Depending on the model, our high-performance hoods filter air and either expel it outside or clean and recycle it back into the kitchen.



EXTRACTION VERSUS RECIRCULATION


Almost all hoods can use a venting or recirculating setting.

Venting Hoods

Air is drawn in through the hood's fan and passes through its grease filter. The air is then directed outside through the exhaust duct in the roof. Fresh air must be supplied to prevent negative pressure.

Recirculating Hoods


In some homes, air cannot be expelled outdoors for structural reasons. If this is the case, it is particularly important that you have a high-quality hood with a reliable filtration system. Recirculating hoods draw in air that passes through a grease filter and a carbon filter, before being conveyed back into the kitchen. As this method includes no air from outside, it's important to ventilate the room briefly after cooking to prevent excess moisture building up.



MAINTENANCE

To ensure consistent performance, it's important to replace your hood's filters regularly. Hoods depending on installation (venting or filtering), have grease filters or grease and charcoal filters. The grease filter is in the bottom and is the first to filter the air. The charcoal filter is mounted on the motor. Grease filters must be cleaned once a month, charcoal filter every 3-4 months.

As an alternative to our standard or long life charcoal filter, you can choose AEG's high-performance, re-usable Ultra Charcoal Filter. This simply needs to be refreshed in the oven every 3-5 months (you'll find full instructions on how to do this in the user manual included with the filter).



Ultra Charcoal Filter

A charcoal filter effectively reduces smells in the kitchen, with a fast odour dispersion time. This type of filter, with its distinct hexagonal shape, can 'regenerate' rather than needing to be replaced. Once treated, it is easy to re-install.

HOODS | DBK7990HG

A FRESHER KITCHEN, HANDS FREE

The AEG **Hob²Hood** adapts to your cooking to keep your kitchen free of steam and vapours without you even having to touch it.

As you cook, the hood activates automatically, monitoring the fluctuating heat and steam of every simmer and boil, effortlessly maintaining the freshness of your kitchen. Your attention stays, as it should, on preparing, finessing and enjoying your dish.

A top of the line design hood, efficiently cleans the air even in a large kitchen, thanks to the powerful energy efficient motor. This hood is a chimney model and gives your kitchen a strong design statement.



(HxWxD) in mm
1165 x 898 x 550

Colour
Stainless steel + black glass

aeg.co.uk/kitchen/cooking/cooker-hoods



KEY FEATURES



Inverter motor

The high performance motor with a highly efficient performance when extracting cooking vapours, enabled with the powerful engine and intensive speed.



Hob2Hood

Hob2Hood is a wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities, providing a fresher kitchen environment.



SilenceTech

Our more advanced hood technology reduces the noise level down to the lowest number of decibels so that you can cook powerfully and enjoy the experience without loud sounds from the appliance.



ISLAND HOOD
DIK7190HG



KEY FEATURES



Energy class A+ Inverter motor Hob2Hood SilenceTech

A top of the line design hood, efficiently cleans the air even in a large kitchen thanks to the powerful energy efficient motor. Mount it over your cooking island to give an additional strong design statement in your kitchen.

The breeze function quietly refreshes the air in your kitchen to create a more enjoyable atmosphere to relax or entertain.

Hob2Hood is a wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities, providing a fresher kitchen environment.

Smooth and precise control of all you hood's functions with a simple touch on glass - easy to use and easy to clean.

Available in
DIK7190HG 100cm

(HxWxD) in mm
967 x 1000 x 700

Colour
Stainless steel + black glass

Additional information
Standard carbon filter included.
Ultra charcoal filter available as optional accessory: SUPCHARC-E



ISLAND HOOD
DIK6980SG



KEY FEATURES



Switch fan Energy class A+ Hob2Hood SilenceTech

At the touch of a button you can easily switch between exhausting or recirculation mode even after installation. This allows you to choose the most energy efficient work mode based on your cooking needs.

Dimmable LED lighting provides the possibility to adjust the intensity of the light according to your needs creating a nice ambient illumination in your kitchen.

High filter efficiency combined with perfect stainless steel designed filter covers - provides the perfect look and easy to clean in the dishwasher.

Hob2Hood is a wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities, providing a fresher kitchen environment.

Available in
DIK6980SG 90cm

(HxWxD) in mm
960 x 900 x 600

Colour
Stainless steel + black glass

Additional information
Standard carbon filter included.
Ultra charcoal filter available as optional accessory: TYPE S4



ISLAND HOOD
DIE6180HM



KEY FEATURES



Energy class A+ Motor 710m³/h Hob2Hood SilenceTech

A top of the line design hood, efficiently cleans the air even in a large kitchen thanks to the powerful energy efficient motor. Mount it over your cooking island to give an additional strong design statement in your kitchen.

Dimmable LED lighting provides the possibility to adjust the intensity of the light according to your needs creating a nice ambient illumination in your kitchen.

High filter efficiency combined with perfect stainless steel designed filter covers - provides the perfect look and easy to clean in the dishwasher.

Hob2Hood is a wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities, providing a fresher kitchen environment.

Available in
DIE6180HM 100cm

(HxWxD) in mm
1160 x 998 x 696

Colour
Stainless steel

Additional information
Standard carbon filter included.
Ultra charcoal filter available as optional accessory: SUPCHARC-F



CEILING MOUNTED HOOD DCK0270HG



KEY FEATURES



Hob2Hood



LED light



Recirculation

A top of the line high performing hood which efficiently cleans the air even in a large kitchen thanks to the powerful energy efficient motor. This ceiling mounted hood creates a spacious feeling and puts the focus on your kitchen design.

Hob2Hood is a wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities, providing a fresher kitchen environment.

Easy and fast control of all the hood's functions thanks to the remote control.

Available in

DCK0270HG 120cm

(HxWxD) in mm

160 x 1200 x 700

Colour

Stainless steel + white glass



CEILING MOUNTED HOOD DCK6290HG



KEY FEATURES



Energy class



Hob2Hood



LED light

Attractive and unique design to perfectly match your kitchen style with premium fit feel finish.

Dimmable LED lighting provides the possibility to adjust the intensity of the light according to your needs creating a nice ambient illumination in your kitchen.

Easy and fast control of all the hood's functions thanks to the remote control.

Hob2Hood is a wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities, providing a fresher kitchen environment.

Available in

DCK6290HG 120cm

(HxWxD) in mm

311 x 1199 x 499

Colour

Stainless steel + white glass

Additional information

Carbon filter available as optional accessory: EFF62



CEILING MOUNTED HOOD DCE3960HM



KEY FEATURES



Motor



Halogen light



Hob2Hood

Ceiling installation that perfectly matches your island cooking zone and provides undisrupted open kitchen space.

Easy and fast control of all the hood's functions thanks to the remote control.

The modern halogen lamps shine a bright light over your hob allowing you to see all the dishes you are cooking.

Hob2Hood is a wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities, providing a fresher kitchen environment.

Available in

DCE3960HM 90cm

(HxWxD) in mm

311 x 900 x 500

Colour

Stainless steel

Additional information

Carbon filter available as optional accessory: EFF62



DESIGNER CHIMNEY HOOD
DBK6980SG



KEY FEATURES



Switch fan



Energy class



Hob2Hood



SilenceTech

At the touch of a button you can easily switch between exhausting or recirculation mode even after installation. This allows you to choose the most energy efficient work mode based on your cooking needs.

Dimmable LED lighting provides the possibility to adjust the intensity of the light according to your needs creating a nice ambient illumination in your kitchen.

High filter efficiency combined with perfect stainless steel designed filter covers - provides the perfect look and easy to clean in the dishwasher.

Hob2Hood is a wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities, providing a fresher kitchen environment.

Available in
DBK6980SG 90cm

(HxWxD) in mm
940 x 898 x 450

Colour
Stainless steel + black glass

Additional information
Standard carbon filter included.
Ultra charcoal filter available as optional accessory: TYPE S4



DESIGNER CHIMNEY HOOD
DBE6980HM



KEY FEATURES



Energy class



Motor



Hob2Hood



SilenceTech

A top of the line design hood, efficiently cleans the air even in a large kitchen thanks to the powerful energy efficient motor. This hood is a chimney model to give your kitchen a strong design statement.

Dimmable LED lighting provides the possibility to adjust the intensity of the light according to your needs creating a nice ambient illumination in your kitchen.

High filter efficiency combined with perfect stainless steel designed filter covers - provides the perfect look and easy to clean in the dishwasher.

The glass touch display offers smooth and precise control of all your hoods functions, easy to use and easy to clean.

Available in
DBE6980HM 90cm
DBE6780HM 70cm
DBE6680HM 60cm

(HxWxD) in mm
920 x 898 x 470

Colour
Stainless steel

Additional information
Standard carbon filter included.
Ultra charcoal filter available as optional accessory: SUPCHARC-F



DESIGNER CHIMNEY HOOD
DBB5960HM



KEY FEATURES



Energy class



Motor



Hob2Hood



SilenceTech

A design hood that efficiently cleans the air in your kitchen thanks to the powerful motor. This hood is a chimney model to give your kitchen a design statement.

LED lighting provides improved visibility and ambient lighting during the cooking process combined with low energy consumption.

The breeze function quietly refreshes the air in your kitchen to create a more enjoyable atmosphere to relax or entertain.

Hob2Hood is a wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities, providing a fresher kitchen environment.

Available in
DBB5960HM 90cm
DBB5760HM 70cm
DBB5660HM 60cm

(HxWxD) in mm
1155 x 898 x 500

Colour
Stainless steel

Additional information
Standard carbon filter included.
Ultra charcoal filter available as optional accessory: SUPCHARC-E



DESIGNER CHIMNEY HOOD
DBB2160M



KEY FEATURES



Electronic control



Motor



Halogen light

Intuitive and precise electronic controls to get all the hood functions under control in one easy touch.

Fast and efficient performance to clean your kitchen air thanks to the powerful motor.

The modern halogen lamps shine a bright light over your hob allowing you to see all the dishes you are cooking.

High filter efficiency combined with perfect stainless steel designed filter covers - provides the perfect look and easy to clean in the dishwasher.

Available in
DBB2160M 100cm

(HxWxD) in mm
1230 x 1000 x 515

Colour
Stainless steel

Additional information
Standard carbon filter included.



DESIGNER CHIMNEY HOOD
DKB5960HM



KEY FEATURES



Energy class



Motor



Hob2Hood



SilenceTech

A design hood that efficiently cleans the air in your kitchen thanks to the powerful motor. This hood is a chimney model to give your kitchen a design statement.

LED lighting provides improved visibility and ambient lighting during the cooking process combined with low energy consumption.

High filter efficiency combined with perfect stainless steel designed filter covers - provides the perfect look and easy to clean in the dishwasher.

Hob2Hood is a wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities, providing a fresher kitchen environment.

Available in
DKB5960HM 90cm
DKB5660HM 60cm

(HxWxD) in mm
1175 x 898 x 500

Colour
Stainless steel

Additional information
Standard carbon filter included.
Ultra charcoal filter available as optional accessory: SUPCHARC-E



DESIGNER CHIMNEY HOOD
DKB3950M



KEY FEATURES



Energy class



Motor



Halogen light



Control (mech)

A design hood that efficiently cleans the air in your kitchen thanks to the powerful motor. This hood is a chimney model and gives your kitchen a design statement.

The modern halogen lamps shine a bright light over your hob allowing you to see all the dishes you are cooking.

Easy to use controls for fast light and speed settings.

Available in
DKB3950M 90cm
DKB3650M 60cm

(HxWxD) in mm
1090 x 898 x 500

Colour
Stainless steel

Additional information
Standard carbon filter included.
Ultra charcoal filter available as optional accessory: SUPCHARC-E



DESIGNER CHIMNEY HOOD
DTB3650M



KEY FEATURES



Motor
Halogen light
Control (mech)

Perfect combination of stainless steel and glass to create a unique and professional style in your kitchen environment.

The modern halogen lamps shine a bright light over your hob allowing you to see all the dishes you are cooking.

High filter efficiency combined with perfect stainless steel designed filter covers - provides the perfect look and easy to clean in the dishwasher.

Easy to use controls for fast light and speed settings.

Available in

DTB3650M 60cm extending to 70cm or 80cm

(HxWxD) in mm

1092 x 598 x 452

Colour

Stainless steel

Additional information

Standard carbon filter included.
Ultra charcoal filter available as optional accessory: SUPCHARC-E



DESIGNER HOOD
DVK6980HB



KEY FEATURES



Energy class
Motor
Hob2Hood
SilenceTech

A top of the line design hood, efficiently cleans the air even in a large kitchen thanks to the powerful energy efficient motor. This hood is a vertical model to give your kitchen a strong design statement.

The new dimmable LED lights provide improved visibility and ambient lighting during the cooking process.

High filter efficiency combined with perfect stainless steel designed filter covers - provides the perfect look and easy to clean in the dishwasher.

Hob2Hood is a wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities, providing a fresher kitchen environment.

Available in

DVK6980HB 90cm
DVK6680HB 60cm

(HxWxD) in mm

1445 x 898 x 396

Colour

Black glass + stainless steel

Additional information

Standard carbon filter included.
Ultra charcoal filter available as optional accessory: SUPCHARCF1
Telescopic chimney included



DESIGNER HOOD
DVB3850M



KEY FEATURES



Motor
Halogen light

Attractive and unique design to perfectly match your kitchen style.

Easy to use controls for fast light and speed settings.

The modern halogen lamps shine a bright light over your hob allowing you to see all the dishes you are cooking.

Reliable filtering performance with this standard grease filter.

Available in

DVB3850M 80cm
DVB3550M 55cm

(HxWxD) in mm


477 x 800 x 457

Colour

Stainless steel

Additional information

Standard carbon filter included.



DESIGNER HOOD
DVB3850B



KEY FEATURES



Motor



Halogen light

Attractive and unique design to perfectly match your kitchen style.

Easy to use controls for fast light and speed settings.

The modern halogen lamps shine a bright light over your hob allowing you to see all the dishes you are cooking.

Reliable filtering performance with this standard grease filter.

Available in

DVB3850B 80cm
DVB3550B 55cm

(HxWxD) in mm

477 x 800 x 457

Colour

Black glass

Additional information

Standard carbon filter included.



DOWNDRAFT HOOD
DDE5980G



KEY FEATURES



Energy class



Motor



LED light



SilenceTech

The downdraft system allows the use of this efficient hood only when needed. When cooking activities are finished the hood can be lowered completely into the worktop leaving the counter clean and spacious.

By having the air outlet connection in different possible positions, this allows for easier installation into your kitchen.

The High Performance motor with a highly efficient performance when extracting cooking vapours, enabled with the powerful engine and intensive speed

Smooth and precise control of all you hood's functions with a simple touch on glass - easy to use and easy to clean.

Available in

DDE5980G 90cm

(HxWxD) in mm

407 x 880 x 95

Colour

Stainless steel + black glass

Additional information

Standard carbon filter included.



STANDARD HOOD
DPB2920M



STANDARD HOOD
DGB2750M



STANDARD HOOD
DEB2630S

KEY FEATURES



KEY FEATURES



KEY FEATURES



Motor



Carbon
filter
included

A discreet hidden hood only visible when you need it. Just pull out the front to activate the hood when cooking.

Easy to use controls for fast light and speed settings.

Perfect visibility during your entire cooking process thanks to reliable performing light.

Reliable filtering performance with this standard grease filter.



Motor



Carbon
filter
included

A hood visually hidden in the overhead cabinet, giving full attention to your kitchen design.

Faster and higher aspiration performance to clean your kitchen air thanks to the powerful motor.

Intuitive and precise electronic controls to get all the hood functions under control in one easy touch.

Reliable filtering performance with this standard grease filter



Motor



Carbon
filter
included

A discreet hood hidden in the overhead cabinet, only visible when you need it. Just flip it open to activate the hood while cooking.

Great motor performance able to clean the kitchen air well thanks to the reliable motor.

Intuitive and precise electronic controls to get all the hood functions under control in one easy touch.

Reliable filtering performance with this standard grease filter

Available in

DPB2920M 90cm
DPB2620M 60cm

(HxWxD) in mm

180 x 898 x 280

Colour

Silver

Additional information

Standard carbon filter included.

Available in

DGB2750M 72cm

(HxWxD) in mm

252 x 724 x 289

Colour

Stainless steel

Additional information

Standard carbon filter included.

Available in

DEB2630S 60cm

(HxWxD) in mm

400 x 598 x 270

Colour

Silver

Additional information

Standard carbon filter included.

DISHWASHERS

It's not just about the food – the style of cutlery and plates affect our perceptions of what we eat. A dark chocolate dish looks best when served on an angular plate, while a round plate is better for cheesecake. So you need a range of tableware that complements your food presentation and can be cared for in the most efficient way.

Adaptability

Conveniently on time.

Superior cleaning and drying

Unrivalled coverage,
absolute clean and care.



Comfort

Lifts gentle to a new level.

DISHWASHERS WHAT'S NEW



The ComfortLift® dishwasher is the first of its kind to gently slide the lower basket up for easy, ergonomic loading and unloading.

ComfortLift®


- Lower rack lifting mechanism, reduces the need to bend loading and unloading your dishes.
- 25cm rack elevation compared to a standard dishwasher.*
- Tested for 20.000 cycles with full standard loads (18kg).

**Excluding height from floor*



Internal LED Light

The advanced, low-energy internal light gives you better visibility when loading and unloading your dishes.



AirDry technology

Uses natural airflow to finish the drying. By automatically opening the door by 10cm in the last part of the cycle, you will get maximum drying performance while effectively reducing your energy costs – leaving your dishes spotless.



Delay time

Allows you to select when the machine should start.




Extra silent

Low noise and minimal disturbance.




TimeSaver

50% less time thanks to increased power speed and water pressure.



ComfortRails

Smoothly slide the basket into place without any rattle of the plates. Always smooth to load and unload. You never have to worry about any chips or cracks in your dishes.



Sliding hinges

Allows you to install the dishwasher with any door length without the need to cut the kitchen plinth. This is also suitable for plinthless kitchens. The best solution on the market – patented by AEG.

DISHWASHERS WORTH KNOWING

The multiple double rotation of the Satellite Spray Arm sprays from continuously varying angles, leaving your dishes and cookware gleaming.



Standard spray arm coverage

versus



Satellite spray arm coverage



Removable cutlery tray

Take your tray with you to the kitchen cutlery drawer for easy unloading. Best in class solutions for easy loading and unloading.



Without



With SoftGrips and SoftSpikes®

Safer protection for delicate glasses

The SoftGrip mechanism is both secure and gentle while resting on the SoftSpikes®, so there's no need to hand-wash glasses any more.



15 place settings

Our dishwasher is designed to offer far more capacity than a standard one, with the flexibility to fit all types of loads. The cutlery tray is placed in the top of the machine, rather than a cutlery basket placed on the lower rack, freeing up the bottom level to fit more in. Our new dishwasher can fit 15 place settings.

Glass Care Programme

Special 45°C glass programme assures perfect washing results while protecting your most precious glass, crystal and china.



COMFORTLIFT® | FSK93800P

LIFTS GENTLE TO A NEW LEVEL

The AEG **ComfortLift**® dishwasher is equipped with a special lower rack lifting mechanism, ensuring less bending when unloading the dishes to make your life more comfortable.

Fully Integrated A+++ energy rated 13 place setting ComfortLift dishwasher.

This ComfortLift dishwasher has a special lower rack lifting mechanism, making loading and unloading the dishwasher less of a chore.

TimeBeam: Keeps you informed on the progress of the programme by projecting the remaining time on the floor.

The ComfortRail drawer system on this model ensures your racks slide smoothly, even when fully loaded.

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

The XXL interior of this dishwasher gives you an additional 10litres of space, more capacity for those irregular shaped items.

Locate items at a glance due to the bright internal light.

(HxWxD) in mm

818 x 596 x 550

Colour

N/A

aeg.co.uk/kitchen/dishwashing/dishwashers



KEY FEATURES



Water usage



Noise level



No. of programmes



Sliding hinge



**15 PLACE SETTING
FULLY INTEGRATED
DISHWASHER**

FSK83700P

KEY FEATURES



**13 PLACE SETTING
FULLY INTEGRATED
DISHWASHER**

FSK63800P

KEY FEATURES



**15 PLACE SETTING
FULLY INTEGRATED
DISHWASHER**

FSK63700P

KEY FEATURES



-
-
-
-

TimeBeam: Keeps you informed on the progress of the programme by projecting the remaining time on the floor.

The bright InteriorLight ensures that you can identify contents, organise and load your dishwasher easily.

The removable third drawer for cutlery allows storage space for up to 15 place settings.

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

-
-
-
-

This ComfortLift dishwasher has a special lower rack lifting mechanism, making loading and unloading the dishwasher less of a chore.

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The XXL interior of this dishwasher gives you an additional 10litres of space, more capacity for those irregular shaped items.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

-
-
-
-

The removable third drawer for cutlery allows storage space for up to 15 place settings.

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The XXL interior of this dishwasher gives you an additional 10 litres of space, more capacity for those irregular shaped items.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

(HxWxD) in mm
818 x 596 x 550

Colour
N/A

Energy rating
A+++

(HxWxD) in mm
818 x 596 x 550

Colour
N/A

Energy rating
A+++

(HxWxD) in mm
818 x 596 x 550

Colour
N/A

Energy rating
A+++



**13 PLACE SETTING
FULLY INTEGRATED
DISHWASHER**
FSK63600P
KEY FEATURES



**13 PLACE SETTING
FULLY INTEGRATED
DISHWASHER**
FSK53600Z
KEY FEATURES



**13 PLACE SETTING
FULLY INTEGRATED
DISHWASHER**
FSB41600Z
KEY FEATURES



Water usage



Noise level



No. of programmes



Sliding hinge



Water usage



Noise level



No. of programmes



Sliding hinge



Water usage



Noise level



No. of programmes



Sliding hinge

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The XXL interior of this dishwasher gives you an additional 10litres of space, more capacity for those irregular shaped items.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

Delicate wine glasses are cared for with our SoftSpikes and SoftGrips which give glasses complete stability during the cleaning process and when adjusting the baskets.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

5 wash programmes including our Auto 45°-70° programme, ideal for washing anything from glasses to roasting dishes.

Our SoftSpikes are perfect for delicate wine glasses, improving stability to avoid them falling over, or worst breaking. This, combined with the GlassCare 45° programme, ensures they are cleaned correctly.

This dishwasher is so quiet it projects a tiny red or green beam on to the floor to tell you when it's running and when it's finished.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The 30min 60° programme is perfect for washing lightly soiled loads that you need in a hurry.

Run your dishwasher when it suits you, thanks to the up to 24 hour delay start function.

This dishwasher is so quiet it projects a tiny red or green beam on to the floor to tell you when it's running and when it's finished.

With this dishwasher you can choose to install it normally above a plinth, or as it has a sliding hinge, it is perfect for plinthless kitchens or for installation above a small cupboard.

*This model does not have the Quiet Mark award.

(HxWxD) in mm
818 x 596 x 550

Colour
N/A

Energy rating
A+++

(HxWxD) in mm
818 x 596 x 550


Colour
N/A

Energy rating
A+++

(HxWxD) in mm
818 x 596 x 550

Colour
N/A

Energy rating
A+



**13 PLACE SETTING
SEMI INTEGRATED
DISHWASHER**

FEE62600PM

KEY FEATURES



Water usage



Noise level



No. of programmes



Double fulcrum hinge

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

Delicate wine glasses are cared for with our SoftSpikes and SoftGrips which give glasses complete stability during the cleaning process and when adjusting the baskets.

Run your dishwasher when it suits you, thanks to the up to 24 hour delay start function.

*This model does not have the Quiet Mark award.

(HxWxD) in mm


818 x 596 x 550

Colour

Stainless Steel

Energy rating

A++



**13 PLACE SETTING
SEMI INTEGRATED
DISHWASHER**

FEB52600ZM

KEY FEATURES



Water usage



Noise level



No. of programmes



Double fulcrum hinge

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

Our SoftSpikes are perfect for delicate wine glasses, improving stability to avoid them, or worst breaking. This, combined with the GlassCare 45° programme, ensures they are cleaned correctly.

Run your dishwasher when it suits you, thanks to the up to 24 hour delay start function.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

For ease of installation, this model has a double fulcrum hinge, so no need to cut plinths.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

818 x 596 x 550

Colour

Stainless steel

Energy rating

A++



**9 PLACE SETTING
SLIMLINE
DISHWASHER**

FSK73400P

KEY FEATURES



**9 PLACE SETTING
SLIMLINE
DISHWASHER**

FSB51400Z

KEY FEATURES



Water
usage



Noise
level



No. of
programmes



Sliding
hinge



Water
usage



Noise
level



No. of
programmes



Sliding
hinge

Achieve impeccable cleaning, whatever the load, with four spray levels and satellite spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

7 wash programmes including our Auto 45°-70° programme, ideal for washing anything from glasses to roasting dishes.

Our SoftSpikes are perfect for delicate wine glasses, improving stability to avoid them falling over, or worst breaking. This, combined with the GlassCare 45° programme, ensures they are cleaned correctly.

Our TimeBeam technology keeps you informed of the progress of the programme by projecting the remaining time on the floor.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

Our SoftSpikes are perfect for delicate wine glasses, improving stability to avoid them, or worst breaking. This, combined with the GlassCare 45° programme, ensures they are cleaned correctly.

Run your dishwasher when it suits you, thanks to the up to 24 hour delay start function.

This dishwasher is so quiet it projects a tiny red or green beam on to the floor to tell you when it's running and when it's finished.

With this dishwasher you can choose to install it normally above a plinth, or as it has a sliding hinge, it is perfect for plinthless kitchens or for installation above a small cupboard.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

818 x 446 x 550

Colour

N/A

Energy rating

A+++

(HxWxD) in mm

818 x 446 x 550

Colour

N/A

Energy rating

A+



**15 PLACE SETTING
DISHWASHER**
FFE83700PM



KEY FEATURES

Width
 Water usage
 Noise level
 No. of programmes

The bright InteriorLight ensures that you can identify contents, organise and load your dishwasher easily.

This dishwasher has a deluxe interior, featuring stainless steel basket handles and practical knife rack holder.

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

The XXL interior of this dishwasher gives you an additional 10litres of space, more capacity for those irregular shaped items.

Delicate wine glasses are cared for with our SoftSpikes and SoftGrips which give glasses complete stability during the cleaning process and when adjusting the baskets.



**15 PLACE SETTING
DISHWASHER**
FFE63700PM



KEY FEATURES

Width
 Water usage
 Noise level
 No. of programmes


The removable third drawer for cutlery allows storage space for up to 15 place settings.

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The XXL interior of this dishwasher gives you an additional 10litres of space, more capacity for those irregular shaped items.

Delicate wine glasses are cared for with our SoftSpikes and SoftGrips which give glasses complete stability during the cleaning process and when adjusting the baskets.



**13 PLACE SETTING
DISHWASHER**
FFE62620PW



KEY FEATURES

Width
 Water usage
 Noise level
 No. of programmes

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

Delicate wine glasses are cared for with our SoftSpikes and SoftGrips which give glasses complete stability during the cleaning process and when adjusting the baskets.

The XXL interior of this dishwasher gives you an additional 10litres of space, more capacity for those irregular shaped items.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

6 wash programmes including our Auto 45°-70° programme, ideal for washing anything from glasses to roasting dishes.

(HxWxD) in mm
850 x 596 x 610

Colour
Stainless steel

Energy rating
A+++

(HxWxD) in mm
850 x 596 x 610

Colour
Stainless steel: FFE63700PM
White: FFE63700PW

Energy rating
A+++

(HxWxD) in mm
850 x 596 x 610

Colour
White: FFE62620PW
Stainless steel: FFE62620PM

Energy rating
A++



**13 PLACE SETTING
DISHWASHER
FFB53600ZM**



KEY FEATURES

- Width
- Water usage
- Noise level
- No. of programmes

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

5 wash programmes including our Auto 45°-70° programme, ideal for washing anything from glasses to roasting dishes.

Our SoftSpikes are perfect for delicate wine glasses, improving stability to avoid them falling over, or worst breaking. This, combined with the GlassCare 45° programme, ensures they are cleaned correctly.

Run your dishwasher when it suits you thanks, to the up to 24 hour delay start function.



**13 PLACE SETTING
DISHWASHER
FFB41600ZW**



KEY FEATURES

- Width
- Water usage
- Noise level
- No. of programmes


AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

4 wash programmes including our Auto 45°-70° programme, ideal for washing anything from glasses to roasting dishes.

Thanks to a high performance Auto sensor the temperature, water usage and time would be adjusted automatically based on the soil level of your load.

Run your dishwasher when it suits you thanks, to the up to 24 hour delay start function.

*This model does not have the Quiet Mark award.



**9 PLACE SETTING
SLIMLINE
DISHWASHER
FFB62400PW**



KEY FEATURES

- Width
- Water usage
- Noise level
- No. of programmes

At only 45cm wide, this dishwasher is perfect for compact kitchens.

Achieve impeccable cleaning, whatever the load, with five spray levels, satellite spray arm and a third ceiling spray arm.

AirDry technology provides perfect drying results by opening the door 10cm automatically during the drying cycle, providing natural air drying.

The TimeSaver function allows additional flexibility, with the option to reduce programme cycle times by up to 50%.

6 wash programmes including our Auto 45°-70° programme, ideal for washing anything from glasses to roasting dishes.

*This model does not have the Quiet Mark award.

(HxWxD) in mm
850 x 600 x 625

Colour
Stainless steel: FFB53600ZM
White: FFB53600ZW

Energy rating
A+++

(HxWxD) in mm
850 x 600 x 625

Colour
White

Energy rating
A+

(HxWxD) in mm
850 x 446 x 615

Colour
White

Energy rating
A++



IMAGINE

Imagine putting your precious sweater in the washer. Imagine trusting a silk dress to a dryer.

We've not only imagined it, we've done it. Washed the black dress time after time. Dried a soft wool sweater over and over. Every time they emerge without shrinking or fading, still vibrant and soft. Because AEG has redefined what a washer and dryer are. Protectors of fabric. Defenders of colour. Guardians of fibres.

Unprecedented care for the life of your clothes.

IMAGINE THAT.

DESIGNED WITH CARE

Our unique, innovative design is more than a pretty face. It also conveys superior quality and technical advancement. For our new range, we redefined the door's design for greater visibility and reinvented the control panel. Just turn the dial for an exceptional, first-touch experience.



Premium door finish

Inspired by the electric turbines manufactured at the AEG Turbine Factory in Berlin.



Balanced design

A symmetrical Germanic design with a central dial to balance the control panel.



Focus dial

Real stainless steel insert on the control panel and a premium metal coating on the dial with a distinct physical and auditory 'click' feedback.



9000 SERIES

MEET THE LITTLE BLACK DRESS GUARDIAN

While conventional washing machines need high temperatures to activate detergents and clean properly, the SoftWater Technology in AEG 9000 Series washing machines purifies and softens water before it enters the drum. So detergents can work at their best, even at the lowest temperatures.



8000 SERIES

MEET THE COMPLETE FIBRE GUARDIANS

Clean and care for every fibre and tumble dry every delicate stitch. Only the AEG 8000 Series with ÖKOMix Technology and AbsoluteCare® System delivers care so gentle it's like hand-washing and flat-drying your softest, most delicate garments – from woollens to high-performance outdoor gear, every time.

7000 SERIES

MEET THE GENTLE TEXTURE PROTECTORS

A sharp shirt immaculately washed and finished with steam to reduce wrinkles. A sheer blouse perfectly tumble dried with just half the temperature of a conventional dryer. AEG 7000 Series laundry Systems bring together ProSteam® and SensiDry® Technologies to protect texture and reduce wear, achieving impeccable results the gentlest way.



6000 SERIES

MEET THE EVERYDAY QUALITY PRESERVERS

Your everyday clothes look like new, for longer. The AEG 6000 Series laundry systems use ProSense® Technology to save energy and time with even the smallest load. Making sure your clothes are never over-washed, never over-dried. Preserving everyday quality, day in, day out.

9000 SERIES | WASHING MACHINE

PROOF POINTS

NO FADING, WASH AFTER WASH*



Softer water, kinder to clothes

Because our advanced SoftWater Technology purifies and softens water before it enters the drum, detergents can work much more effectively at low temperatures, delivering 60°C cleaning performance at only 30°C. So colours will keep their intensity wash after wash, and black won't fade to grey.

All mains water contains minerals that can be harsh on fabrics.

These AEG washing machines are the first in the world with SoftWater Technology to remove these impurities. The ion-exchange filtering system optimises the water entering the drum for detergents and softeners to work at maximum efficiency, even at the lowest temperatures. Gentle enough to keep fabrics feeling soft and colours looking their absolute best.

*Test for colour-fastness performed on black polyester after 50 washing cycles at 30 degrees.



New dress

After
50
Washes

9000 SERIES | L9FEC966R

IT'S THE LITTLE BLACK DRESS GUARDIAN

No fading wash after wash*

Imagine a washing machine that you can trust to keep your colours as vibrant and blacks as true as the day you bought them. Yet never compromising on cleaning performance. Washing deeply. Thoroughly. Every time. At last, there is no need to compromise performance for care.

While conventional washing machines need high temperatures to activate detergents and clean properly, the SoftWater Technology in AEG 9000 Series washing machines purifies and softens water before it enters the drum. So detergents can work at their best, even at the lowest temperatures. For the first time ever, you'll achieve the thorough clean of a 60 degree wash at just 30 degrees. Maintaining the colour, shape and feel of every garment. Wash after wash. It's more than a washing machine. It's the guardian of your clothes.



(HxWxD) in mm
850 x 600 x 605

Specifications

Capacity: 9kg
Spin speed: 1600rpm
Energy rating: A+++ -65%

aeg.co.uk/care

KEY FEATURES



AEG SoftWater

AEG SoftWater washing machines purify and soften water using a filter, before the water enters the drum.



ÖKOMix Technology

Unique pre-mixing of detergent, softener and water to reach every fibre.



ProSteam® Technology

Up to 30% less wrinkles and quickly refreshed clothes.



ProSense® Technology

Automatically adjusts time, water and energy consumption to suit any load size.

*Test for colourfastness performed on black polyester after 50 washing cycles at 30 degrees.



9000 SERIES
WASHING MACHINE
L9FEC946R



KEY FEATURES



Softwater



ÖKOMix



ProSteam



ProSense

Refresh and deodorise your clothes quickly with Steam Refresh, ideal for once worn items. Alternatively, use PlusSteam at the end of your washing cycle to reduce creasing and cut down your ironing time by up to a third.

With ÖKOPower, wash clothes in under an hour with great results and low energy consumption. An ideal programme for daily use with no compromise on performance or care.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

(HxWxD) in mm

850 x 600 x 605

Specifications

Capacity: 9kg

Spin speed: 1400rpm

Energy rating: A+++ -70%

8000 SERIES | L8FEC966R

INTRODUCING THE DELICATE SHIRT DEFENDER

Every fibre protected.

Faultless fabric never goes out of style. Your delicate pieces need to be treated gently to ensure that their quality is timeless, no matter how often you wear them. To achieve this, AEG 8000 Series washing machines with advanced ÖKOMix Technology blend detergents and then softeners with water before they enter the drum. In other washing machines, less than half of the fibres are reached by softeners. ÖKOMix Technology guarantees that, for the first time ever, every fibre is cleaned and cared for, even with shorter cycles. Every thread, every stitch, every fibre. Expertly protected.



(HxWxD) in mm
850 x 600 x 605

Specifications

Capacity: 9kg
Spin speed: 1600rpm
Energy rating: A+++ -50%

aeg.co.uk/care

KEY FEATURES



ÖKOMix Technology

Unique pre-mixing of detergent, softener and water to reach every fibre.



ProSteam® Technology

Up to 30% less wrinkles and quickly refreshed clothes.



ProSense® Technology

Automatically adjusts time, water and energy consumption to suit any load size.



**8000 SERIES
WASHING MACHINE**
L8FEC946R

KEY FEATURES



ÖKOMix



ProSteam



ProSense

Refresh and deodorise your clothes quickly with Steam Refresh, ideal for once worn items. Alternatively, use PlusSteam at the end of your washing cycle to reduce creasing and cut down your ironing time by up to a third.

With ÖKOPower, wash clothes in under an hour with great results and low energy consumption. An ideal programme for daily use with no compromise on performance or care.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a stainless steel finish and large LED display.

(HxWxD) in mm

850 x 600 x 605

Specifications

Capacity: 9kg
Spin speed: 1400rpm
Energy rating: A+++ -50%



**8000 SERIES
WASHING MACHINE**
L8FEC866R

KEY FEATURES



ÖKOMix



ProSteam



ProSense

Refresh and deodorise your clothes quickly with Steam Refresh, ideal for once worn items. Alternatively, use PlusSteam at the end of your washing cycle to reduce creasing and cut down your ironing time by up to a third.

With ÖKOPower, wash clothes in under an hour with great results and low energy consumption. An ideal programme for daily use with no compromise on performance or care.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a stainless steel finish and large LED display.

(HxWxD) in mm

850 x 600 x 571

Specifications

Capacity: 8kg
Spin speed: 1600rpm
Energy rating: A+++ -50%

Also available with same features as above:
L8FEC846R - 8kg 1400 rpm



**8000 SERIES
WASHING MACHINE**
L8FEE965R

KEY FEATURES



ÖKOMix



ProSteam



ProSense

Refresh and deodorise your clothes quickly with Steam Refresh, ideal for once worn items. Alternatively, use PlusSteam at the end of your washing cycle to reduce creasing and cut down your ironing time by up to a third.

With ÖKOPower, wash clothes in under an hour with great results and low energy consumption. An ideal programme for daily use with no compromise on performance or care.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a silver coated finish and medium LED display.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

850 x 600 x 605

Specifications

Capacity: 9kg
Spin speed: 1600rpm
Energy rating: A+++ -50%

Also available with same features as above:
L8FEE945R - 9kg 1400rpm
L8FEE845R - 8kg 1400rpm (Woolmark Blue and Ariel and Lenor certified)

7000 SERIES | L7FEC146R

INTRODUCING THE SHARP SHIRT DEFENDER

Cuts creases by up to one third*.

Maintaining your professional look day to day should be effortless. AEG 7000 Series washing machines keep shirts looking sharp, whilst cutting down on ironing. ProSteam® Technology allows you to complete a washing cycle with steam to reduce wrinkles or use a separate steam programme to refresh clothes without washing them. Not only saving you time, but also reducing the need for dry cleaning. Less ironing means less wear and tear on fibres, maintaining their look and feel for longer. Keeps your clothes looking and feeling impeccable, every day.



(HxWxD) in mm
850 x 600 x 605

Specifications

Capacity: 10kg
Spin speed: 1400rpm
Energy rating: A+++ -30%

aeg.co.uk/care

KEY FEATURES



ProSteam® Technology
Up to 30% less wrinkles
and quickly refreshed clothes.



ProSense® Technology
Automatically adjusts time,
water and energy consumption
to suit any load size.

*Compared to using a wash cycle without the PlusStream option.



**7000 SERIES
WASHING MACHINE
L7FEE965R**

KEY FEATURES



ProSteam



ProSense

Refresh and deodorise your clothes quickly with Steam Refresh, ideal for once worn items. Alternatively, use PlusSteam at the end of your washing cycle to reduce creasing and cut down your ironing time by up to a third.

The SoftPlus option improves dispersion of softener throughout the load and also adds an extra rinse to enhance softness.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a silver coated finish and medium LED display.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

850 x 600 x 605

Specifications

Capacity: 9kg

Spin speed: 1600rpm

Energy rating: A+++ -30%

Also available with same features as above:

L7FEE945R - 9kg 1400 rpm



**7000 SERIES
WASHING MACHINE
L7FEE865R**

KEY FEATURES



ProSteam



ProSense

Refresh and deodorise your clothes quickly with Steam Refresh, ideal for once worn items. Alternatively, use PlusSteam at the end of your washing cycle to reduce creasing and cut down your ironing time by up to a third.

The SoftPlus option improves dispersion of softener throughout the load and also adds an extra rinse to enhance softness.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a silver coated finish and medium LED display.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

850 x 600 x 571

Specifications

Capacity: 8kg

Spin speed: 1600rpm

Energy rating: A+++ -30%

Also available with same features as above:

L7FEE845R - 8kg 1400 rpm

6000 SERIES | L6FBG142R

MEET THE EVERYDAY CLASSIC PRESERVER

Cares twice as effectively*.

Quality clothes are made to be worn, but everyday pieces need care to maintain their condition. In AEG 6000 Series washing machines, every load is measured to tailor each cycle and calculate just the right amount of water and energy the wash requires. Whether you wash one shirt or a full load, the washer will adjust accordingly, reducing wear and tear by taking the minimum amount of time necessary for a thorough clean. And reducing water, energy consumption and washing time for smaller loads. AEG washing machines keep clothes looking their best. Every wear, every wash.



(HxWxD) in mm
850 x 600 x 630

Specifications

Capacity: 10kg
Spin speed: 1400rpm
Energy rating: A+++ -20%

aeg.co.uk/care

KEY FEATURES



ProSense® Technology

Automatically adjusts time, water and energy consumption to suit any load size.

*Test performed by Ritex in December 2015. (no. 15CR00099)



**6000 SERIES
WASHING MACHINE
L6FBG942R**

KEY FEATURES



ProSense

The SoftPlus option improves dispersion of softener throughout the load and also adds an extra rinse to enhance softness.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

This control panel has a white coated finish with small LED display.



**6000 SERIES
WASHING MACHINE
L6FBG862R**

KEY FEATURES



ProSense

The SoftPlus option improves dispersion of softener throughout the load and also adds an extra rinse to enhance softness.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

This control panel has a white coated finish with small LED display.



**6000 SERIES
WASHING MACHINE
L6FBG741R**

KEY FEATURES



ProSense

The SoftPlus option improves dispersion of softener throughout the load and also adds an extra rinse to enhance softness.

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

This control panel has a white coated finish with small LED display.

(HxWxD) in mm

850 x 600 x 630

Specifications

Capacity: 9kg
Spin speed: 1400rpm
Energy rating: A+++ -20%

(HxWxD) in mm

850 x 600 x 575

Specifications

Capacity: 8kg
Spin speed: 1600rpm
Energy rating: A+++ -20%

(HxWxD) in mm

850 x 600 x 575

Specifications

Capacity: 7kg
Spin speed: 1400rpm
Energy rating: A+++ -20%

Also available with same features as above:

L6FBG842R - 8kg 1400rpm



**6000 SERIES
WASHING MACHINE
L6FB1861N**

KEY FEATURES



ProSense

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a white finish with small 3 digit LED digital display.



**6000 SERIES
WASHING MACHINE
L6FB1741N**

KEY FEATURES



ProSense

The Pause+Add function conveniently pauses the wash cycle so you can add forgotten items, even when the programme has started.

The control panel has a white finish with small 3 digit LED digital display.

*This model does not have the Quiet Mark award.



**WASHING MACHINE
L61271BI**

KEY FEATURES



The Wool Plus programme features gentle drum movement and a special cut down phase to reduce the risk of shrinkage.

Easy Iron Plus adjusts the water level and spin speed to reduce creasing by up to 50%.

With a delay start of up to 20 hours, you can programme the machine to finish the cycle when it's most convenient for you.

Fully integrated machine to fit seamlessly into your kitchen.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

850 x 600 x 520

Specifications

Capacity: 8kg
Spin speed: 1600rpm
Energy rating: A+++ -20%

(HxWxD) in mm

850 x 600 x 600

Specifications

Capacity: 7kg
Spin speed: 1400rpm
Energy rating: A+++

(HxWxD) in mm

820 x 600 x 545

Specifications

Capacity: 7kg
Spin speed: 1200rpm - KSP
Energy rating: A++

Also available with same features as above:

L6FB1841N - 8kg 1400rpm



8000 SERIES | T8DEC946S

IT'S THE WOOL SWEATER GUARDIAN

Never dared to tumble dry wool, silk or outdoor garments before? Now you can tumble dry everything you wash. From the softest wool sweater to the business shirt you wear every day. Dryers with the AbsoluteCare® System have tailored programming to control precisely the movement and temperature of the drying drum. Holding delicate fibres aloft so silks keep their shape and wrinkles are reduced.

AbsoluteCare® System: redefining tumble drying for every fabric in your wardrobe. You can also use the new Outdoor Programme to restore water protection of outdoor garments better than air drying. The intelligent wool programme adapts the rotation used for treating hand-wash woollens so there's no shrinkage.*



(HxD) in mm
850 x 600 x 600

Specifications

Capacity: 9kg
Energy rating: A++
Steam

aeg.co.uk/care

KEY FEATURES



AbsoluteCare® System

Intelligent drum movements and temperature adjustments for ultimate care of your clothes.



SensiDry® Technology

Gentle and energy efficient drying at lower temperatures.



ProSense® Technology

Automatically adjusts time and energy consumption to suit any load size.

*Comparable with flat drying of wool.



**8000 SERIES
TUMBLE DRYERS**
T8DEC946R

KEY FEATURES



Absolute Care® SensiDry® ProSense®

With the tailored wool programme, the fast drum speed ensures garments lay flat on the inside of the drum walls to replicate flat drying, preventing shrinkage or felting.

The silk programme ensures the drum runs at a low speed and low temperature, and uses a gentle reverse action in a very efficient way to reduce wrinkles.

The new outdoor cycle restores water protective garments better than air drying. An exact temperature is applied for a specific amount of time to ensure that water repellency is restored after washing.

The control panel has a stainless steel finish and large LED display.

(HxWxD) in mm
850 x 600 x 600

Specifications

Capacity: 9kg
Energy rating: A++

Also available with same features as above:
T8DEC846R - 8kg



**8000 SERIES
TUMBLE DRYERS**
T8DEE945R

KEY FEATURES



Absolute Care® SensiDry® ProSense®

With the tailored wool programme, the fast drum speed ensures garments lay flat on the inside of the drum walls to replicate flat drying, preventing shrinkage or felting.

The silk programme ensures the drum runs at a low speed and low temperature, and uses a gentle reverse action in a very efficient way to reduce wrinkles.

The new outdoor cycle restores water protective garments better than air drying. An exact temperature is applied for a specific amount of time to ensure that water repellency is restored after washing.

The control panel has a silver coated finish and medium LED display.

(HxWxD) in mm
850 x 600 x 600

Specifications

Capacity: 9kg
Energy rating: A++

Also available with same features as above:
T8DEE845R - 8kg



**8000 SERIES
TUMBLE DRYERS**
T8DBG842R

KEY FEATURES



Absolute Care® SensiDry® ProSense®

With the tailored wool programme, the fast drum speed ensures garments lay flat on the inside of the drum walls to replicate flat drying, preventing shrinkage or felting.

The silk programme ensures the drum runs at a low speed and low temperature, and uses a gentle reverse action in a very efficient way to reduce wrinkles.

The new outdoor cycle restores water protective garments better than air drying. An exact temperature is applied for a specific amount of time to ensure that water repellency is restored after washing.

The control panel has a white coated finish with small LED display.

(HxWxD) in mm
850 x 600 x 600

Specifications

Capacity: 8kg
Energy rating: A++

*This model does not have the Quiet Mark award.

7000 SERIES | T7DEE835R

INTRODUCING THE SHEER BLOUSE PROTECTOR

Tumble dryers once meant high heat. And high heat is something your clothes should never be exposed to. Your knitwear, cotton tees, business shirts – clothes you wear day in, day out – need special care to keep them feeling special. AEG SensiDry® Technology dries the fabrics at half the temperature of conventional tumble dryers, without significantly extending the drying time. Ensuring that garments are never subject to unnecessary heat. Reducing wear and tear. Helping to make sure that the clothes you wear often, look and feel like new, every day.



(HxWxD) in mm
850 x 600 x 600

Specifications

Capacity: 8kg
Energy rating: A+

aeg.co.uk/care

KEY FEATURES



SensiDry® Technology

Gentle and energy efficient drying at lower temperatures.



ProSense® Technology

Automatically adjusts time and energy consumption to suit any load size.





**7000 SERIES
TUMBLE DRYERS**
T7DBG832R

**7000 SERIES
TUMBLE DRYERS**
T7DBG831R



KEY FEATURES

KEY FEATURES



SensIDry® ProSense®



SensIDry® ProSense®

Achieve a uniform drying result with a large drum featuring three lifters and reverse tumble action.

Achieve a uniform drying result with a large drum featuring three lifters and reverse tumble action.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

The control panel has a white coated finish with small LED display.

The control panel has a white coated finish with small LED display.

(HxWxD) in mm
850 x 600 x 600

(HxWxD) in mm
850 x 600 x 600

Specifications
Capacity: 8kg
Energy rating: A+

Specifications
Capacity: 8kg
Energy rating: A+

6000 SERIES | T6DBG822N

MEET THE EVERYDAY QUALITY PRESERVER

Clothes that are exposed to too much heat and motion simply will not last. The ProSense® Technology in AEG tumble dryers uses temperature and humidity sensors to fine-tune the drying cycle every time, ensuring clothes are never over-dried. Whether you dry one shirt or a full load, the dryer will adjust accordingly to take the minimum time necessary. Reducing wear and tear. Protecting fabrics. Saving energy and time. Your everyday pieces are dried efficiently, monitored constantly and cared for cycle after cycle.



(HxWxD) in mm
850 x 600 x 600

Specifications
Capacity: 8kg
Energy rating: B

aeg.co.uk/care

KEY FEATURES



ProSense® Technology
Automatically adjusts time and energy consumption to suit any load size.



**6000 SERIES
TUMBLE DRYERS**
T6DBG820N

KEY FEATURES



ProSense®

Achieve a uniform drying result with a large drum featuring three lifters and reverse tumble action.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

The control panel has a white and silver coated finish with small LED display.

(HxWxD) in mm
850 x 600 x 600

Specifications

Capacity: 8kg
Energy rating: B



**6000 SERIES
TUMBLE DRYERS**
T6DBG721N

KEY FEATURES



ProSense®

Achieve a uniform drying result with a large drum featuring three lifters and reverse tumble action.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

The control panel has a white and silver coated finish with small LED display.

(HxWxD) in mm
850 x 600 x 540

Specifications

Capacity: 7kg
Energy rating: B



**6000 SERIES
TUMBLE DRYERS**
T6DBG720N

KEY FEATURES



ProSense®

Achieve a uniform drying result with a large drum featuring three lifters and reverse tumble action.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

The control panel has a white and silver coated finish with small LED display.

(HxWxD) in mm
850 x 600 x 540

Specifications

Capacity: 7kg
Energy rating: B



VENTED DRYER
T65170AV



KEY FEATURES



ProTex®

Achieve the drying result you require, with sensor programmes that automatically switch off when your clothes are dry to ensure perfect fabric care.

An extra large drum featuring three lifters and reverse tumble action ensures uniform drying. After the drying cycle has finished, the Anti Crease option intermittently rotates your clothes to reduce creasing.

With a delay start of up to 9 hours, you can programme the machine to finish the cycle when it is most convenient for you.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

850 x 600 x 600

Specifications

Capacity: 7kg

Energy rating: C

.....



8000 SERIES | L8WEC166R

EVERY FIBRE PROTECTED IN ONE GO.

Classics stand the test of time, outlive trends and provide an integrated solution for looking sharp. The same as the new Kombi washer dryer with ÖKOMix Technology. It's the only machine on the market that pre-mixes detergents and softener separately in water before they enter the drum. Meaning they are activated before they reach fabrics, preparing clothes for the most thorough clean and the most even dry. Resulting in every fibre being reached. And every fibre receiving complete protection. All in one go. And all in less time thanks to the ÖKOPower NonStop programme that washes and dries 5kg in four hours. Allow us to introduce you to the defender of your classics.



(HxWxD) in mm
870 x 600 x 605

Specifications

Capacity: 10kg/6kg
Spin Speed: 1600rpm
Energy rating: A

aeg.co.uk/care

KEY FEATURES



ÖKOMix Technology

Unique pre-mixing of detergent, softener and water to reach every fibre.



DualSense® Technology

Adapts the temperature and movement of the drum to different types of fabric ensuring that every garment, from delicates to outdoor wear, retains its shape and integrity.



ProSense® Technology

Protects clothes from the wear and tear caused by excessive washing and drying. Automatically adjusts time, water and energy consumption to suit any load size.

7000 SERIES | L7WEC166R

A COMPLETE TREATMENT FOR OUTDOOR WEAR IN ONE GO.

Some specialist clothing – waterproofs, woollens – require specialist care. Which is where the intelligent system in our new Kombi washer dryer comes in. Drawing on the best DualSense Technology, it tailors the temperature and motion of the drum to different fabrics. Unlike other machines, the programme is adjusted according to the specified load, so that everything from textured jackets to soft jumpers can be carefully washed, dried and cared for in one go. For outdoor wear, functionality can be retained and restored, from water repellency to breathability. For delicates like handwash-only woollens*, tactility can be sustained, removing the need to filter fabrics between processes. Meaning no more dry-cleaning. And no more handwashing. Just the convenience of an integrated and complete treatment. Meet the restorer of your performance wear.



(HxWxD) in mm
850 x 600 x 605

Specifications

Capacity: 10kg/6kg
Spin Speed: 1600rpm
Energy rating: A

aeg.co.uk/care

KEY FEATURES



DualSense™ Technology

Adapts the temperature and movement of the drum to different types of fabric ensuring that every garment, from delicates to outdoor wear, retains its shape and integrity.



ProSense® Technology

Protects clothes from the wear and tear caused by excessive washing and drying. Automatically adjusts time, water and energy consumption to suit any load size.

*Woolmark Blue Certification in both washing and drying.



**7000 SERIES
WASHER DRYER**
L7WEE965R

KEY FEATURES



DualSense™

AEG washer dryers are the only washer dryers with Woolmark Blue accreditation in both the wash and the dry wool cycle, meaning that even your handwash only woollens are cared for from start to finish.

Refresh and deodorise your clothes quickly, and reduce wear and tear caused by overwashing with our built in steam function. Ideal for once worn items. Alternatively, use a steam programme to reduce creasing and cut down your ironing time.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.



**7000 SERIES
WASHER DRYER**
L7WEE861R

KEY FEATURES



DualSense™

AEG washer dryers are the only washer dryers with Woolmark Blue accreditation in both the wash and the dry wool cycle, meaning that even your handwash only woollens are cared for from start to finish.

Refresh and deodorise your clothes quickly, and reduce wear and tear caused by overwashing with our built in steam function. Ideal for once worn items. Alternatively, use a steam programme to reduce creasing and cut down your ironing time.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

*This model does not have the Quiet Mark award.



**7000 SERIES
WASHER DRYER**
L7WEG851R

KEY FEATURES



DualSense™

AEG washer dryers are the only washer dryers with Woolmark Blue accreditation in both the wash and the dry wool cycle, meaning that even your handwash only woollens are cared for from start to finish.

Refresh and deodorise your clothes quickly, and reduce wear and tear caused by overwashing with our built in steam function. Ideal for once worn items. Alternatively, use a steam programme to reduce creasing and cut down your ironing time.

Reduce creasing and cut down your ironing time using the Anti-crease option. This option intermittently rotates your clothes at the end of the programme to reduce wrinkling.

*This model does not have the Quiet Mark award.

(HxWxD) in mm
850 x 600 x 552

Specifications

Capacity: 9kg/6kg
Spin speed: 1600rpm
Energy rating: A

(HxWxD) in mm
850 x 600 x 542

Specifications

Capacity: 9kg/6kg
Spin speed: 1600rpm
Energy rating: A

(HxWxD) in mm
850 x 600 x 542

Specifications

Capacity: 8kg/5kg
Spin speed: 1600rpm
Energy rating: A

Also available with same features as above:
L7WBG741R - 7kg/4kg



**HEAT PUMP
WASHER DRYER**
L99695HWD

KEY FEATURES



SensiDry



OptiSense



ProSteam

The ÖKOKombi washer dryer uses heat pump technology in the drying phase. Drying takes place at very low temperatures compared to a standard washer dryer, ensuring the gentlest drying possible.

OptiSense ensures the best treatment for every garment by providing a cycle tailored to load size. Sensors adjust washing and drying times to avoid overwashing and overdrying.

Special steam programmes can be used to dewrinkle or refresh your clothes and are a good alternative to dry cleaning.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

870 x 600 x 605

Specifications

Capacity: 9kg/6kg
Spin speed: 1600rpm
Energy rating: A



WASHER DRYER
L61271WDBI

KEY FEATURES



Wool Plus

The Wool Plus programme features gentle drum movement and a special cut down phase to reduce the risk of shrinkage.

*This model does not have the Quiet Mark award.

(HxWxD) in mm

820 x 600 x 545

Specifications

Capacity: 7kg/4kg
Spin speed: 1200rpm
Energy rating: C

SPECIFICATION TABLES





TABLES | COOLING



SCE81921TS

SCE81911TS

SCE81864TC

SCE81824NC

Main Features

Twin Tech	•	•	•	•
NO Frost / Low Frost	•/-	•/-	•/-	•/-
Custom Flex			•	•
Long Fresh				
Soft close Doors			•	•
Multi airflow cooling/Dynamic Air Technology	-/•	-/•	-/•	
LCD touch display / Electronic controls / Mechanical temperature control	-/•/-	-/•/-	•/-/-	•/-/-
LED lighting	•	•	•	•
Coolmatic	•	•	•	•
Frostmatic	•	•	•	•
Holiday mode	•	•	•	•
High temperature alarm	•	•	•	•
Door open alarm				
Door opening	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)
Gross capacity (litres/cu.ft)	296	296	265	265
Net capacity (litres/cu.ft)	283	283	247	247

Fridge features

Gross capacity fridge (litres / cu.ft)	223	223	189	189
Net capacity fridge (litres / cu.ft)	219	219	186	186
Wine Compartment Gross capacity fridge (litres / cu.ft)				
Wine Compartment Net capacity fridge (litres / cu.ft)				
Defrost - fridge	Automatic	Automatic	Automatic	Automatic
Glass shelves	3	3	3	3
Flexi shelf (half depth)	•	•	•	•
Wooden shelves				
Fresh box				
Large telescopic pull out salad drawer	•	•		
Large Salad Drawer				
2 extra deep 1/2 width salad drawers			•	•
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid	•	•	•	•
No. full width door shelves	2	2	Custom flex	Custom flex
1/2 width sliding door shelf	1	1	Custom flex	Custom flex
Wine rack (holds 5 bottles)				
Egg tray	2	2	2	2

Freezer features

Gross capacity freezer (litres / cu.ft)	73	73	76	76
Net capacity freezer (litres / cu.ft)	64	64	61	61
Defrost - freezer	Automatic	Automatic	Automatic	Automatic
No. full width drawers	3	3	3	3
No. half depth drawers				
Telescopic freezer drawers				

Product Dimensions

Height mm	1842	1842	1769	1769
Width mm	540	540	556	556
Depth mm	552	552	549	549

Built-in dimensions

Built-in height (mm)	1850	1850	1780	1780
Built-in width (mm)	560	560	560	560
Built-in depth (mm)	560	560	550	550

Performance

Door fixing	Sliding hinge	Sliding hinge	Door on Door	Door on Door
Annual energy consumption	241	307	120	226
Energy efficiency class	A++	A+	A+++	A++
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	39	39	39	39
Freezing capacity	8	8	10	10
Power cut safe rising time	21	21	23	23
Minimum ambient temperature	10	10	10	10

TABLES | COOLING



SCE81826NC

SCE81824TS

SCE81827TS

SCE81812NS

Main Features

Twin Tech	•	•	•	•
NO Frost / Low Frost	•/-	•/-	•/-	•/-
Custom Flex		•		
Long Fresh				
Soft close Doors	•			
Multi airflow cooling/Dynamic Air Technology		-/•	-/•	
LCD touch display / Electronic controls / Mechanical temperature control	•/-/-	•/-/-	•/-/-	•/-/-
LED lighting	•	•	•	•
Coolmatic	•	•	•	•
Frostmatic	•	•	•	•
Holiday mode	•	•	•	•
High temperature alarm	•	•	•	•
Door open alarm	•	•	•	•
Door opening	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)
Gross capacity (litres/cu.ft)	265	273	264	264
Net capacity (litres/cu.ft)	247	253	239	239

Fridge features

Gross capacity fridge (litres / cu.ft)	189	197	157	157
Net capacity fridge (litres / cu.ft)	186	192	152	152
Wine Compartment Gross capacity fridge (litres / cu.ft)				
Wine Compartment Net capacity fridge (litres / cu.ft)				
Defrost - fridge	Automatic	Automatic	Automatic	Automatic
Glass shelves	3	3	2	2
Flexi shelf (half depth)	•	•	•	•
Wooden shelves				
Fresh box				
Large telescopic pull out salad drawer				
Large Salad Drawer				
2 extra deep 1/2 width salad drawers	•	•	•	•
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid	•	•	•	•
No. full width door shelves	3	Custom flex	2	2
1/2 width sliding door shelf	1	Custom flex	1	1
Wine rack (holds 5 bottles)				
Egg tray	2	2	2	2

Freezer features

Gross capacity freezer (litres / cu.ft)	76	76	107	107
Net capacity freezer (litres / cu.ft)	61	61	87	87
Defrost - freezer	Automatic	Automatic	Automatic	Automatic
No. full width drawers	3	3	4	4
No. half depth drawers				
Telescopic freezer drawers				

Product Dimensions

Height mm	1769	1772	1772	1772
Width mm	556	540	540	540
Depth mm	549	549	549	549

Built-in dimensions

Built-in height (mm)	1780	1780	1780	1780
Built-in width (mm)	560	560	560	560
Built-in depth (mm)	550	550	560	560
Door fixing	Door on Door	Sliding hinge	Sliding hinge	Sliding hinge

Performance

Annual energy consumption	226	228	238	303
Energy efficiency class	A++	A++	A++	A+
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	39	39	39	39
Freezing capacity	10	10	10	10
Power cut safe rising time	23	21	25	25
Minimum ambient temperature	10	10	10	10

TABLES | COOLING



SCE81816TS

SCB61811LS

SCB61812LS

SCB51421LS

Main Features

Twin Tech	•			
NO Frost / Low Frost	•/-	-/•	-/•	-/•
Custom Flex				
Long Fresh				
Soft close Doors				
Multi airflow cooling/Dynamic Air Technology	-/•			
LCD touch display / Electronic controls / Mechanical temperature control	•/-/-	-/•/-	-/•/-	-/-/•
LED lighting	•	•	•	•
Coolmatic	•			
Frostmatic	•	•	•	
Holiday mode	•			
High temperature alarm	•			
Door open alarm	•			
Door opening	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)
Gross capacity (litres/cu.ft)	273	272	269	220
Net capacity (litres/cu.ft)	253	268	266	217

Fridge features

Gross capacity fridge (litres / cu.ft)	197	199	163	163
Net capacity fridge (litres / cu.ft)	192	196	160	160
Wine Compartment Gross capacity fridge (litres / cu.ft)				
Wine Compartment Net capacity fridge (litres / cu.ft)				
Defrost - fridge	Automatic	Automatic	Automatic	Automatic
Glass shelves	3	4	3	3
Flexi shelf (half depth)	•			
Wooden shelves				
Fresh box				
Large telescopic pull out salad drawer				
Large Salad Drawer				
2 extra deep 1/2 width salad drawers	•	•	•	•
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid	•	•	•	•
No. full width door shelves	3	3	2	2
1/2 width sliding door shelf	1		1	1
Wine rack (holds 5 bottles)				
Egg tray	2	2	2	2

Freezer features

Gross capacity freezer (litres / cu.ft)	76	73	106	57
Net capacity freezer (litres / cu.ft)	61	72	106	57
Defrost - freezer	Automatic	Manual	Manual	Manual
No. full width drawers	3	3	4	2
No. half depth drawers				
Telescopic freezer drawers				

Product Dimensions

Height mm	1772	1772	1772	1441
Width mm	540	540	540	540
Depth mm	549	549	549	549

Built-in dimensions

Built-in height (mm)	1780	1780	1780	1446
Built-in width (mm)	560	560	560	560
Built-in depth (mm)	550	550	550	550
Door fixing	Sliding hinge	Sliding hinge	Sliding hinge	Sliding hinge

Performance

Annual energy consumption	291	291	293	204
Energy efficiency class	A+	A+	A+	A++
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST	SN-N-ST-T
Noise	39	36	36	35
Freezing capacity	10	4	4	4
Power cut safe rising time	21	22	22	20
Minimum ambient temperature	10	10	10	10

TABLES | COOLING



ABE68216NF



ABE68221AF



ABB68211AF



SFB58211AF

Main Features

Twin Tech				
NO Frost / Low Frost	•/-			
Custom Flex				
Long Fresh				
Soft close Doors				
Multi airflow cooling/Dynamic Air Technology				
LCD touch display / Electronic controls / Mechanical temperature control	-/•/-	-/•/-	-/•/-	-/•/•
LED lighting				•
Coolmatic				
Frostmatic	•	•	•	
Holiday mode				
High temperature alarm	•	•	•	
Door open alarm	•	•	•	
Door opening	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)
Gross capacity (litres/cu.ft)	86	105	105	111
Net capacity (litres/cu.ft)	85	95	95	109

Fridge features

Gross capacity fridge (litres / cu.ft)				111
Net capacity fridge (litres / cu.ft)				109
Wine Compartment Gross capacity fridge (litres / cu.ft)				
Wine Compartment Net capacity fridge (litres / cu.ft)				
Defrost - fridge				Automatic
Glass shelves				2
Flexi shelf (half depth)				
Wooden shelves				
Fresh box				
Large telescopic pull out salad drawer				
Large Salad Drawer				
2 extra deep 1/2 width salad drawers				•
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid				•
No. full width door shelves				1
1/2 width sliding door shelf				1
Wine rack (holds 5 bottles)				
Egg tray				1

Freezer features

Gross capacity freezer (litres / cu.ft)	86	105	105	
Net capacity freezer (litres / cu.ft)	85	95	95	
Defrost - freezer	Automatic	Manual	Manual	
No. full width drawers	3	3	3	
No. half depth drawers				
Telescopic freezer drawers	•			

Product Dimensions

Height mm	815	815	815	815
Width mm	596	596	596	596
Depth mm	550	550	550	550

Built-in dimensions

Built-in height (mm)	820	820	820	820
Built-in width (mm)	600	600	600	600
Built-in depth (mm)	550	550	550	550
Door fixing	Door on Door	Door on Door	Door on Door	Door on Door

Performance

Annual energy consumption	191	147	187	172
Energy efficiency class	A+	A++	A+	A+
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST
Noise	41	38	38	38
Freezing capacity	12	18	18	2.5
Power cut safe rising time	13	29	29	13
Minimum ambient temperature	10	10	10	10

TABLES | COOLING



SFE58221AF



SKB58211AF



SKE58221AF



ABK81826NC

Main Features

Twin Tech				
NO Frost / Low Frost				•/-
Custom Flex				
Long Fresh				
Soft close Doors				•
Multi airflow cooling/Dynamic Air Technology				
LCD touch display / Electronic controls / Mechanical temperature control	-/-•	-/-•	-/-•	•/-/-
LED lighting	•	•	•	
Coolmatic				
Frostmatic				•
Holiday mode				
High temperature alarm				•
Door open alarm				•
Door opening	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)
Gross capacity (litres/cu.ft)	111	136	136	216
Net capacity (litres/cu.ft)	109	133	133	204

Fridge features

Gross capacity fridge (litres / cu.ft)	111	136	136	
Net capacity fridge (litres / cu.ft)	109	133	133	
Wine Compartment Gross capacity fridge (litres / cu.ft)				
Wine Compartment Net capacity fridge (litres / cu.ft)				
Defrost - fridge	Automatic	Automatic	Automatic	
Glass shelves	2	3	3	
Flexi shelf (half depth)				
Wooden shelves				
Fresh box				
Large telescopic pull out salad drawer				
Large Salad Drawer				
2 extra deep 1/2 width salad drawers	•	•	•	
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid	•	•	•	
No. full width door shelves	1	1	1	
1/2 width sliding door shelf	1	1	1	
Wine rack (holds 5 bottles)				
Egg tray	1	1	1	

Freezer features

Gross capacity freezer (litres / cu.ft)				216
Net capacity freezer (litres / cu.ft)				204
Defrost - freezer				Automatic
No. full width drawers				5
No. half depth drawers				
Telescopic freezer drawers				

Product Dimensions

Height mm	815	815	815	1769
Width mm	596	596	596	556
Depth mm	550	550	550	549

Built-in dimensions

Built-in height (mm)	820	820	820	1780
Built-in width (mm)	600	600	600	560
Built-in depth (mm)	550	550	550	550
Door fixing	Door on Door	Door on Door	Door on Door	Door on Door

Performance

Annual energy consumption	139	118	91	238
Energy efficiency class	A++	A+	A++	A++
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	36	36	36	39
Freezing capacity	2.5	0	0	20
Power cut safe rising time	13	0	0	24
Minimum ambient temperature	10	10	10	10

TABLES | COOLING



ABB81816NC



ABE81226NC



ABB81216NF



ABE68821LS

Main Features

Twin Tech				
NO Frost / Low Frost	•/-	•/-	•/-	•/-
Custom Flex				
Long Fresh				
Soft close Doors		•		
Multi airflow cooling/Dynamic Air Technology				
LCD touch display / Electronic controls / Mechanical temperature control	•/-/-	•/-/-	•/-/-	-/•/-
LED lighting				
Coolmatic				
Frostmatic	•	•	•	•
Holiday mode				
High temperature alarm	•	•	•	•
Door open alarm	•	•	•	•
Door opening	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)
Gross capacity (litres/cu.ft)	216	130	130	99
Net capacity (litres/cu.ft)	204	120	120	98

Fridge features

Gross capacity fridge (litres / cu.ft)				
Net capacity fridge (litres / cu.ft)				
Wine Compartment Gross capacity fridge (litres / cu.ft)				
Wine Compartment Net capacity fridge (litres / cu.ft)				
Defrost - fridge				
Glass shelves				
Flexi shelf (half depth)				
Wooden shelves				
Fresh box				
Large telescopic pull out salad drawer				
Large Salad Drawer				
2 extra deep 1/2 width salad drawers				
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid				
No. full width door shelves				
1/2 width sliding door shelf				
Wine rack (holds 5 bottles)				
Egg tray				

Freezer features

Gross capacity freezer (litres / cu.ft)	216	130	130	99
Net capacity freezer (litres / cu.ft)	204	120	120	98
Defrost - freezer	Automatic	Automatic	Automatic	Manual
No. full width drawers	5	4	4	4
No. half depth drawers				
Telescopic freezer drawers				

Product Dimensions

Height mm	1769	1224	1224	873
Width mm	556	556	556	540
Depth mm	549	549	549	549

Built-in dimensions

Built-in height (mm)	1780	1225	1225	880
Built-in width (mm)	560	556	560	560
Built-in depth (mm)	550	550	550	550

Door fixing	Door on Door	Door on Door	Door on Door	Sliding hinge
-------------	--------------	--------------	--------------	---------------

Performance

Annual energy consumption	303	183	232	200
Energy efficiency class	A+	A++	A+	A+
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	39	39	39	35
Freezing capacity	20	20	20	10
Power cut safe rising time	24	22	22	20
Minimum ambient temperature	10	10	10	10

TABLES | COOLING



SFE81821DC



SKK81826ZC



SKK81821DC



SKB81811DC

Main Features

Twin Tech

NO Frost / Low Frost

Custom Flex

Long Fresh

Soft close Doors

Multi airflow cooling/Dynamic Air Technology

LCD touch display / Electronic controls /

Mechanical temperature control

LED lighting

Coolmatic

Frostmatic

Holiday mode

High temperature alarm

Door open alarm

Door opening

Gross capacity (litres/cu.ft)

Net capacity (litres/cu.ft)

Fridge features

Gross capacity fridge (litres / cu.ft)

Net capacity fridge (litres / cu.ft)

Wine Compartment Gross capacity fridge (litres / cu.ft)

Wine Compartment Net capacity fridge (litres / cu.ft)

Defrost - fridge

Glass shelves

Flexi shelf (half depth)

Wooden shelves

Fresh box

Large telescopic pull out salad drawer

Large Salad Drawer

2 extra deep 1/2 width salad drawers

Full width recessed salad drawer with 2 glass lids

Dairy compartment with lid

No. full width door shelves

1/2 width sliding door shelf

Wine rack (holds 5 bottles)

Egg tray

Freezer features

Gross capacity freezer (litres / cu.ft)

Net capacity freezer (litres / cu.ft)

Defrost - freezer

No. full width drawers

No. half depth drawers

Telescopic freezer drawers

Product Dimensions

Height mm

Width mm

Depth mm

Built-in dimensions

Built-in height (mm)

Built-in width (mm)

Built-in depth (mm)

Door fixing

Performance

Annual energy consumption

Energy efficiency class

Energy efficiency index

Climate class

Noise

Freezing capacity

Power cut safe rising time

Minimum ambient temperature

Right Hinged (Reversible) Right Hinged (Reversible) Right Hinged (Reversible) Right Hinged (Reversible)

•

•

•

•

•/•

•/•

•/•

•/•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

TABLES | COOLING



SKE81221AC



SKB81211AF



SFE68811AS



SKE68811AS

Main Features

Twin Tech				
NO Frost / Low Frost				
Custom Flex				
Long Fresh				
Soft close Doors	•			
Multi airflow cooling/Dynamic Air Technology				
LCD touch display / Electronic controls / Mechanical temperature control	•/-/•	•/-/•	-/•/•	-/•/•
LED lighting	•	•	•	•
Coolmatic	•	•		
Frostmatic				
Holiday mode	•	•		
High temperature alarm				
Door open alarm	•	•		
Door opening	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)	Right Hinged (Reversible)
Gross capacity (litres/cu.ft)	205	205	125	143
Net capacity (litres/cu.ft)	202	202	123	142

Fridge features

Gross capacity fridge (litres / cu.ft)	205	205	125	143
Net capacity fridge (litres / cu.ft)	202	202	123	142
Wine Compartment Gross capacity fridge (litres / cu.ft)				
Wine Compartment Net capacity fridge (litres / cu.ft)				
Defrost - fridge	Automatic	Automatic	Automatic	Automatic
Glass shelves	3	3	2	2
Flexi shelf (half depth)	•	•		
Wooden shelves				
Fresh box				
Large telescopic pull out salad drawer				
Large Salad Drawer			•	•
2 extra deep 1/2 width salad drawers	•	•		
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid	•	•	•	•
No. full width door shelves	3	3	2	2
1/2 width sliding door shelf	1	1	1	1
Wine rack (holds 5 bottles)				
Egg tray	2	2	2	2

Freezer features

Gross capacity freezer (litres / cu.ft)				
Net capacity freezer (litres / cu.ft)				
Defrost - freezer				
No. full width drawers				
No. half depth drawers				
Telescopic freezer drawers				

Product Dimensions

Height mm	1219	1219	873	873
Width mm	556	556	540	540
Depth mm	550	550	549	549

Built-in dimensions

Built-in height (mm)	1225	1225	880	880
Built-in width (mm)	560	560	560	560
Built-in depth (mm)	550	550	550	550
Door fixing	Door on Door	Door on Door	Sliding hinge	Sliding hinge

Performance

Annual energy consumption	103	131	151	96
Energy efficiency class	A++	A+	A++	A++
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	35	35	38	38
Freezing capacity	0	0	2	0
Power cut safe rising time	0	0	12	0
Minimum ambient temperature	10	10	10	10

TABLES | COOLING



RXE75911TM



RXE75411NM



RXE76111NX



RMB76311NX

Main Features

Twin Tech				
NO Frost / Low Frost	•/-	•/-	•/-	•/-
Custom Flex				
Long Fresh				
Soft close Doors				
Multi airflow cooling/Dynamic Air Technology	•/-	•/-	•/-	•/-
LCD touch display / Electronic controls / Mechanical temperature control	•/-/-	•/-/-	•/-/-	•/-/-
LED lighting	•	•	•	•
Coolmatic	•	•	•	•
Frostmatic	•	•	•	•
Holiday mode	•	•	•	•
High temperature alarm	•	•	•	•
Door open alarm	•	•	•	•
Door opening	Side by Side	Side by Side	Side by Side	Side by Side
Gross capacity (litres/cu.ft)	431	543	608	630
Net capacity (litres/cu.ft)	407	529	549	536

Fridge features

Gross capacity fridge (litres / cu.ft)	323	323	380	436
Net capacity fridge (litres / cu.ft)	319	319	370	417
Wine Compartment Gross capacity fridge (litres / cu.ft)	161			
Wine Compartment Net capacity fridge (litres / cu.ft)	158			
Defrost - fridge	Automatic	Automatic	Automatic	Automatic
Glass shelves	4	4	4	2
Flexi shelf (half depth)	•	•	•	•
Wooden shelves		4		
Fresh box			•	•
Large telescopic pull out salad drawer	•	•	•	•
Large Salad Drawer				
2 extra deep 1/2 width salad drawers				
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid	•	•	•	•
No. full width door shelves	4	4	2	4
1/2 width sliding door shelf	•	•		
Wine rack (holds 5 bottles)				
Egg tray	1	1	1	1

Freezer features

Gross capacity freezer (litres / cu.ft)	108	220	228	194
Net capacity freezer (litres / cu.ft)	88	210	179	119
Defrost - freezer	Automatic	Automatic	Automatic	Automatic
No. full width drawers	3		2	3
No. half depth drawers				
Telescopic freezer drawers				

Product Dimensions

Height mm	1855	1855	1860	1776
Width mm	1095	1095	1190	912
Depth mm	572	572	623	765

Built-in dimensions

Built-in height (mm)				
Built-in width (mm)				
Built-in depth (mm)				

Door fixing**Performance**

Annual energy consumption	450	449	467	410
Energy efficiency class	A+	A+	A+	A+
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	38	40	43	43
Freezing capacity	10	20	16	10
Power cut safe rising time	25	21	10	12
Minimum ambient temperature	16	10	10	10

TABLES | COOLING



RCB53724MX/MW

RCB53324MX/MW

RCB83724MX/MW

ATB81011NX/NW

Main Features

Twin Tech	•	•	•	
NO Frost / Low Frost	•/-	•/-	•/-	•/-
Custom Flex	•	•	•	
Long Fresh				
Soft close Doors				
Multi airflow cooling/Dynamic Air Technology	•/-	•/-	•/-	
LCD touch display / Electronic controls / Mechanical temperature control	•/-/-	•/-/-	•/-/-	-/-/•
LED lighting	•	•	•	
Coolmatic	•	•	•	
Frostmatic	•	•	•	•
Holiday mode				
High temperature alarm			•	•
Door open alarm			•	
Door opening	Right Hinged	Right Hinged	Right Hinged	Right Hinged (Reversible)
Gross capacity (litres/cu.ft)	370	332	377	100
Net capacity (litres/cu.ft)	341	305	350	80

Fridge features

Gross capacity fridge (litres / cu.ft)	261	223	266	
Net capacity fridge (litres / cu.ft)	250	214	258	
Wine Compartment Gross capacity fridge (litres / cu.ft)				
Wine Compartment Net capacity fridge (litres / cu.ft)				
Defrost - fridge	Automatic	Automatic	Automatic	
Glass shelves	3	2	2	
Flexi shelf (half depth)	•	•	•	
Wooden shelves				
Fresh box			•	
Large telescopic pull out salad drawer			•	
Large Salad Drawer				
2 extra deep 1/2 width salad drawers	•	•		
Full width recessed salad drawer with 2 glass lids				
Dairy compartment with lid	•	•	•	
No. full width door shelves	Custom Flex	Custom Flex	Custom Flex	
1/2 width sliding door shelf	Custom Flex	Custom Flex	Custom Flex	
Wine rack (holds 5 bottles)	•	•	•	
Egg tray	1	1	1	

Freezer features

Gross capacity freezer (litres / cu.ft)	109	109	111	100
Net capacity freezer (litres / cu.ft)	91	91	92	80
Defrost - freezer	Automatic	Automatic	Automatic	Automatic
No. full width drawers	2 Full Width+1 Half Depth	2 Full Width+1 Half Depth	2 Full Width+1 Half Depth	3
No. half depth drawers	2 Full Width+1 Half Depth	2 Full Width+1 Half Depth	2 Full Width+1 Half Depth	1
Telescopic freezer drawers				

Product Dimensions

Height mm	2005	1845	2000	850
Width mm	595	595	595	595
Depth mm	647	647	647	635

Built-in dimensions

Built-in height (mm)				
Built-in width (mm)				
Built-in depth (mm)				
Door fixing				

Performance

Annual energy consumption	248	237	251	188
Energy efficiency class	A++	A++	A++	A+
Energy efficiency index	0	0	0	0
Climate class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	43	43	41	42
Freezing capacity	4	4	10	9
Power cut safe rising time	18	20	20	13
Minimum ambient temperature	10	10	10	10

TABLES | COOLING



ATB81121AX



RTB81521AX/AW



A72710GNX0/WO



A72020GNX0/WO

Main Features

Twin Tech

NO Frost / Low Frost

•/-

•/-

Custom Flex

Long Fresh

Soft close Doors

Multi airflow cooling/Dynamic Air Technology

LCD touch display / Electronic controls /

Mechanical temperature control

-/-•

-/-•

•/-/-

•/-/-

LED lighting

•

Coolmatic

Frostmatic

•

•

•

Holiday mode

High temperature alarm

•

•

•

Door open alarm

•

•

•

Door opening

Right Hinged (Reversible)

Right Hinged (Reversible)

Right Hinged (Reversible)

Right Hinged (Reversible)

Gross capacity (litres/cu.ft)

110

155

250

225

Net capacity (litres/cu.ft)

92

152

229

177

Fridge features

Gross capacity fridge (litres / cu.ft)

155

Net capacity fridge (litres / cu.ft)

152

Wine Compartment Gross capacity fridge (litres / cu.ft)

Wine Compartment Net capacity fridge (litres / cu.ft)

Defrost - fridge

Automatic

Glass shelves

2

Flexi shelf (half depth)

Wooden shelves

Fresh box

Large telescopic pull out salad drawer

Large Salad Drawer

•

2 extra deep 1/2 width salad drawers

Full width recessed salad drawer with 2 glass lids

Dairy compartment with lid

•

No. full width door shelves

2

1/2 width sliding door shelf

Wine rack (holds 5 bottles)

Egg tray

2

Freezer features

Gross capacity freezer (litres / cu.ft)

110

250

225

Net capacity freezer (litres / cu.ft)

92

229

177

Defrost - freezer

Manual

Automatic

Automatic

No. full width drawers

2

5

4

No. half depth drawers

1

1

1

Telescopic freezer drawers

•

Product Dimensions

Height mm

850

850

1850

1544

Width mm

595

595

595

595

Depth mm

635

635

668

668

Built-in dimensions

Built-in height (mm)

Built-in width (mm)

Built-in depth (mm)

Door fixing

Performance

Annual energy consumption

145

94

229

203

Energy efficiency class

A++

A++

A++

A++

Energy efficiency index

0

0

32,9

0

Climate class

SN-N-ST-T

SN-N-ST-T

SN-N-ST-T

SN-N-ST-T

Noise

39

38

42

42

Freezing capacity

14

0

20

20

Power cut safe rising time

24

0

20

28

Minimum ambient temperature

10

10

10

10

TABLES | COOLING



S74010KDX0/WO

S73320KDX0/WO

Main Features

Twin Tech		
NO Frost / Low Frost		
Custom Flex		
Long Fresh		
Soft close Doors		
Multi airflow cooling/Dynamic Air Technology	-/•	-/•
LCD touch display / Electronic controls /	•/-/-	•/-/-
Mechanical temperature control		
LED lighting	•	•
Coolmatic	•	•
Frostmatic		
Holiday mode	•	
High temperature alarm		
Door open alarm	•	
Door opening	Right Hinged (Reversible)	Right Hinged (Reversible)
Gross capacity (litres/cu.ft)	400	317
Net capacity (litres/cu.ft)	395	314

Fridge features

Gross capacity fridge (litres / cu.ft)	400	317
Net capacity fridge (litres / cu.ft)	395	314
Wine Compartment Gross capacity fridge (litres / cu.ft)		
Wine Compartment Net capacity fridge (litres / cu.ft)		
Defrost - fridge	Automatic	Automatic
Glass shelves	4	4
Flexi shelf (half depth)		
Wooden shelves		
Fresh box		
Large telescopic pull out salad drawer	•	
Large Salad Drawer	•	•
2 extra deep 1/2 width salad drawers	None	
Full width recessed salad drawer with 2 glass lids		
Dairy compartment with lid	•	•
No. full width door shelves	3	3
1/2 width sliding door shelf		
Wine rack (holds 5 bottles)	•	
Egg tray	1	1

Freezer features

Gross capacity freezer (litres / cu.ft)		
Net capacity freezer (litres / cu.ft)		
Defrost - freezer		
No. full width drawers		
No. half depth drawers		
Telescopic freezer drawers		

Product Dimensions

Height mm	1850	1544
Width mm	595	595
Depth mm	668	668

Built-in dimensions

Built-in height (mm)		
Built-in width (mm)		
Built-in depth (mm)		
Door fixing		

Performance

Annual energy consumption	117	110
Energy efficiency class	A++	A++
Energy efficiency index	32,9	0
Climate class	SN-N-ST-T	SN-N-ST-T
Noise	39	39
Freezing capacity	0	0
Power cut safe rising time	0	0
Minimum ambient temperature	10	10

TABLES | COOLING



SWE66001DG



SWE63001DG



SWE61501DG

Main Features

Twin Tech

NO Frost / Low Frost

Custom Flex

Long Fresh

Soft close Doors

Multi airflow cooling/Dynamic Air Technology

LCD touch display / Electronic controls /

Mechanical temperature control

•/-/

•/-/

•/-/

LED lighting

•

•

•

Coolmatic

Frostmatic

Holiday mode

High temperature alarm

Door open alarm

Door opening

Right Hinged (Reversible)

Right Hinged (Reversible)

Right hinged only

Gross capacity (litres/cu.ft)

145

58

22

Net capacity (litres/cu.ft)

138

56

22

Fridge features

Gross capacity fridge (litres / cu.ft)

Net capacity fridge (litres / cu.ft)

Wine Compartment Gross capacity fridge
(litres / cu.ft)

145

58

22

Wine Compartment Net capacity fridge (litres / cu.ft)

138

56

22

Defrost - fridge

Glass shelves

Flexi shelf (half depth)

Wooden shelves

6

6

6

Fresh box

Large telescopic pull out salad drawer

Large Salad Drawer

2 extra deep 1/2 width salad drawers

Full width recessed salad drawer with 2 glass lids

Dairy compartment with lid

No. full width door shelves

1/2 width sliding door shelf

Wine rack (holds 5 bottles)

Egg tray

Freezer features

Gross capacity freezer (litres / cu.ft)

Net capacity freezer (litres / cu.ft)

Defrost - freezer

No. full width drawers

No. half depth drawers

Telescopic freezer drawers

Product Dimensions

Height mm

820

820

870

Width mm

595

294

148

Depth mm

565

571

526

Built-in dimensions

Built-in height (mm)

822

822

872

Built-in width (mm)

600

300

150

Built-in depth (mm)

550

550

550

Door fixing

Performance

Annual energy consumption

149

140

137

Energy efficiency class

A

A

A

Energy efficiency index

54.7

54.6

0

Climate class

N-ST

N-ST

N-ST

Noise

39

39

35

Freezing capacity

0

0

0

Power cut safe rising time

0

0

0

Minimum ambient temperature

16

16

16

TABLES | SINGLE OVENS



BSK892330M

BSK792320M /
BSE792320B

BSK882320M



BSK782320M

Oven Features

Control Type	Command Wheel	Touch	Command Wheel	Touch
Menu guided cooking	•	•	•	•
Oven capacity (usable)	70	70	70	70
Number of functions	24	24	18	17
Fast heat up	•	•	•	•
SoftMotion™ soft close door	•	•	•	•
Fully programmable timer	•	•	•	•
Core temperature sensor	•	•	•	•
Floodlight™	•	•	•	•
Sidelight	•	•	•	•
Cleaning	Steam	Steam	Steam	Steam
Oven door glazing	Four	Four	Four	Four
Cooling fan	•	•	•	•
Steam	•	•	•	•

Accessories

Number of shelves	Two	Two	Two	Two
Telescopic runners	•	•	•	•
MaxiTray™	•	•	•	•
Full width grill / meat pan (with trivet)	•	•	•	•
Perforated baking trays	•	•	•	•
Patisserie tray	•	•	•	•

Dimensions

Appliance dimensions				
Height (mm)	594	594	594	594
Width (mm)	595	595	595	595
Depth (mm)	567	567	567	567
Aperture dimensions				
Height (mm)	590	590	590	590
Width (mm)	560	560	560	560
Depth (mm)	550	550	550	550

Performance

Oven temperature range (°C)	30-230	30-230	30-230	30-230
Energy efficiency class	A++	A+	A+	A+
Energy efficiency class in mode static / fan	Fan	Fan	Fan	Fan
Energy consumption fan (kWh)	0.52	0.68	0.68	0.68
Energy consumption static (kWh)	0.89	0.89	0.99	0.99
Largest baking sheet surface area	1424	1424	1424	1424
Connected load (W)	3500	3500	3500	3500
Fuse rating (A)	16	16	16	16

TABLES | SINGLE OVENS



BSK874320M



BSK774320M



BSK574221M



BPK842720M

Oven Features

	Command Wheel	Touch	Retractable	Command Wheel
Control Type	Command Wheel	Touch	Retractable	Command Wheel
Menu guided cooking	•	•	•	•
Oven capacity (usable)	71	71	71	71
Number of functions	17	17	9	17
Fast heat up	•	•	•	•
SoftMotion™ soft close door	•	•	•	•
Fully programmable timer	•	•	•	•
Core temperature sensor	•	•	•	•
Floodlight™	•	•	•	•
Sidelight	•	•	•	•
Cleaning	Pyrolytic	Pyrolytic	Pyrolytic	Pyrolytic
Oven door glazing	Four	Four	Four	Four
Cooling fan	•	•	•	•
Steam	•	•	•	•

Accessories

Number of shelves	Two	Two	Two	Two
Telescopic runners	•	•	•	•
MaxiTray™	•	•	•	•
Full width grill / meat pan (with trivet)	•	•	•	•
Perforated baking trays	•	•	•	•
Pastry tray	•	•	•	•

Dimensions

Appliance dimensions				
Height (mm)	594	594	594	594
Width (mm)	595	595	596	595
Depth (mm)	567	567	568	567
Aperture dimensions				
Height (mm)	590	590	600	590
Width (mm)	560	560	560	560
Depth (mm)	550	550	550	550

Performance

Oven temperature range (°C)	30-300	30-300	30-300	30-300
Energy efficiency class	A+	A+	A+	A+
Energy efficiency class in mode static / fan	Fan	Fan	Fan	Fan
Energy consumption fan (kWh)	0.69	0.69	0.69	0.69
Energy consumption static (kWh)	0.99	0.99	0.89	0.99
Largest baking sheet surface area	1424	1424	1424	1424
Connected load (W)	3500	3500	3380	3500
Fuse rating (A)	16	16	16	16

TABLES | SINGLE OVENS



BPK742320M



BPK744L21M



BPK642020M



BPK552220M

Oven Features

Control Type	Touch	Touch	Touch	Retractable
Menu guided cooking	•	•	•	
Oven capacity (usable)	71	71	71	71
Number of functions	17	17	17	10
Fast heat up	•	•	•	•
SoftMotion™ soft close door	•	•	•	•
Fully programmable timer	•	•	•	•
Core temperature sensor	•	•	•	•
Floodlight™	•	•	•	•
Sidelight	•	•	•	•
Cleaning	Pyrolytic	Pyrolytic	Pyrolytic	Pyro
Oven door glazing	Four	Four	Four	Three
Cooling fan	•	•	•	•
Steam				SteamBake™

Accessories

Number of shelves	Two	Two	Two	Two
Telescopic runners	•	•	•	•
MaxiTray™	•	•	•	•
Full width grill / meat pan (with trivet)	•	•	•	•
Perforated baking trays				
Pâtisserie tray				

Dimensions

Appliance dimensions				
Height (mm)	594	594	594	594
Width (mm)	595	594	595	594
Depth (mm)	567	568	567	567
Aperture dimensions				
Height (mm)	590	600	590	590
Width (mm)	560	560	560	560
Depth (mm)	550	550	550	550

Performance

Oven temperature range (°C)	30-300	30-300	30-300	30-300
Energy efficiency class	A+	A+	A+	A+
Energy efficiency class in mode static / fan	Fan	Fan	Fan	Fan
Energy consumption fan (kWh)	0.69	0.69	1.00	0.69
Energy consumption static (kWh)	0.99	0.93	1.00	0.99
Largest baking sheet surface area	1424	1424	1418	1418
Connected load (W)	3500	3480	3500	3200
Fuse rating (A)	16	16	16	16

TABLES | SINGLE OVENS



BCK452210M



BPK351020M



BEK351010M

Oven Features

	Retractable	Retractable	Retractable
Control Type	Retractable	Retractable	Retractable
Menu guided cooking			
Oven capacity (usable)	71	71	71
Number of functions	9	9	9
Fast heat up			
SoftMotion™ soft close door	•		
Fully programmable timer	•	•	•
Core temperature sensor	•		
Floodlight™	•	•	•
Sidelight			
Cleaning	CataFan	Pyrolytic	
Oven door glazing	Three	Four	Three
Cooling fan	•	•	•
Steam	SteamBake™	SteamBake™	SteamBake™

Accessories

Number of shelves	Two	Two	Two
Telescopic runners			
MaxiTray™	•	•	•
Full width grill / meat pan (with trivet)	•	•	•
Perforated baking trays			
Pâtisserie tray			

Dimensions

Appliance dimensions			
Height (mm)	594	594	594
Width (mm)	595	595	595
Depth (mm)	567	567	567
Aperture dimensions			
Height (mm)	590	590	590
Width (mm)	560	560	560
Depth (mm)	550	550	550

Performance

Oven temperature range (°C)	50-275	30-300	50-275
Energy efficiency class	A	A+	A
Energy efficiency class in mode static / fan	Fan	Fan	Fan
Energy consumption fan (kWh)	0.88	0.69	0.99
Energy consumption static (kWh)	0.99	0.99	0.88
Largest baking sheet surface area	1418	1418	1418
Connected load (W)	3200	3200	3200
Fuse rating (A)	16	16	16

TABLES | DOUBLE OVENS



DCK731110M



DCK431110M



DEK431010M



DCB331010M

Oven Features

T=Top / B=Bottom

Control Type	Touch	Retractable	Retractable	Retractable
Oven capacity (usable)	43 / 68	43 / 68	40 / 46	43 / 68
Number of cooking functions	8 / 10	5 / 8	2 / 5	2 / 5
Fully programmable timer	•	•	•	•
Cleaning	Catalytic	Catalytic	Enamel	Catalytic
Oven doors glazing	3 / 3	2 / 2	2 / 2	2 / 2
Lights	1 / 1	1 / 1	1 / 1	1 / 1
Cooling fan	•	•	•	•

Accessories

Number of shelves	2 / 2	1 / 2	1 / 2	1 / 2
Full width grill / meat pan (with trivet)	- / •	- / •	- / •	- / •

Dimensions

Appliance dimensions				
Height (mm)	888	888	888	888
Width (mm)	594	594	594	594
Depth (mm)	548	548	548	548
Aperture dimensions				
Height (mm)	875	875	875	875
Width (mm)	560	560	560	560
Depth (mm)	550	550	550	550

Performance

Energy efficiency class	A / A	A / A	A / A	A / A
Energy efficiency class in mode static / fan	Fan / Fan	Static / Fan	Static / Fan	Static / Fan
Energy consumption fan (kWh)	0.75 / 0.86	N/A / 0.86	N/A / 0.81	N/A / 0.86
Cooktime standard load fan (min)	47 / 44	N/A / 44	N/A / 46	N/A / 43
Energy consumption static (kWh)	0.92 / N/A	0.78 / 0.94	0.78 / N/A	0.78 / N/A
Cooktime standard load static (min)	46 / N/A	45 / 48	49 / N/A	52 / N/A
Largest baking sheet surface area (cm ²)	1175	1175	1175	1175
Connected load (W)	5800	5100	4100	4100
Fuse rating (A)	30	30	30	30

TABLES | DOUBLE OVENS




DEB331010M



DUK731110M



DUK431110M



DUB331110M

Oven Features

T=Top / B=Bottom

Control Type	Retractable	Touch	Retractable	Retractable
Oven capacity (usable)	43 / 68	39 / 46	40 / 46	40 / 46
Number of cooking functions	2 / 5	8 / 10	2 / 5	2 / 5
Fully programmable timer	•	•	•	•
Cleaning	Enamel	Catalytic	Catalytic	Catalytic
Oven doors glazing	2 / 2	3 / 3	2 / 2	2 / 2
Lights	1 / 1	1 / 1	1 / 1	1 / 1
Cooling fan	•	•	•	•

Accessories

Number of shelves	1 / 2	1 / 2	1 / 2	1 / 2
Full width grill / meat pan (with trivet)	- / •	- / •	- / •	- / •

Dimensions

Appliance dimensions				
Height (mm)	888	720	720	720
Width (mm)	594	600	600	600
Depth (mm)	548	550	550	550
Aperture dimensions				
Height (mm)	875	715	715	715
Width (mm)	560	560	594	560
Depth (mm)	550	548	548	548

Performance

Energy efficiency class	A / A	A / A	A / A	A / A
Energy efficiency class in mode static / fan	Static / Fan	Fan / Fan	Static / Fan	Static / Fan
Energy consumption fan (kWh)	N/A / 0.86	0.75 / 0.79	N/A / 0.81	N/A / 0.81
Cooktime standard load fan (min)	N/A / 43	47 / 47	N/A / 46	N/A / 46
Energy consumption static (kWh)	0.78 / N/A	0.91 / 0.85	0.78 / N/A	0.78 / N/A
Cooktime standard load static (min)	49 / N/A	50 / 50	49 / N/A	49 / N/A
Largest baking sheet surface area (cm ²)	1175	1175	1175	1175
Connected load (W)	4100	5900	4100	4100
Fuse rating (A)	30	30	30	30

TABLES I
FREESTANDING COOKERS


49176IW-MN



49176V-MN



43172V-MN



43102V-MN

Oven Features

T = Top / B = Bottom	T / B	T / B	T / B	T / B
Control type	Electronic Touch	Electronic Touch	Rotary	Rotary
Display	LED	LED	LED	LED
Child lock	•	•	•	•
Fully programmable timer	•	•	•	•
Cleaning (both ovens)	Catalytic	Catalytic	Catalytic	Catalytic
Oven doors glazing	Triple	Triple	Triple	Triple
Cooling fan	•	•	•	•

Hob Features

Hob Type	Maxisense Induction	Ceramic	Ceramic	Ceramic
Automatic heat up (AUTOMAX)	•	•	•	•
Stop + Go	•	•	•	•
Residual heat/hob on indicators	•	•	•	•
Boosters	•	•	•	•

Top Oven Features

Number of cooking functions	4	4	3	3
Top oven capacity (usable) litres	39	39	40	40

Main Oven Features

Number of cooking functions	9	9	7	7
Main oven capacity (usable) litres	77	77	74	74
Keep warm function	•	•	•	•
Fast heat up	•	•	•	•
Food probe	•	•	•	•
Telescopic Rails	•	•	•	•

Zone Specification

No. of cooking zones	4 sections	4 sections	4 sections	4 sections
Front left spec				
Front left rating (kW)	2.3 / 3.2	0.8 / 2.3 / 1.6	1.0 / 2.2	2.3
Front left diameter (mm)	210	120 / 175 / 210	140 / 210	210
Front right spec				
Front right rating (kW)	2.3 / 3.2	1.8	1.2	1.2
Front right diameter (mm)	210	180	145	145
Rear left spec				
Rear left rating (kW)	2.3 / 3.2	1.2	1.2	1.2
Rear left diameter (mm)	210	145	145	145
Rear right spec				
Rear right rating (kW)	2.3 / 3.2	0.7 / 1.7	1.8	1.8
Rear right diameter (mm)	210	120 / 180	180	180

Product Dimensions

Height (mm)	900	900	900	900
Width (mm)	596	596	596	596
Depth (mm)	600	600	600	600

Performance

Oven temperature range (°C)	30-300	30-300	100-250	100-250
Energy efficiency class	A	A	A	A
Energy efficiency class in mode	Static / Fan	Static / Fan	Static / Fan	Static / Fan
Energy consumption fan (kWh)	- / 0.89	- / 0.89	- / 0.95	- / 0.95
Cooking standard load fan (mins)	- / 47	- / 47	- / 47	- / 47
Energy consumption static (kWh)	0.75 / 0.99	0.75 / 0.99	0.75 / 0.9	0.75 / 0.9
Cooking standard load static (mins)	41 / 51	41 / 51	41 / 51	41 / 51
Connected load (kW)	10.2	11.4	11.9	11.9
Fuse rating (A)	30	30	30	30
Baking tray surface area (cm)	1424	1424	1330	1330
Oven power (max)	2.8 / 3.5	2.8 / 3.5	2.5 / 2.8	2.5 / 2.8
Grill power (max)	2.7 / 2.7	2.7 / 2.7	1.7 / 2.7	1.7 / 2.7

TABLES |
FREESTANDING COOKERS


47102V-MN



17166GM-MN

Oven Features

	T / B	T / B
T = Top / B = Bottom	T / B	T / B
Control type	Rotary	Rotary
Display	LED	LED
Child lock		
Fully programmable timer	•	(Minute minder)
Cleaning (both ovens)	Catalytic	Catalytic
Oven doors glazing	Triple	Triple
Cooling fan	•	•

Hob Features

Hob Type	Ceramic	Gas
Automatic heat up (AUTOMAX)		
Stop + Go		
Residual heat/hob on indicators	•	
Boosters		

Top Oven Features

Number of cooking functions	3	2
Top oven capacity (usable) litres	40	36

Main Oven Features

Number of cooking functions	7	1
Main oven capacity (usable) litres	74	83
Keep warm function		
Fast heat up	•	
Food probe		
Telescopic Rails		

Zone Specification

No. of cooking zones	4 sections	4 sections
Front left spec		
Front left rating (kW)	10 / 22	3
Front left diameter (mm)	140 / 210	100
Front right spec		
Front right rating (kW)	12	1
Front right diameter (mm)	145	56
Rear left spec		
Rear left rating (kW)	12	19
Rear left diameter (mm)	145	70
Rear right spec		
Rear right rating (kW)	18	19
Rear right diameter (mm)	180	70

Product Dimensions

Height (mm)	900	900
Width (mm)	596	596
Depth (mm)	600	600

Performance

Oven temperature range (°C)	100-250	30-300
Energy efficiency class	A	A
Energy efficiency class in mode	Static / Fan	Static / Static
Energy consumption fan (kWh)	- / 0.95	
Cooking standard load fan (mins)	- / 47	
Energy consumption static (kWh)	0.75 / 0.9	1.38 / 1.8
Cooking standard load static (mins)	41 / 51	47 / 47
Connected load (kW)	11.9	5.3
Fuse rating (A)	30	20
Baking tray surface area (cm)	1330	1254
Oven power (max)	2.5 / 3	1.7 / 1.7
Grill power (max)	19 / 29	27 / -

TABLES | COMPACTS



KSK892220M



KSK882220M



KSK782220M

Oven Features

Digital touch controls	Command Wheel	Command Wheel	Touch
Functions	25	22	22
Digital temperature control	•	•	•
Fully programmable electronic timer	•	•	•
Oven door glazing	Four	Four	Four
Cleaning	Steam	Steam	Steam
Cooling fan	•	•	•
Steam	•	•	•
Volume (Usable)	43	43	43

Accessories

Number of shelves	One	Two	One
Grill / meat pan	•	•	•

Appliance dimensions

Height (mm)	455	455	455
Width (mm)	594	594	594
Depth (mm)	567	567	567

Aperture dimensions

Height (mm)	450	450	450
Width (mm)	560	560	560
Depth (mm)	550	550	550

Performance

Energy efficiency class	A+	A+	A+
Energy consumption fan (kWh)	0.59	0.69	0.69
Energy efficiency class in mode static / fan	Fan	Fan	Fan
Oven temperature range (°C)	30-230°C	30-230°C	30-230°C
Connected load (W)	3000	3000	3000
Fuse rating (A)	13	13	13
Interior lights	One Halogen	One Halogen	One Halogen

TABLES | COMPACTS



KPK842220M



KPK742220M

Oven Features

	Command Wheel	Touch
Digital touch controls		
Functions	20	20
Digital temperature control	•	•
Fully programmable electronic timer	•	•
Oven door glazing	Four	Four
Cleaning	Pyrolytic	Pyrolytic
Cooling fan	•	•
Steam		
Volume (Usable)	43	43

Accessories

Number of shelves	One	One
Grill / meat pan	•	•

Appliance dimensions

Height (mm)	455	455
Width (mm)	594	594
Depth (mm)	567	567

Aperture dimensions

Height (mm)	450	450
Width (mm)	560	560
Depth (mm)	550	550

Performance

Energy efficiency class	A+	A+
Energy consumption fan (kWh)	0.59	0.69
Energy efficiency class in mode static / fan	Fan	Fan
Oven temperature range (°C)	30-300°C	30-300°C
Connected load (W)	3000	3000
Fuse rating (A)	13	13
Interior lights	One Halogen	One Halogen

TABLES |
COFFEE MACHINESKKK884500M /
KKE884500B**Features**

	Touch
Electronic touch controls	
LED display	•
Automatic cappuccino function	•
Pre-programmed coffee selection	•
Water sensor with LED when refill required	•
Steam / water spout with LED indicators	•
Height adjustable coffee dispenser	•
Lamp	•

Dimensions

Appliance dimensions	
Product height (mm)	455
Product width (mm)	594
Product depth (mm)	361
Built-in dimensions	
Built-in height (mm)	450
Built-in width (mm)	560
Built-in depth (mm)	550
Electrical Connection	
Connected load (W)	1350
Fuse rating (A)	13
Working pressure (bar)	15

TABLES |
COMBI MICROWAVES


KMK861000M

KMK761000M /
KME761000B

KMK561000M



KMK721000M

Oven Features

Combi microwave, fan oven and grill	•	•	•	
Duo microwave and grill	•	•	•	•
Solo microwave	•	•	•	•
Oven volume (litres)	43	43	43	43
Auto defrost by weight programmes				
Auto cook by weight programmes				
Control type	Command Wheel	Touch	Retractable	Touch
Electronic clock / programmer	•	•	•	•
Quickstart	•	•	•	•
Powersave mode	•	•	•	•
Programme end signal	•	•	•	•
Drop down door	•	•	•	•

Dimensions

Appliance dimensions				
Height (mm)	455	455	455	455
Width (mm)	594	594	594	594
Depth (mm)	567	567	567	567
Built-in dimensions				
Built-in height (mm)	450	450	450	450
Built-in width (mm)	560	560	560	560
Built-in depth (mm)	550	550	550	550
Performance				
Microwave output (W)	1000	1000	1000	1000
Grill output (W)	1900	1900	1900	1900
Convection oven output (W)	1650	1650	1650	1650
Connected load (W)	3000	3000	3000	2000
Fuse rating (A)	13	13	13	13

TABLES |
VAC SEALER
KDK911423M /
KDE911423B
Features

Control Type	Touch
LED Display	White
Marinating/Infusion	Yes
Max. vacuum	Yes
Med. Vacuum	Yes
Min. vacuum	Yes
Sealing time	Yes

Product Dimensions

Appliance dimensions	
Product height (mm)	159
Product width (mm)	595
Product depth (mm)	510
Built-in dimensions	
Built-in height (mm)	141
Built-in width (mm)	560
Built-in depth (mm)	550

Performance

Connected load (W)	1,15
Fuse rating (A)	13

TABLES |
WARMING DRAWERS




KDE912922M

KDK912922M

KD91405M

Features			
Place settings	12	12	6
Cups and glass warming (40°C)	•	•	•
Plate warming (60°C)	•	•	•
Food warming (80°C max)	•	•	•
Defrosting (30°C max)	•	•	•
Heating element	•	•	•
Fan air circulation	•	•	•
Rotary control knob	•	•	•
Variable temperature control	•	•	•
On / off LED	•	•	•
Anti-slip mat	•	•	•
Temperature range (°C)	30-80	30-80	30-80
Product dimensions			
Appliance dimensions			
Product height (mm)	295	295	125
Product width (mm)	595	595	594
Product depth (mm)	535	535	549
Built-in dimensions			
Built-in height (mm)	295	295	140
Built-in width (mm)	560	560	560
Built-in depth (mm)	550	550	539
Performance			
Connected load (W)	550	550	430
Fuse rating (A)	13	13	13

TABLES |
WARMING DRAWERS



KDK911422M /
KDE911422B

KDE911422M

Features		
Place settings	6	6
Cups and glass warming (40°C)	•	•
Plate warming (60°C)	•	•
Food warming (80°C max)	•	•
Defrosting (30°C max)	•	•
Heating element	•	•
Fan air circulation	•	•
Rotary control knob	•	•
Variable temperature control	•	•
On / off LED	•	•
Anti-slip mat	•	•
Temperature range (°C)	30-80	30-80
Product dimensions		
Appliance dimensions		
Product height (mm)	131	131
Product width (mm)	595	595
Product depth (mm)	535	535
Built-in dimensions		
Built-in height (mm)	140	140
Built-in width (mm)	560	560
Built-in depth (mm)	550	550
Performance		
Connected load (W)	430	430
Fuse rating (A)	13	13

TABLES | MICROWAVES



MBB1755S-M



MBB1756S-M



MBE2658S-M



MBE2658S-B

Features**Duo microwave and grill**

Solo microwave	•	•	•	•
Oven volume (litres)	17	17	26	26
Auto defrost by weight programmes	4	4	4	4
Default favorite auto menus	3	3	3	3
Control type	Command wheel / Touch on glass	Command wheel / Touch on glass	Command wheel / Touch on glass	Command wheel / Touch on glass
Electronic clock / programmer	•	•	•	•
Quickstart	•	•	•	•
Powersave mode	•	•	•	•
Programme end signal	•	•	•	•

Dimensions

Appliance dimensions				
Height (mm)	371	371	459	459
Width (mm)	494	594	596	596
Depth (mm)	316	316	404	404
Built-in dimensions				
Built-in height (mm)	360	360	450	450
Built-in width (mm)	462	562	562	562
Built-in depth (mm)	300	300	500	500
Performance				
Microwave output (W)	800	800	900	900
Grill output (W)				
Connected load (W)	1250	1250	1400	1400
Fuse rating (A)	10	10	10	10

TABLES | MICROWAVES



MBB1755S-M



MBB1756S-M


Features

Duo microwave and grill	•	•
Solo microwave		
Oven volume (litres)	17	26
Auto defrost by weight programmes	4	4
Default favorite auto menus	3	3
Control type	Command wheel / Touch on glass	Command wheel / Touch on glass
Electronic clock / programmer	•	•
Quickstart	•	•
Powersave mode	•	•
Programme end signal	•	•

Dimensions

Appliance dimensions		
Height (mm)	371	459
Width (mm)	594	596
Depth (mm)	316	404
Built-in dimensions		
Built-in height (mm)	360	450
Built-in width (mm)	562	562
Built-in depth (mm)	300	500
Performance		
Microwave output (W)	800	900
Grill output (W)	800	800
Connected load (W)	1250	1400
Fuse rating (A)	10	10

TABLES | INDUCTION HOBS



HKH81700FB



HKP87420FB



HKP67420FB



HK874400FB

Features

Control type	Touch	Touch	Touch	Touch
Display	TFT			
Control position	Front Right	Front Right	Front Right	Front Middle
Bridge function	•	•	•	•
Automatic heat up (AUTOMAX)	•	•	•	•
Stop & Go	•	•	•	•
Residual heat indicator	•	•	•	•
Öko timer	•	•	•	•
Minute minder	•	•	•	•
Count up timer	•	•	•	•
Pot sensors	•	•	•	•
Boosters	•	•	•	•
Child lock	•	•	•	•

Zone Specification

Front left spec	Free Induction Zone	Induction	Induction	Induction
Front left rating (W)	500/3700	2300/3200	2300/3200	2300/3200
Front left diameter (mm)	460 x 300	210	220	210
Rear left spec		Induction	Induction	Induction
Rear left rating (W)		2300/3200	2300/3200	2300/3200
Rear left diameter (mm)		210	220	210
Front middle spec				
Front middle rating (W)				
Front middle diameter (mm)				
Rear middle spec				Induction
Rear middle rating (W)				2300 / 3200
Rear middle diameter (mm)				210
Front right spec	Induction	Induction	Induction	Induction
Front right rating (W)	1400/2500	1800/2800	1400/2500	2300 / 3200
Front right diameter (mm)	145	180	145	210
Rear right spec	Induction	Induction	Induction	
Rear right rating (W)	2300/3700	2300/3200	1800/2800	
Rear right diameter (mm)	210	210	180	

Appliance dimensions

Appliance dimensions				
Width (mm)	780	780	620	780
Depth (mm)	520	520	520	520
Aperture dimensions				
Height (mm)	70	50	55	50
Width (mm)	750	750	560	750
Depth (mm)	490	490	490	490
Electrical Connection				
Connected load (W)	7400	7400	7400	7400
Fuse rating (A)	30	30	30	30

TABLES | INDUCTION HOBS




HK674400FB



HK956600FB



HKP85410FB



HKP65410FB

Features	HK674400FB	HK956600FB	HKP85410FB	HKP65410FB
Control type	Touch	Touch	Touch	Touch
Display				
Control position	Front Middle	Front Middle	Front Right	Front Right
Bridge function	•	•	•	•
Automatic heat up (AUTOMAX)	•	•	•	•
Stop & Go	•	•	•	•
Residual heat indicator	•	•	•	•
Ok timer	•	•	•	•
Minute minder	•	•	•	•
Count up timer	•	•	•	•
Pot sensors	•	•	•	•
Boosters	•	•	•	•
Child lock	•	•	•	•
Zone Specification				
Front left spec	Induction	Induction	Induction	Induction
Front left rating (W)	2300/3200	2400/3300	2300/3200	2300/3200
Front left diameter (mm)	210	240	220	220
Rear left spec	Induction	Induction	Induction	Induction
Rear left rating (W)	2300/3200	2400/3300	2300/3200	2300/3200
Rear left diameter (mm)	210	240	220	220
Front middle spec				
Front middle rating (W)				
Front middle diameter (mm)				
Rear middle spec		Induction	Induction	
Rear middle rating (W)		2300/3200	2300/3200	
Rear middle diameter (mm)		210	210	
Front right spec	Induction	Induction	Induction	Induction
Front right rating (W)	2300/3200	2300/3200	1800/2800	1400/2500
Front right diameter (mm)	210	210	180	145
Rear right spec	Induction			Induction
Rear right rating (W)	2300/3200			1800/2800
Rear right diameter (mm)	210			180
Appliance dimensions				
Appliance dimensions				
Width (mm)	590	910	780	590
Depth (mm)	520	520	520	520
Aperture dimensions				
Height (mm)	55	50	50	55
Width (mm)	560	880	750	560
Depth (mm)	490	490	490	490
Electrical Connection				
Connected load (W)	7400	7400	7400	7400
Fuse rating (A)	30	30	30	30

TABLES | INDUCTION HOBS



HK953400FB

HKM85510FB

HK854401FB

HK764403FB

Features

	Touch	Touch	Touch	Touch
Control type	Touch	Touch	Touch	Touch
Display				
Control position	Front Middle	Front Middle	Front Middle	Left & Right
Bridge function				•
Automatic heat up (AUTOMAX)	•	•	•	•
Stop & Go	•	•	•	•
Residual heat indicator	•	•	•	•
Öko timer	•	•	•	•
Minute minder	•	•	•	•
Count up timer	•	•	•	•
Pot sensors	•	•	•	•
Boosters	•	•	•	•
Child lock	•	•	•	•

Zone Specification

Front left spec		Induction	Induction	Induction
Front left rating (W)		1400/2500	2300/3200	2300/3200
Front left diameter (mm)		145	210	210
Rear left spec	Induction	Induction	Induction	Induction
Rear left rating (W)	2300/3200	2300/3200	2300/3200	2300/3200
Rear left diameter (mm)	210	210	210	210
Front middle spec		Induction		
Front middle rating (W)		2300/3200		
Front middle diameter (mm)		210		
Rear middle spec	Induction			
Rear middle rating (W)	2300/3200			
Rear middle diameter (mm)	210			
Front right spec		Induction	Induction	Induction
Front right rating (W)		1400/2500	2300/3200	2300/3200
Front right diameter (mm)		145	210	210
Rear right spec	Induction	Induction	Induction	Induction
Rear right rating (W)	2300/3200	2300/3200	2300/3200	2300/3200
Rear right diameter (mm)	210	210	210	210

Appliance dimensions

Appliance dimensions				
Width (mm)	910	780	780	710
Depth (mm)	410	520	520	520
Aperture dimensions				
Height (mm)	50	54	50	55
Width (mm)	880	750	750	680
Depth (mm)	380	490	490	490
Electrical Connection				
Connected load (W)	6900	7400	7400	7400
Fuse rating (A)	30	30	30	30

TABLES | INDUCTION HOBS



HK654400FB



HKL85410FB



HK854210FB

Features

	Touch	Touch	Touch
Control type	Touch	Touch	Touch
Display			
Control position	Front Middle	Front Right	Front Right
Bridge function	•	•	•
Automatic heat up (AUTOMAX)	•	•	•
Stop & Go	•	•	•
Residual heat indicator	•	•	•
Oko timer	•	•	•
Minute minder	•	•	•
Count up timer	•	•	•
Pot sensors	•	•	•
Boosters	•	•	•
Child lock	•	•	•

Zone Specification

Front left spec	Induction	Induction	Induction
Front left rating (W)	1800/2600	2300/3200	1800/2800
Front left diameter (mm)	180	210	180
Rear left spec	Induction	Induction	Induction
Rear left rating (W)	1800/2600	2300/3200	1800/2800
Rear left diameter (mm)	180	210	180
Front middle spec		Induction	Induction
Front middle rating (W)		1400/2500	1400/2500
Front middle diameter (mm)		145	145
Rear middle spec			
Rear middle rating (W)			
Rear middle diameter (mm)			
Front right spec	Induction		
Front right rating (W)	1800/2600		
Front right diameter (mm)	180		
Rear right spec	Induction	Induction	Induction
Rear right rating (W)	1800/2600	2400/3700	2400/3700
Rear right diameter (mm)	180	300	300

Appliance dimensions

Appliance dimensions			
Width (mm)	576	780	780
Depth (mm)	516	520	520
Aperture dimensions			
Height (mm)	55	50	50
Width (mm)	560	750	750
Depth (mm)	490	490	490
Electrical Connection			
Connected load (W)	7400	7400	7400
Fuse rating (A)	30	30	30

TABLES | INDUCTION HOBS



HK654200FB



HK634200XB



HK604200IB

Features

	Touch	Touch	Touch
Control type	Touch	Touch	Touch
Display			
Control position	Front Right	Front Right	Front Right
Bridge function			
Automatic heat up (AUTOMAX)	•		
Stop & Go	•		
Residual heat indicator	•	•	•
Öko timer	•		
Minute minder	•		
Count up timer	•		
Pot sensors	•	•	•
Boosters	•	•	•
Child lock	•	•	•

Zone Specification

Front left spec	Induction	Induction	Induction
Front left rating (W)	2300/3700	2300/3700	2300/2800
Front left diameter (mm)	210	210	210
Rear left spec	Induction	Induction	Induction
Rear left rating (W)	1800/2800	1800/2800	1200
Rear left diameter (mm)	180	180	145
Front middle spec			
Front middle rating (W)			
Front middle diameter (mm)			
Rear middle spec			
Rear middle rating (W)			
Rear middle diameter (mm)			
Front right spec	Induction	Induction	Induction
Front right rating (W)	1400/2500	1400/2500	1200/1800
Front right diameter (mm)		145	145
Rear right spec	Induction	Induction	Induction
Rear right rating (W)	1800/2800	1800/2800	1800
Rear right diameter (mm)	180	180	180

Appliance dimensions

Appliance dimensions			
Width (mm)	590	590	590
Depth (mm)	520	520	520
Aperture dimensions			
Height (mm)	55	55	60
Width (mm)	560	560	560
Depth (mm)	490	490	490
Electrical Connection			
Connected load (W)	7400	7400	3000
Fuse rating (A)	30	30	13

TABLES | CERAMIC HOBS



HK955070FB

HK854080FB

HK764070FB

Features

Control type	Touch	Touch	Touch
Control position	Front Middle	Front Middle	Left & Right
Automatic heat up (AUTOMAX)		•	•
Stop & Go	•	•	•
Residual heat indicator	•	•	•
Minute minder	•	•	•
Count up timer	•	•	•
Child lock	•	•	•

Zone Specification

Front left spec	Hilight	Dual Hilight	Triple Hilight
Front left rating (W)	1800	700 / 1700	800 / 1600 / 2300
Front left diameter (mm)	180	120 / 180	120 / 175 / 210
Rear left spec	Hilight	Hilight	Hilight
Rear left rating (W)	1200	1200	1200
Rear left diameter (mm)	145	145	145
Front middle spec			
Front middle rating (W)			
Front middle diameter (mm)			
Rear middle spec	Triple Hilight	Triple Hilight	
Rear middle rating (W)	1050 / 1950 / 2700	1050 / 1950 / 2700	
Rear middle diameter (mm)	145 / 210 / 270	145 / 210 / 270	
Front right spec	Hilight		Hilight
Front right rating (W)	1800		1800
Front right diameter (mm)	180		180
Rear right spec	Dual Hilight	Dual Hilight	Dual Hilight
Rear right rating (W)	1400 / 2200	1400 / 2200	1400 / 2200
Rear right diameter (mm)	170 / 265	170 / 265	170 / 265

Appliance dimensions

Appliance dimensions			
Width (mm)	910	780	710
Depth (mm)	520	520	520
Aperture dimensions			
Height (mm)	50	50	38
Width (mm)	880	750	680
Depth (mm)	490	490	490
Electrical Connection			
Connected load (kW)	7900	7800	7500
Fuse rating (A)	30	30	30

TABLES | CERAMIC HOBS



HK634060XB



HK624010FB



HRA64100CB

Features

Control type	Touch	Touch	Rotary
Control position	Front Right	Front Right	Side Right
Automatic heat up (AUTOMAX)	•		
Stop & Go	•		
Residual heat indicator	•	•	•
Minute minder	•		
Count up timer	•		
Child lock	•	•	

Zone Specification

Front left spec	Dual Hilight	Dual Hilight	Hilight
Front left rating (W)	750 / 2200	750 / 2200	750 / 2200
Front left diameter (mm)	120 / 210	120 / 210	120 / 210
Rear left spec	Hilight	Hilight	Hilight
Rear left rating (W)	1200	1200	1200
Rear left diameter (mm)	145	145	145
Front middle spec			
Front middle rating (W)			
Front middle diameter (mm)			
Rear middle spec			
Rear middle rating (W)			
Rear middle diameter (mm)			
Front right spec	Hilight	Hilight	Hilight
Front right rating (W)	1200	1200	1200
Front right diameter (mm)	145	145	145
Rear right spec	Dual Hilight	Hilight	Hilight
Rear right rating (W)	1500 / 2400	1800	1800
Rear right diameter (mm)	170 / 265	180	180

Appliance dimensions

Appliance dimensions			
Width (mm)	576	590	576
Depth (mm)	516	520	506
Aperture dimensions			
Height (mm)	38	38	38
Width (mm)	560	560	560
Depth (mm)	490	490	490
Electrical Connection			
Connected load (kW)	7000	6400	6400
Fuse rating (A)	30	30	30

TABLES | GAS HOBS



HG795840NB



HG694840NB



HG755820UM



HG654820UM

Features

Ignition type	Integral	Integral	Integral	Integral
Control position	Front Middle	Front Middle	Front Middle	Front Middle
LED display				
Pan Supports	Cast Iron	Cast Iron	Cast Iron	Cast Iron
Safety thermocouples	•	•	•	•

Zone Specification

Front left spec	Auxiliary Burner	Auxiliary Burner	Auxiliary Burner	Auxiliary Burner
Front left rating (Wh)	1000	1000	1000	1000
Front left diameter (mm)	85.5	85.5	85.5	85.5
Rear left spec	Semi Rapid Burner	Rapid Burner	Semi Rapid Burner	Rapid Burner
Rear left rating (Wh)	2000	2900	2000	2900
Rear left diameter (mm)	107.5	128.5	107.5	128.5
Front middle spec				
Front middle rating (Wh)				
Front middle diameter (mm)				
Rear middle spec	Rapid Burner		Rapid Burner	
Rear middle rating (Wh)	2900		2900	
Rear middle diameter (mm)	128.5		128.5	
Front right spec	Auxiliary Burner	Semi Rapid Burner	Auxiliary Burner	Semi Rapid Burner
Front right rating (Wh)	1000	2000	1000	2000
Front right diameter (mm)	85.5	107.5	85.5	107.5
Rear right spec	Semi Rapid Burner	Semi Rapid Burner	Semi Rapid Burner	Semi Rapid Burner
Rear right rating (Wh)	2000	2000	2000	2000
Rear right diameter (mm)	107.5	107.5	107.5	107.5
Max gas power (W)	8900	7900	8900	7900

Dimensions

Appliance dimensions				
Width (mm)	740	590	745	590
Depth (mm)	510	520	515	520
Aperture dimensions				
Height (mm)	45	45	45	45
Width (mm)	560	560	560	560
Depth (mm)	490	490	490	490

Electrical Connection

Fuse rating (A)	13	13	13	13
-----------------	----	----	----	----

TABLES | GAS HOBS



HG775450VB



HG674550VB



HG795450XB



HG795550XB

Features

Ignition type	Integral	Integral	Integral	Integral
Control position	Front Middle	Front Middle	Front Middle	Front Middle
LED display				
Pan Supports	Cast Iron	Cast Iron	Cast Iron	Cast Iron
Safety thermocouples	•	•	•	•

Zone Specification

Front left spec	Semi Rapid Burner	Triple Crown Burner	Semi Rapid Burner	
Front left rating (Wh)	1900	3800	1900	
Front left diameter (mm)	70	122	70	
Rear left spec	Semi Rapid Burner	Semi Rapid Burner	Semi Rapid Burner	Triple Crown Burner
Rear left rating (Wh)	1900	1900	1900	3800
Rear left diameter (mm)	70	70	70	122
Front middle spec				Auxiliary Burner
Front middle rating (Wh)				1000
Front middle diameter (mm)				54
Rear middle spec		Triple Crown Burner	Triple Crown Burner	Semi Rapid Burner
Rear middle rating (Wh)		3800	3800	1900
Rear middle diameter (mm)		122	122	70
Front right spec	Auxiliary Burner	Auxiliary Burner	Auxiliary Burner	Semi Rapid Burner
Front right rating (Wh)	1000	1000	1000	1900
Front right diameter (mm)	54	54	54	70
Rear right spec	Semi Rapid Burner	Semi Rapid Burner	Semi Rapid Burner	Semi Rapid Burner
Rear right rating (Wh)	1900	1900	1900	1900
Rear right diameter (mm)	70	70	70	70
Max gas power (W)	10500	7700	10500	10500

Dimensions

Appliance dimensions				
Width (mm)	740	590	696	766
Depth (mm)	510	520	516	516
Aperture dimensions				
Height (mm)	46	46	53	53
Width (mm)	560	560	680	750
Depth (mm)	480	480	490	490

Electrical Connection

Fuse rating (A)	13	13	13	13
-----------------	----	----	----	----

TABLES | GAS HOBS



HG694550XB



HG995440NB



HG795440NB



HG694340NB

Features

Ignition type	Integral	Integral	Integral	Integral
Control position	Front Middle	Front Middle	Front Middle	Front Middle
LED display		Red	Red	Red
Pan Supports	Cast Iron	Cast Iron	Cast Iron	Cast Iron
Safety thermocouples	•	•	•	•

Zone Specification

Front left spec	Triple Crown Burner	Auxiliary Burner	Semi Rapid Burner	Auxiliary Burner
Front left rating (Wh)	3800	1000	1900	1000
Front left diameter (mm)	122	54	70	54
Rear left spec	Semi Rapid Burner	Semi Rapid Burner	Semi Rapid Burner	Rapid Burner
Rear left rating (Wh)	1900	1900	1900	2900
Rear left diameter (mm)	70	70	70	100
Front middle spec				
Front middle rating (Wh)				
Front middle diameter (mm)				
Rear middle spec		Triple Crown Burner	Triple Crown Burner	
Rear middle rating (Wh)		3800	3800	
Rear middle diameter (mm)		122	122	
Front right spec	Auxiliary Burner	Semi Rapid Burner	Auxiliary Burner	Semi Rapid Burner
Front right rating (Wh)	1000	1900	1000	1900
Front right diameter (mm)	54	70	54	70
Rear right spec	Semi Rapid Burner	Semi Rapid Burner	Semi Rapid Burner	Semi Rapid Burner
Rear right rating (Wh)	1900	1900	1900	1900
Rear right diameter (mm)	70	70	70	70
Max gas power (W)	7700	10500	10500	7700

Dimensions

Appliance dimensions				
Width (mm)	576	880	740	590
Depth (mm)	516	510	510	520
Aperture dimensions				
Height (mm)	53	40	45	30
Width (mm)	560	830	560	560
Depth (mm)	490	480	480	480

Electrical Connection

Fuse rating (A)	13	13	13	13
-----------------	----	----	----	----

TABLES | GAS HOBS



HG755421UM



HG755521UM



HG654421UM



HG956440SM

Features

Ignition type	Integral	Integral	Integral	Integral
Control position	Front Middle	Front Left & Right	Front Right	Front Middle
LED display				
Pan Supports	Cast Iron	Cast Iron	Cast Iron	Cast Iron
Safety thermocouples	•	•	•	•

Zone Specification

Front left spec	Semi Rapid Burner		Triple Crown Burner		Rapid Burner
Front left rating (Wh)	2000		4000		3000
Front left diameter (mm)	70		122		100
Rear left spec	Semi Rapid Burner	Triple Crown Burner		Semi Rapid Burner	Auxiliary Burner
Rear left rating (Wh)	2000	4000		2000	1000
Rear left diameter (mm)	70	122		70	54
Front middle spec	Auxiliary Burner				Semi Rapid Burner
Front middle rating (Wh)	1000				2000
Front middle diameter (mm)	54				70
Rear middle spec	Triple Crown Burner		Semi Rapid Burner		Semi Rapid Burner
Rear middle rating (Wh)	4000		2000		2000
Rear middle diameter (mm)	122		70		70
Front right spec	Auxiliary Burner		Semi Rapid Burner	Auxiliary Burner	Triple Crown Burner
Front right rating (Wh)	1000		2000	1000	4000
Front right diameter (mm)	54		70	54	122
Rear right spec	Semi Rapid Burner	Semi Rapid Burner		Semi Rapid Burner	Auxiliary Burner
Rear right rating (Wh)	2000	2000		2000	1000
Rear right diameter (mm)	70	70		70	54
Max gas power (W)	11000		11000		9000

Dimensions

Appliance dimensions				
Width (mm)	745	745	595	894
Depth (mm)	515	515	525	510
Aperture dimensions				
Height (mm)	45	45	45	80
Width (mm)	560	560	560	830
Depth (mm)	480	480	480	480

Electrical Connection

Fuse rating (A)	13	13	13	13
-----------------	----	----	----	----

TABLES | GAS HOBS



HG755450SY



HG755551SY



HG745451SM



HG654550SY

Features

Ignition type	Integral	Integral	Integral	Integral
Control position	Front Middle	Front Left & Right	Front Middle	Front Right
LED display				
Pan Supports	Cast Iron	Cast Iron	Enamel	Cast Iron
Safety thermocouples	•	•	•	•

Zone Specification

Front left spec	Semi Rapid Burner		Semi Rapid Burner	Triple Crown Burner
Front left rating (Wh)	2000		2000	4000
Front left diameter (mm)	70		70	122
Rear left spec	Semi Rapid Burner	Triple Crown Burner	Semi Rapid Burner	Semi Rapid Burner
Rear left rating (Wh)	2000	4000	2000	2000
Rear left diameter (mm)	70	122	70	70
Front middle spec		Semi Rapid Burner		
Front middle rating (Wh)		2000		
Front middle diameter (mm)		70		
Rear middle spec	Triple Crown Burner	Semi Rapid Burner	Triple Crown Burner	
Rear middle rating (Wh)	4000	2000	4000	
Rear middle diameter (mm)	122	70	122	
Front right spec	Auxiliary Burner	Auxiliary Burner	Auxiliary Burner	Auxiliary Burner
Front right rating (Wh)	1000	1000	1000	1000
Front right diameter (mm)	54	54	54	54
Rear right spec	Rapid Burner	Rapid Burner	Rapid Burner	Semi Rapid Burner
Rear right rating (Wh)	3000	3000	3000	2000
Rear right diameter (mm)	100	100	100	70
Max gas power (W)	12000	12000	12000	9000

Dimensions

Appliance dimensions				
Width (mm)	744	745	744	595
Depth (mm)	510	510	510	510
Aperture dimensions				
Height (mm)	40	40	40	40
Width (mm)	560	560	560	560
Depth (mm)	480	480	480	480

Electrical Connection

Fuse rating (A)	13	13	13	13
-----------------	----	----	----	----

TABLES | GAS HOBS



HG654351SM



HG644351SM

Features

Ignition type	Integral	Integral
Control position	Front Right	Front Right
LED display		
Pan Supports	Cast Iron	Enamel
Safety thermocouples	•	•

Zone Specification

Front left spec	Rapid Burner	Triple Crown Burner
Front left rating (Wh)	3000W/100mm	4000
Front left diameter (mm)		122
Rear left spec	Semi Rapid Burner	Semi Rapid Burner
Rear left rating (Wh)	2000	2000
Rear left diameter (mm)	70	70
Front middle spec		
Front middle rating (Wh)		
Front middle diameter (mm)		
Rear middle spec		
Rear middle rating (Wh)		
Rear middle diameter (mm)		
Front right spec	Auxiliary Burner	Auxiliary Burner
Front right rating (Wh)	1000	1000
Front right diameter (mm)	54	54
Rear right spec	Semi Rapid Burner	Semi Rapid Burner
Rear right rating (Wh)	2000	2000
Rear right diameter (mm)	70	70
Max gas power (W)	8000	9000

Dimensions

Appliance dimensions		
Width (mm)	595	595
Depth (mm)	510	510
Aperture dimensions		
Height (mm)	40	40
Width (mm)	560	560
Depth (mm)	480	480


Electrical Connection

Fuse rating (A)	13	13
-----------------	----	----

TABLES | MIXED FUEL



HD955100NB



HD634170NB

Features

Control type	Touch / Rotary	Touch / Rotary
Control position	Front	Front
Automatic heat up (AUTOMAX)	•	•
Stop & Go	•	•
Residual heat indicator	•	•
Öko timer	•	•
Minute minder	•	•
Count up timer	•	•
Pot sensors	•	•
Boosters	•	•
Child lock	•	•

Zone Specification

Front left spec		Induction
Front left rating (W)		2300 / 2900
Front left diameter (mm)		210
Rear left spec	Dual Crown Burner	Induction
Rear left rating (W)	5000	1400 / 2500
Rear left diameter (mm)	134	140
Front middle spec	Induction	Induction
Front middle rating (W)	2200 / 3600	1400 / 2500
Front middle diameter (mm)	210	140
Rear middle spec	Induction	
Rear middle rating (W)	1400 / 2500	
Rear middle diameter (mm)	145	
Front right spec	Induction	Semi Rapid
Front right rating (W)	1400 / 2500	1900
Front right diameter (mm)	145	70
Rear right spec	Induction	Rapid Burner
Rear right rating (W)	1800 / 2800	2900
Rear right diameter (mm)	180	100

Appliance dimensions

Appliance dimensions		
Width (mm)	880	590
Depth (mm)	520	520
Aperture dimensions		
Height (mm)	40	40
Width (mm)	830	560
Depth (mm)	490	490
Electrical Connection		
Connected load (W)	6800	3700
Fuse rating (A)	30	16

TABLES | CRYSTALLINE



HC452401EB



HC451501EB



HC452601EB



HC452021EB

Oven Features

Hob type	2 Zone MaxiSense	Induction Wok	Teppanyaki	2 Zone Ceramic
Control type	DirekTouch	DirekTouch	DirekTouch	DirekTouch
Fuel type	Induction	Induction	Induction	Ceramic
Triple zone				•
Bridge function	•			
Automatic heat up (AUTOMAX)	•	•	•	•
Stop & Go	•	•		
Residual heat indicator	•	•	•	•
Minute minder	•	•	•	•
Count up timer	•	•	•	•
Pot sensors	•	•		
Booster	•	•	•	
Child lock	•	•	•	•
Gas safety shut off				

Zone Specification

Front spec	Induction	Induction	Induction	Single
Front rating (kW)	2.3 / 3.2	2.3 / 3.2	1.4	1.2
Front diameter (mm)	170 x 265	300	145	145
Rear spec	Induction		Induction	Triple
Rear rating (kW)	2.3 / 3.2		1.4	0.8 / 1.6 / 2.3
Rear diameter (mm)	170 x 265		145	120 / 175 / 210

Dimensions

Appliance dimensions				
Width (mm)	360	360	360	360
Depth (mm)	520	520	520	520
Aperture dimensions				
Height (mm)	55	125	55	38
Width (mm)	340	340	340	340
Depth (mm)	490	490	490	490
Electrical Connection				
Connected load (W)	3700	3200	2800	3500
Fuse rating (A)	16	16	13	16
LPG conversion kit				

TABLES | CRYSTALLINE



HC411521GB



HC412001GB

Oven Features

Hob type	Wok Burner	2 Burner Gas
Control type	Rotary	Rotary
Fuel type	Gas	Gas
Triple zone		
Bridge function		
Automatic heat up (AUTOMAX)		
Stop & Go		
Residual heat indicator		
Minute minder		
Count up timer		
Pot sensors		
Booster		
Child lock		
Gas safety shut off	•	•

Zone Specification


Front spec	Double Crown	Auxiliary
Front rating (kW)	5	1
Front diameter (mm)	130	54
Rear spec		Rapid
Rear rating (kW)		3
Rear diameter (mm)		100

Dimensions

Appliance dimensions		
Width (mm)	360	360
Depth (mm)	520	520
Aperture dimensions		
Height (mm)	60	60
Width (mm)	340	340
Depth (mm)	490	490
Electrical Connection		
Connected load (W)	25	25
Fuse rating (A)	13	13
LPG conversion kit	•	•

TABLES I
HOB HOOD INTEGRATION


IDK84451IB



IDK84452IB



IDE84241B



IDE84242B

Hob Features

Control type	Touch on glass slider	Touch on glass slider	Touch on glass	Touch on glass
Display	LED	LED	LED	LED
Bridge function	•	•	•	•
Automatic heat up	•	•	•	•
Stop & Go	•	•	•	•
Residual heat indicator	•	•	•	•
Timer	•	•	•	•
Pot sensors	•	•	•	•
Child lock	•	•	•	•

Zone Specification

Front left spec				
Front left rating (W)	2100/3700	2100/3700	1600/1850	1600/1850
Front left diameter (mm)	184X220	184X220	191x210	191x210
Rear left spec				
Rear left rating (W)	2100/3700	2100/3700	2100/3000	2100/3000
Rear left diameter (mm)	184X220	184X220	191x210	191x210
Front right spec				
Front right rating (W)	2100/3700	2100/3700	1400	1400
Front right diameter (mm)	184X220	184X220	160	160
Rear right spec				
Rear right rating (W)	2100/3700	2100/3700	2500/5000	2500/5000
Rear right diameter (mm)	184X220	184X220	200	200

Energy consumption per cooking zone (EC electric cooking), Wh/Kg

Front left	184.1	184.1	179.2	179.2
Rear left	186.2	186.2	186.9	186.9
Front right	187.6	187.6	167.5	167.5
Rear right	184.2	184.2	193.9	193.9
Energy consumption of the hob (EC electric hob), Wh/Kg	185.6	185.6	181.9	181.9

Appliance dimensions

Height above the top (mm)	4	4	4	4
Width (mm)	830	830	830	830
Depth (mm)	510	510	510	510
Aperture dimensions				
Height (mm)	210	210	210	210
Width (mm)	805	805	805	805
Depth (mm)	490	490	490	490
Electrical Connection	7400	7400	7400	7400
Fuse rating (A)	16	16	16	16

Cooker Hood Features





Control type	Touch on glass slider	Touch on glass slider	Touch on glass	Touch on glass
Fan speed	9 + intensive	9 + intensive	9 + intensive	9 + intensive
Charcoal filter included	•	•	•	•
Grease filter	Aluminium mesh	Aluminium mesh	Aluminium mesh	Aluminium mesh
Energy Class		A+		A+
Ducted maximum (ca.m3/h)		600		600
Ducted intensive (ca.m3/h)		647		647
Noise (max. setting) ducted (dB (A))		68		68
Recirculation maximum (ca.m3/h)	400		400	
Recirculation intensive (ca.m3/h)	420		420	
Noise (max. setting) recirculation (dB (A))	71		71	

TABLES | HOODS



Features	DIK7190HG	DIK6980SG	DIE6180HM	DCK0270HG
Control Type	Touch on glass	Touch on glass	Touch on glass	Touch on glass; Remote control
Hob2Hood	•	•	•	•
Fan speed	3+2 boost	3+2 boost	3+2 boost	3+boost
Breeze function	•	•	•	
Lights	Dimmable LED stripe	Dimmable LED stripe	Dimmable squared LED	LED stripe
No of Lamp x W	4 x 1.75 W	2 x 3.5 W	4 x 2 W	2 x 14 W
Charcoal filter	Included	Included	Included	Included
Charcoal filter type	TYPE15	TYPE S1	EFF72	TYPEG2
Ultra charcoal filter	Accessory	Accessory	Accessory	Included
Ultra charcoal filter type	SUPCHARC-E	TYPE S4	SUPCHARC-F	TYPEG2
Grease filter type	Aluminium Cassette	Stainless steel design filter	Stainless steel design filter	Aluminium Cassette
Ducted maximum (ca. m ³ /h)	400	352	340	
Ducted boost (ca. m ³ /h)	801	735	710	
Noise (max. setting) ducted (dB(A))	54	53	54	
Recirculation maximum (ca. m ³ /h)	300	239	320	462
Recirculation boost (ca. m ³ /h)	500	297	520	605
Noise (max. setting) recirculation (dB(A))	65	69	67	68
Annual Energy consumption, KWh/annum	35.1	44.6	45.4	
Energy efficiency class	A++	A+	A+	
Fluid dynamic efficiency	411	36.8	35.2	
Fluid dynamic efficiency class	A	A	A	
Lighting efficiency	21	21	28.1	
Lighting efficiency class	B	B	A	
Grease filter efficiency	76	66	85.1	
Grease filter efficiency class	C	D	B	
Off mode power, W	0		0.85	
Stand-by power, W	0.9	0.99	0	
Installation height from				
Minimum distance from cooking top ELECTRIC	50	50	50	50
Minimum distance from cooking top GAS	65	65	65	65
Dimensions				
Width	1000	900	998	1200
Depth	700	600	696	700
Height max.	967	960	1160	160
Height of body	75	60	60	160
Other				
Air Outlet	150	150	150	

TABLES | HOODS

				
	DCK6290HG	DCE3960HM	DBK7990HG	DBK6980SG
Features				
Control Type	Electronic push buttons, Remote control	Electronic push buttons, Remote control	Touch on glass	Touch on glass
Hob2Hood	•	•	•	•
Fan speed	3+boost	3+boost	3+2 boost	3+2 boost
Breeze function			•	•
Lights	Dimmable LED stripe	Halogen spotlight	Dimmable LED stripe	LED stripe
No of Lamp x W	2 x 12 W	4 x 20 W	2 x 3.5 W	1 x 7 W
Charcoal filter	Accessory	Accessory	Included	Included
Charcoal filter type	EFF62	EFF62	TYPE15	TYPE S1
Ultra charcoal filter			Accessory	Accessory
Ultra charcoal filter type			SUPCHARC-E	TYPE S4
Grease filter type	Aluminium Cassette	Aluminium Cassette	Aluminium Cassette	Stainless steel design filter
Ducted maximum (ca. m3/h)	650	605	400	352
Ducted boost (ca. m3/h)	870	705	801	735
Noise (max. setting) ducted (dB(A))	67	65	54	53
Recirculation maximum (ca. m3/h)	380	360	300	239
Recirculation boost (ca. m3/h)	430	410	500	297
Noise (max. setting) recirculation (dB(A))	74	73	65	69
Annual Energy consumption, KWh/annum	46.4	118	35.1	44.6
Energy efficiency class	A+	C	A++	A+
Fluid dynamic efficiency	39.4	27.4	41.4	36.8
Fluid dynamic efficiency class	A	B	A	A
Lighting efficiency	12.5	8	21	21
Lighting efficiency class	D	E	B	B
Grease filter efficiency	45	45	76	66
Grease filter efficiency class	G	G	C	D
Off mode power, W	0.85	0.85	0	
Stand-by power, W		0	0.9	0.99
Installation height from				
Minimum distance from cooking top ELECTRIC	65	65	50	50
Minimum distance from cooking top GAS	65	65	65	65
Dimensions				
Width	1199	900	898	898
Depth	499	500	550	450
Height max	311	311	1165	940
Height of body	311	311	75	60
Other				
Air Outlet	150	150	150	150

TABLES | HOODS


**Features**

Control Type	Touch on glass	Touch on glass	Push buttons	Touch on glass
Hob2Hood	•	•	•	•
Fan speed	3+2 boost	3+boost	4	3+boost
Breeze function	•	•	•	•
Lights	Dimmable squared LED	LED	Halogen spotlight	LED
No of Lamp x W	2 x 2 W	2 x 2.5 W	2 x 40 W	2 x 2.5 W
Charcoal filter	Included	Included	Included	Included
Charcoal filter type	EFF72	TYPE15	TYPE150	TYPE15
Ultra charcoal filter	Accessory	Accessory		Accessory
Ultra charcoal filter type	SUPCHARC-F	SUPCHARC-E		SUPCHARC-E
Grease filter type	Stainless steel design filter	Stainless steel design filter	Stainless steel design filter	Stainless steel design filter
Ducted maximum (ca. m ³ /h)	340	352	669	352
Ducted boost (ca. m ³ /h)	710	779		779
Noise (max. setting) ducted (dB(A))	54	54	71	54
Recirculation maximum (ca. m ³ /h)	320	302	510	302
Recirculation boost (ca. m ³ /h)	520	524		524
Noise (max. setting) recirculation (dB(A))	67	75	71	62
Annual Energy consumption, kWh/annum	44.6	57.7	128.6	57.7
Energy efficiency class	A+	A	D	A
Fluid dynamic efficiency	34.3	30.5	17.8	30.5
Fluid dynamic efficiency class	A	A	D	A
Lighting efficiency	45	29	13	29
Lighting efficiency class	A	A	D	A
Grease filter efficiency	85.1	76	76	76
Grease filter efficiency class	B	C	C	C
Off mode power, W	0.85			
Stand-by power, W		0.49		0.99
Installation height from				
Minimum distance from cooking top ELECTRIC	50	50	65	50
Minimum distance from cooking top GAS	65	65	75	65
Dimensions				
Width	898 / 698 / 598	898 / 698 / 598	1000	898 / 598
Depth	470	500	515	500
height max	920	1155	1230	1090
Height of body	60	60	160	140
Other				
Air Outlet	150	150	150	150

TABLES | HOODS


DKB3950M/
DKB3650M

DTB3650M

DVK6980HB/
DVK6680HBDVB3850M/
DVB3550M**Features**

Control Type	Mechanical push buttons	Mechanical push buttons	Touch on glass	Mechanical push buttons
Hob2Hood				
Fan speed	3	3	3+2 boost	3
Breeze function			•	
Lights	Halogen spotlight	Halogen spotlight	Dimmable LED	Halogen spotlight
No of Lamp x W	2 x 20 W	2 x 40 W	2 x 11 W	2 x 20 W
Charcoal filter	Included	Included	Included	Included
Charcoal filter type	TYPE15	TYPE15	EFF62	TYPE57
Ultra charcoal filter	Accessory	Accessory	Accessory	
Ultra charcoal filter type	SUPCHARC-E	SUPCHARC-1	SUPCHARCF1	
Grease filter type	Aluminium Cassette	Aluminium Cassette	Stainless steel design filter	Aluminium Cassette
Ducted maximum (ca. m3/h)	603	603	370	647
Ducted boost (ca. m3/h)	-	-	720	-
Noise (max. setting) ducted (dB(A))	69	70	54	67
Recirculation maximum (ca. m3/h)	400	399	290	432
Recirculation boost (ca. m3/h)	-	-	440	-
Noise (max. setting) recirculation (dB(A))	75	73	70	74
Annual Energy consumption, kWh/annum	819	819	44.9	80.1
Energy efficiency class	C	C	A+	C
Fluid dynamic efficiency	28	28	33.9	29
Fluid dynamic efficiency class	B	B	A	A
Lighting efficiency	5	9	81.8	5
Lighting efficiency class	F	E	A	F
Grease filter efficiency	76	86	55.1	66
Grease filter efficiency class	C	B	E	D
Off mode power, W			0.85	
Stand-by power, W			0	
Installation height from				
Minimum distance from cooking top ELECTRIC	50	50	50	45
Minimum distance from cooking top GAS	65	65	50	50
Dimensions				
Width	898 / 598	498	898 / 598	800 / 550
Depth	500	452	396	339
height max	1090	1092	145	516
Height of body	140	22	465	516
Other				
Air Outlet	150	150	150	150

TABLES | HOODS

DVB3850B/
DVB3550B

DDE5980G

DPB2920M/
DPB2620M

DGB2750M

Features

Control Type	Mechanical push buttons	Touch on glass	Mechanical slider; Micro switch	Slide control + boost
Hob2Hood				
Fan speed	3	3+2 boost	3	4
Breeze function		•		
Lights	Halogen spotlight	LED stripe	Halogen bulb	Halogen spotlight
No of Lamp x W	2 x 20 W	1 x 7 W	2 x 28 W	2 x 20 W
Charcoal filter	Included	Included	Included	Included
Charcoal filter type	TYPE57	EFB1061	TYPE58	type200
Ultra charcoal filter				
Ultra charcoal filter type				
Grease filter type	Aluminium Cassette	Aluminium Cassette	Aluminium Cassette	Stainless Steel
Ducted maximum (ca. m ³ /h)	647	350	320	647
Ducted boost (ca. m ³ /h)		700		
Noise (max. setting) ducted (dB(A))	67	54	67	71
Recirculation maximum (ca. m ³ /h)	432	335	155	331
Recirculation boost (ca. m ³ /h)		680		
Noise (max. setting) recirculation (dB(A))	74	61	68	71
Annual Energy consumption, kWh/annum	80.1	59.5	95.2	136.3
Energy efficiency class	C	A	D	D
Fluid dynamic efficiency	29	30	11.2	16
Fluid dynamic efficiency class	A	A	E	D
Lighting efficiency	5	28.1	3	9
Lighting efficiency class	F	A	G	E
Grease filter efficiency	66	65.1	66	76
Grease filter efficiency class	D	D	D	C
Off mode power, W	0	0.85		
Stand-by power, W	0	0		
Installation height from				
Minimum distance from cooking top ELECTRIC	45	0	50	50
Minimum distance from cooking top GAS	50	5	65	70
Dimensions				
Width	800 / 550	880	898/598	724
Depth	339	95	280	289
height max		407	180	252
Height of body	516	407	40	252
Other				
Air Outlet	150	150	120	150

TABLES | HOODS



DEB2630S

Features

Control Type	Electronic slider
Hob2Hood	
Fan speed	Continuous+boost
Breeze function	
Lights	Compact fluorescent lamp
No of Lamp x W	2 x 7 W
Charcoal filter	Included
Charcoal filter type	type 57
Ultra charcoal filter	
Ultra charcoal filter type	
Grease filter type	Aluminium Cassette
Ducted maximum (ca. m3/h)	352
Ducted boost (ca. m3/h)	
Noise (max. setting) ducted (dB(A))	62
Recirculation maximum (ca. m3/h)	240
Recirculation boost (ca. m3/h)	
Noise (max. setting) recirculation (dB(A))	65
Annual Energy consumption, kWh/annum	106.1
Energy efficiency class	D
Fluid dynamic efficiency	8
Fluid dynamic efficiency class	F
Lighting efficiency	9
Lighting efficiency class	E
Grease filter efficiency	66
Grease filter efficiency class	D
Off mode power, W	
Stand-by power, W	
Installation height from	
Minimum distance from cooking top ELECTRIC	50
Minimum distance from cooking top GAS	70
Dimensions	
Width	598
Depth	270
height max	400
Height of body	400
Other	
Air Outlet	120

TABLES I
BUILT-IN DISHCARE


FSK93800P



FSK83700P



FSK63800P



FSK63700P

Features

Capacity (number of IEC place settings)	13	15	13	15
XXL Tub (large interior)	•	•	•	•
Control type	Touch Control	Touch Control	Electronic	Electronic
Number of temperatures	5	5	4	4
Number of programmes	8	8	6	6
Automatic 45°C - 70°C programme	•	•	•	•
Quickwash 60°C, 30min programme	•	•	•	•
Eco Programme	•	•	•	•
Intensive advanced 70°C programme	•	•	•	•
Normal 65°C Programme	•	•	•	•
Glass 45°C programme	•	•	•	•
Rinse and Hold Programme	•	•	•	•
Extra silent Programme	•	•	•	•
ProZone Programme	•	•	•	•
ExtraHygiene option	•	•	•	•
TimeSaver option	•	•	•	•
XtraDry option	•	•	•	•
AirDry technology (Automatic door opening)	•	•	•	•
Auto half load	•	•	•	•
Glass care, Soft Spikes	•	•	•	•
Glass care, Soft Grips	•	•	•	•
Delay start	•	•	•	•
Time remaining	•	•	•	•
ComfortLift	•	•	•	•
Satellite spray arm	•	•	•	•
Ceiling spray arm	•	•	•	•
Height adjustable upper basket	•	•	•	•
Foldable plate racks - bottom basket	•	•	•	•
Foldable cup shelves - bottom basket	•	•	•	•
Removable cutlery drawer	•	•	•	•
Moveable cutlery basket	•	•	•	•
Time beam - spotlight	•	•	•	•
Light beam - time indicator projected on floor	•	•	•	•
Hinges	Sliding Hinges	Sliding Hinges	Sliding Hinges	Sliding Hinges

Dimensions

Appliance dimensions				
Height	818	818	818	818
Width	596	596	596	596
Depth	550	550	550	550
Aperture dimensions				
Built-in height	820-900	820-900	820-900	820-900
Built-in width	600	600	600	600
Built-in depth	570	570	570	570
Furniture door dimensions				
Door height (min - max)	670-820	670-820	670-820	670-820
Door weight (min - max)	1.5-10	1.5-10	1.5-10	1.5-10

Performance

Declared Programme	ECO 50	ECO 50	ECO 50	ECO 50
Energy efficiency class	A+++	A+++	A+++	A+++
Energy efficiency index	499	499	499	499
Annual energy consumption	241	241	241	241
Annual water consumption	3080	3080	3080	3080
Energy consumption	0.857	0.857	0.857	0.857
Water consumption	11	11	11	11
Drying performance	A	A	A	A
Maximum noise level	39	42	44	44
Cleaning performance	A	A	A	A
Programme time (min)	225	225	225	225
Stand-by power (W)	0.1	0.1	0.1	0.1
Off mode power (W)	0.1	0.1	0.1	0.1
Left-on mode power (W)	5	5	5	5
Left-on mode duration min	5	5	5	5
Auto switch off (end of programme)	•	•	•	•

Other

Voltage	220-240	220-240	220-240	220-240
Frequency	50/60	50/60	50/60	50/60
Connected load	1550-2200	1550-2200	1550-2200	1550-2200
Fuse rating	10	10	10	10
Minimum water pressure 1 bar / 15 psi	•	•	•	•
Inlet hose with 3/4" BSP thread hose connection	•	•	•	•
Water softener	•	•	•	•
Water supply (Max. 60 degrees)	Cold or Hot	Cold or Hot	Cold or Hot	Cold or Hot
Salt refill indicator	•	•	•	•
Rinse aid refill indicator	•	•	•	•
Water hardness setting	•	•	•	•
Top and side fixing brackets	•	•	•	•
Worktop steam protection	•	•	•	•

TABLES I
BUILT-IN DISHCARE



FSK63600P



FSK53600Z



FSB41600Z



FEE62600PM

Features

Capacity (number of IEC place settings)	13	13	13	13
XXL Tub (large interior)	•	•	•	•
Control type	Electronic	Electronic	Electronic	Electronic
Number of temperatures	4	4	4	4
Number of programmes	6	5	5	6
Automatic 45°C - 70°C programme	•	•	•	•
Quickwash 60°C, 30min programme	•	•	•	•
Eco Programme	•	•	•	•
Intensive advanced 70°C programme	•	•	•	•
Normal 65°C Programme	•	•	•	•
Glass 45°C programme	•	•	•	•
Rinse and Hold Programme	•	•	•	•
Extra silent Programme	•	•	•	•
ProZone Programme	•	•	•	•
ExtraHygiene option	•	•	•	•
TimeSaver option	•	•	•	•
XtraDry option	•	•	•	•
AirDry technology (Automatic door opening)	•	•	•	•
Auto half load	•	•	•	•
Glass care, Soft Spikes	•	•	•	•
Glass care, Soft Grips	•	•	•	•
Delay start	•	•	•	•
Time remaining	•	•	•	•
ComfortLift	•	•	•	•
Satellite spray arm	•	•	•	•
Ceiling spray arm	•	•	•	•
Height adjustable upper basket	•	•	•	•
Foldable plate racks - bottom basket	•	•	•	•
Foldable cup shelves - bottom basket	•	•	•	•
Removable cutlery drawer	•	•	•	•
Moveable cutlery basket	•	•	•	•
Time beam - spotlight	•	•	•	•
Lightbeam - time indicator projected on floor	•	•	•	•
Hinges	Sliding Hinges	Sliding Hinges	Sliding hinges	Double Fulcrum

Dimensions


Appliance dimensions				
Height	818	818	818	818
Width	596	596	596	596
Depth	550	550	550	575
Aperture dimensions				
Built-in height	820-900	820-880	820-880	820-900
Built-in width	600	600	600	600
Built-in depth	570	550	550	570
Furniture door dimensions				
Door height (min - max)	670-820	645-776	645-776	570-655
Door weight (min - max)	1.5-10	2.0-10	2.0-10.0	1.5-8.0

Performance

Declared Programme	ECO 50	ECO 50	ECO 50	ECO 50
Energy efficiency class	A+++	A+++	A+	A++
Energy efficiency index	499	499	629	559
Annual energy consumption	234	234	295	262
Annual water consumption	2940	2775	2775	2940
Energy consumption	0.832	0.832	1.05	0.932
Water consumption	10.5	99	99	10.5
Drying performance	A	A	A	A
Maximum noise level	44	44	47	44
Cleaning performance	A	A	A	A
Programme time (min)	225	240	240	225
Stand-by power (W)	0.1	0.1	0.1	0.1
Off mode power (W)	0.1	0.1	0.1	0.1
Left-on mode power (W)	5	5	5	5
Left-on mode duration min	5	5	5	5
Auto switch off (end of programme)	•	•	•	•

Other

Voltage	220-240	220-240	220-240	200-240
Frequency	50/60	50/60	50/60	50/60
Connected load	1550-2200	1550-2200	1550-2200	1550-2200
Fuse rating	10	10	10	10
Minimum water pressure 1 bar / 15 psi	•	•	•	•
Inlet hose with 3/4" BSP thread hose connection	•	•	•	•
Water softener	•	•	•	•
Water supply (Max. 60 degrees)	Cold or Hot	Cold or Hot	Cold or Hot	Cold or Hot
Salt refill indicator	•	•	•	•
Rinse aid refill indicator	•	•	•	•
Water hardness setting	•	•	•	•
Top and side fixing brackets	•	•	•	•
Worktop steam protection	•	•	•	•

TABLES I
BUILT-IN DISHCARE


FEB52600ZM



FSK73400P



FSB51400Z

Features	FEB52600ZM	FSK73400P	FSB51400Z
Capacity (number of IEC place settings)	13	9	9
XXL Tub (large interior)			
Control type	Electronic	Electronic	Electronic
Number of temperatures	4	4	4
Number of programmes	5	7	5
Automatic 45°C - 70°C programme	•	•	•
Quickwash 60°C, 30min programme	•	•	•
Eco Programme	•	•	•
Intensive advanced 70°C programme	•	•	•
Normal 65°C Programme			
Glass 45°C programme	•	•	•
Rinse and Hold Programme			
Extra silent Programme		•	
ProZone Programme		•	
ExtraHygiene option		•	
TimeSaver option	•	•	•
XtraDry option	•	•	•
AirDry technology (Automatic door opening)	•	•	•
Auto half load	•	•	•
Glass care, Soft Spikes	•	•	•
Glass care, Soft Grips			
Delay start	•	•	•
Time remaining	•	•	•
ComfortLift			
Satellite spray arm		•	
Ceiling spray arm		•	
Height adjustable upper basket	•	•	•
Foldable plate racks - bottom basket	•	•	•
Foldable cup shelves - bottom basket	•	•	•
Removable cutlery drawer			
Moveable cutlery basket	•	•	•
Time beam - spotlight		•	
Lightbeam - time indicator projected on floor			•
Hinges	Double Fulcrum	Sliding hinges	Sliding hinges
Dimensions			
Appliance dimensions			
Height	818	818	818
Width	596	446	446
Depth	575	550	550
Aperture dimensions			
Built-in height	820-880	820-900	820-900
Built-in width	600	450	450
Built-in depth	550	550	550
Furniture door dimensions			
Door height (min - max)	528-598	645-776	645-776
Door weight (min - max)	2.0-8.0kg	2.0-6.0KG	2.0-6.0kg
Performance			
Declared Programme	ECO 50	ECO 50	ECO 50
Energy efficiency class	A++	A+++	A+
Energy efficiency index	55.9	49.9	62.9
Annual energy consumption	262	176	222
Annual water consumption	2775	2775	2775
Energy consumption	0.932	0.625	0.789
Water consumption	9.9	9.9	9.9
Drying performance	A	A	A
Maximum noise level	47	44	47
Cleaning performance	A	A	A
Programme time (min)	240	240	245
Stand-by power (W)	0.1	0.1	0.1
Off mode power (W)	0.1	0.1	0.1
Left-on mode power (W)	5	5	5
Left-on mode duration min	5	5	5
Auto switch off (end of programme)	•	•	•
Other			
Voltage	220-240	220-240	220-240
Frequency	50/60	50/60	50
Connected load	1550-2200	1550-2200	1550-2200
Fuse rating	10	10	10
Minimum water pressure 1 bar / 15 psi	•	•	•
Inlet hose with 3/4" BSP thread hose connection	•	•	•
Water softener	•	•	•
Water supply (Max. 60 degrees)	Cold or Hot	Cold or Hot	Cold or Hot
Salt refill indicator	•	•	•
Rinse aid refill indicator	•	•	•
Water hardness setting	•	•	•
Top and side fixing brackets	•	•	•
Worktop steam protection	•	•	•

TABLES I
FREESTANDING DISHCARE


FFE83700PM



FFE63700PW / M



FFE62620PW / M



FFB53600ZW / M

Features

Capacity (number of IEC place settings)	15	15	13	13
XXL Tub (large interior)	•	•	•	•
Control type	Touch Control	Electronic	Electronic	Electronic
Number of temperatures	5	5	4	4
Number of programmes	8	7	6	5
Automatic 45°C - 70°C programme	•	•	•	•
Quickwash 60°C, 30min programme	•	•	•	•
Eco Programme	•	•	•	•
Intensive advanced 70°C programme	•	•	•	•
Normal 65°C Programme	•	•	•	•
Glass 45°C programme	•	•	•	•
Rinse and Hold Programme	•	•	•	•
Extra silent Programme	•	•	•	•
ProZone Programme	•	•	•	•
ExtraHygiene option	•	•	•	•
TimeSaver option	•	•	•	•
XtraDry option	•	•	•	•
AirDry technology (Automatic door opening)	•	•	•	•
Auto half load	•	•	•	•
Glass care, Soft Spikes	•	•	•	•
Glass care, Soft Grips	•	•	•	•
Delay start	•	•	•	•
Time remaining	•	•	•	•
ComfortLift	•	•	•	•
Satellite spray arm	•	•	•	•
Ceiling spray arm	•	•	•	•
Height adjustable upper basket	•	•	•	•
Foldable plate racks - bottom basket	•	•	•	•
Foldable cup shelves - bottom basket	•	•	•	•
Removable cutlery drawer	•	•	•	•
Moveable cutlery basket	•	•	•	•
Time beam - spotlight	•	•	•	•
Lightbeam - time indicator projected on floor	•	•	•	•
Hinges	•	•	•	•

Dimensions

Appliance dimensions				
Height	850	850	850	850
Width	596	596	596	600
Depth	610	610	610	625
Aperture dimensions				
Built-in height				
Built-in width				
Built-in depth				
Furniture door dimensions				
Door height (min - max)				
Door weight (min - max)				

Performance

Declared Programme	ECO 50	ECO 50	ECO 50	ECO 50
Energy efficiency class	A+++	A+++	A++	A+++
Energy efficiency index	499	499	559	499
Annual energy consumption	241	241	262	254
Annual water consumption	3080	3080	2860	2775
Energy consumption	0.857	0.857	0.932	0.832
Water consumption	11	11	10.2	9.9
Drying performance	A	A	A	A
Maximum noise level	42	44	44	44
Cleaning performance	A	A	A	A
Programme time (min)	225	225	225	240
Stand-by power (W)	0.1	0.1	0.1	0.1
Off mode power (W)	0.1	0.1	0.1	0.1
Left-on mode power (W)	5	5	5	5
Left-on mode duration min	5	5	5	5
Auto switch off (end of programme)	•	•	•	•

Other

Voltage	200-240	200-240	200-240	200-240
Frequency	50/60	50/60	50/60	50/60
Connected load	1550-2200	1550-2200	1550-2200	1550-2200
Fuse rating	10	10	10	10
Minimum water pressure 1 bar / 15 psi	•	•	•	•
Inlet hose with 3/4" BSP thread hose connection	•	•	•	•
Water softener	•	•	•	•
Water supply (Max. 60 degrees)	Cold or Hot	Cold or Hot	Cold or Hot	Cold or Hot
Salt refill indicator	•	•	•	•
Rinse aid refill indicator	•	•	•	•
Water hardness setting	•	•	•	•
Top and side fixing brackets	•	•	•	•
Worktop steam protection	•	•	•	•

TABLES I
FREESTANDING DISHCARE


FFB41600ZW



FFB62400PW

Features

Capacity (number of IEC place settings)	13	9
XXL Tub (large interior)		
Control type	Electronic	Electronic
Number of temperatures	4	4
Number of programmes	4	6
Automatic 45°C - 70°C programme	•	•
Quickwash 60°C, 30min programme	•	•
Eco Programme	•	•
Intensive advanced 70°C programme	•	•
Normal 65°C Programme		
Glass 45°C programme		•
Rinse and Hold Programme		
Extra silent Programme		•
ProZone Programme		
ExtraHygiene option	•	•
TimeSaver option	•	•
XtraDry option	•	•
AirDry technology (Automatic door opening)	•	•
Auto half load	•	•
Glass care, Soft Spikes		•
Glass care, Soft Grips		
Delay start	•	•
Time remaining	•	•
ComfortLift		•
Satellite spray arm		•
Ceiling spray arm		•
Height adjustable upper basket	•	•
Foldable plate racks - bottom basket		•
Foldable cup shelves - bottom basket	•	•
Removable cutlery drawer		•
Moveable cutlery basket	•	
Time beam - spotlight		
Lightbeam - time indicator projected on floor		
Hinges		
Dimensions		
Appliance dimensions		
Height	850	850
Width	600	446
Depth	625	615
Aperture dimensions		
Built-in height		
Built-in width		
Built-in depth		
Furniture door dimensions		
Door height (min - max)		
Door weight (min - max)		
Performance		
Declared Programme	ECO 50	ECO 50
Energy efficiency class	A+	A++
Energy efficiency index	62.9	55.8
Annual energy consumption	295	197
Annual water consumption	2775	2775
Energy consumption	1.05	0.7
Water consumption	9.9	9.9
Drying performance	A	A
Maximum noise level	47	45
Cleaning performance	A	A
Programme time (min)	240	243
Stand-by power (W)	0.1	0.1
Off mode power (W)	0.1	0.1
Left-on mode power (W)	5	5
Left-on mode duration min	5	5
Auto switch off (end of programme)	•	•
Other		
Voltage	200-240	220-240
Frequency	50/60	50/60
Connected load	1550-2200	1550-220
Fuse rating	10	10
Minimum water pressure 1 bar / 15 psi	•	•
Inlet hose with 3/4" BSP thread hose connection	•	•
Water softener	•	•
Water supply (Max. 60 degrees)	Cold or Hot	Cold or Hot
Salt refill indicator	•	•
Rinse aid refill indicator	•	•
Water hardness setting	•	•
Top and side fixing brackets		
Worktop steam protection		

**TABLES | LAUNDRY
WASHING MACHINES**


L9FEC966R



L9FEC946R



L8FEC966R



L8FEC946R

Overview

Wash capacity (kg)	9	9	9	9
Spin speed (rpm)	1600	1400	1600	1400
Display	Large LED	Large LED	Large LED	Large LED
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons

Technology

9000 Series Softwater	•	•		
8000 Series OKOMix	•	•	•	•
7000 Series ProSteam	•	•		
6000 Series ProSense	•	•	•	•

Programmes

Cotton	•	•	•	•
Synthetics	•	•	•	•
Cotton Economy				
Delicate	•	•	•	•
ColourPro	•	•		
Wool/silk	•	•	•	•
Antiallergy	•	•	•	•
Steam	•	•	•	•
Quick 20 Min 3 Kg	•	•	•	•
OKOPower	•	•	•	•
Outdoor		•	•	•
Cotton 20				
Duvets			•	•
Easy Iron				
Spin / Drain				
Sport				

Options

Delay start	•	•	•	•
Soft Plus				
Spin selection	•	•	•	•
Start/pause	•	•	•	•
Plus Steam	•	•	•	•
Stains/Prewash	•	•	•	•
Rinse				
Extra rinse	•	•	•	•
Time saving	•	•	•	•
Economy				
Eco	•	•	•	•

Features

Inverter Motor	•	•	•	•
Auto Off				
LED Drum Light				
Protex Drum	•	•	•	•

Accreditation

Wool Mark	Green	Green	Green	Green
P&G	Premium	Premium	Premium	Premium

Performance

Energy efficiency class	A+++	A+++	A+++	A+++
Wash performance	A	A	A	A
Spin drying efficiency label	A	B	A	B
Annual energy consumption (kWh)	64	58	120	120
Annual water consumption (litres)	10800	11000	10800	10800
Washing noise (dB(A) re 1pW)	47	47	47	47
Spinning noise (dB(A) re 1pW)	75	73	75	73
Stand-by power (W)	1.00	1.00	1.00	1.00
Left-on Mode power (W/5Min)	0.30	0.30	0.30	0.30

Programme Performance*

Load (kg)	9	9	9	9
Energy (kWh)	0.32	0.29	0.6	0.6
Water (litres)	54	55	54	54
Duration (mins)	268	258	238	238

*Programme Performance =
Standard Cotton 60°C, full load.

Dimensions

Height (mm)	850	850	850	850
Width (mm)	600	600	600	600
Depth (mm) (cabinet only)	605	605	605	605
Depth (mm) (total)	639	639	639	639
Net Weight (kgs)	79.5	79.5	79.5	79.5

Technical

Adjustable Feet	•	•	•	•
Cord Length	1.5	1.5	1.5	1.5
Length of waste pipe	145	145	145	145

Accessories

Stacking kit

**TABLES | LAUNDRY
WASHING MACHINES**



L8FEC866R



L8FEC846R



L8FEE965R



L8FEE945R

Overview

Wash capacity (kg)	8	8	9	9
Spin speed (rpm)	1600	1400	1600	1400
Display	Large LED	Large LED	Medium LED	Medium LED
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons

Technology

9000 Series Softwater				
8000 Series OKOMix	•	•	•	•
7000 Series ProSteam	•	•	•	•
6000 Series ProSense	•	•	•	•

Programmes

Cotton	•	•	•	•
Synthetics	•	•	•	•
Cotton Economy				
Delicate	•	•	•	•
ColourPro				
Wool/silk	•	•	•	•
Antiallergy	•	•	•	•
Steam	•	•	•	•
Quick 20 Min 3 Kg	•	•	•	•
OKOPower	•	•	•	•
Outdoor	•	•	•	•
Cotton 20				
Duvets	•	•	•	•
Easy Iron				
Spin / Drain				
Sport				

Options

Delay start	•	•	•	•
Soft Plus				
Spin selection	•	•	•	•
Start/pause	•	•	•	•
Plus Steam	•	•	•	•
Stains/Prewash	•	•	•	•
Rinse				
Extra rinse	•	•	•	•
Time saving	•	•	•	•
Economy				
Eco	•	•	•	•

Features

Inverter Motor	•	•	•	•
Auto Off				
LED Drum Light				
Protex Drum	•	•	•	•

Accreditation

Wool Mark	Green	Green	Green	Green
P&G	Premium	Premium	Premium	Premium

Performance

Energy efficiency class	A+++	A+++	A+++	A+++
Wash performance	A	A	A	A
Spin drying efficiency label	A	B	A	B
Annual energy consumption (kWh)	92	98	120	120
Annual water consumption (litres)	11000	11000	10800	10800
Washing noise (dB(A) re 1pW)	47	47	51	51
Spinning noise (dB(A) re 1pW)	75	75	77	75
Stand-by power (W)	1,00	1,00	1,00	1,00
Left-on Mode power (W/5Min)	0,30	0,30	0,30	0,30

Programme Performance*

Load (kg)	8	8	9	9
Energy (kWh)	0,46	0,49	0,6	0,6
Water (litres)	55	55	54	54
Duration (mins)	247	256	238	238

*Programme Performance =
Standard Cotton 60°C, full load.

Dimensions

Height (mm)	850	850	850	850
Width (mm)	600	600	600	600
Depth (mm) (cabinet only)	605	605	605	605
Depth (mm) (total)	639	639	639	639
Net Weight (kgs)	79,5	79,5	79,5	79,5

Technical

Adjustable Feet	•	•	•	•
Cord Length	1,5	1,5	1,5	1,8
Length of waste pipe	145	145	145	145

Accessories

Stacking kit

**TABLES | LAUNDRY
WASHING MACHINES**


L8FEE845R



L7FEC146R



L7FEE965R



L7FEE945R

Overview

Wash capacity (kg)	8	10	9	9
Spin speed (rpm)	1400	1400	1600	1400
Display	Medium LED	Large LED	Medium LED	Medium LED
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons

Technology

9000 Series Softwater				
8000 Series OKOMix	•			
7000 Series ProSteam		•	•	•
6000 Series ProSense	•	•	•	•

Programmes

Cotton	•	•	•	•
Synthetics	•	•	•	•
Cotton Economy				
Delicate	•	•	•	•
ColourPro				
Wool/silk	•	•	•	•
Antiallergy	•	•	•	•
Steam		•	•	•
Quick 20 Min 3 Kg	•	•	•	•
OKOPower				
Outdoor	•	•	•	•
Cotton 20				
Duvets	•	•	•	•
Easy Iron				
Spin / Drain				
Sport	•	•	•	•

Options

Delay start	•	•	•	•
Soft Plus		•	•	•
Spin selection	•	•	•	•
Start/pause	•	•	•	•
Plus Steam	•	•	•	•
Stains/Prewash	•	•	•	•
Rinse	•	•	•	•
Extra rinse				
Time saving	•	•	•	•
Economy				
Eco	•	•	•	•

Features

Inverter Motor	•	•	•	•
Auto Off				
LED Drum Light				
Protex Drum	•	•	•	•

Accreditation

Wool Mark	Blue Certified	Blue Certified	Blue Certified	Blue Certified
P&G				

Performance

Energy efficiency class	A+++	A+++	A+++	A+++
Wash performance	A	A	A	A
Spin drying efficiency label	B	B	A	B
Annual energy consumption (kWh)	116	180	162	162
Annual water consumption (litres)	10600	11400	10800	10800
Washing noise (dB(A) re 1pW)	51	51	51	51
Spinning noise (dB(A) re 1pW)	75	75	77	75
Stand-by power (W)	1.00	1.00	1.00	1.00
Left-on Mode power (W/5Min)	0.30	0.30	0.30	0.30

Programme Performance*

Load (kg)	8	10	9	9
Energy (kWh)	0.58	0.9	0.81	0.81
Water (litres)	53	57	54	54
Duration (mins)	268	280	291	291

*Programme Performance =
Standard Cotton 60°C, full load.

Dimensions

Height (mm)	850	850	850	850
Width (mm)	600	600	600	600
Depth (mm) (cabinet only)	605	605	605	605
Depth (mm) (total)	639	639	639	639
Net Weight (kgs)	79.5	79.5	79.5	79.5

Technical

Adjustable Feet	•	•	•	•
Cord Length	1.5	1.5	1.8	1.8
Length of waste pipe	145	0	145	145

Accessories

Stacking kit

**TABLES | LAUNDRY
WASHING MACHINES**


L7FEE865R



L7FEE845R



L6FBG142R



L6FBG942R

Overview				
Wash capacity (kg)	8	8	10	9
Spin speed (rpm)	1600	1400	1400	1400
Display	Medium LED	Medium LED	Small LCD	Small LCD
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons
Technology				
9000 Series Softwater				
8000 Series OKOMix				
7000 Series ProSteam	•	•		
6000 Series ProSense	•	•	•	•
Programmes				
Cotton	•	•	•	•
Synthetics	•	•	•	•
Cotton Economy				
Delicate	•	•	•	•
ColourPro				
Wool/silk	•	•	•	•
Antiallergy	•	•	•	•
Steam	•	•	•	•
Quick 20 Min 3 Kg	•	•	•	•
OKOPower				
Outdoor	•	•	•	•
Cotton 20				
Duvets	•	•	•	•
Easy Iron	•	•	•	•
Spin / Drain				
Sport	•	•		
Options				
Delay start	•	•	•	•
Soft Plus	•	•		
Spin selection	•	•	•	•
Start/pause	•	•	•	•
Plus Steam	•	•	•	•
Stains/Prewash	•	•	•	•
Rinse	•	•	•	•
Extra rinse				
Time saving	•	•	•	•
Economy				
Eco	•	•	•	•
Features				
Inverter Motor	•	•	•	•
Auto Off				
LED Drum Light				
Protex Drum	•	•		
Accreditation				
Wool Mark	Blue	Blue	Blue	Blue
P&G	Certified	Certified		
Performance				
Energy efficiency class	A+++	A+++	A+++	A+++
Wash performance	A	A	A	A
Spin drying efficiency label	A	B	B	B
Annual energy consumption (kWh)	136	136	204	190
Annual water consumption (litres)	10800	10800	11400	11400
Washing noise (dB(A) re 1pW)	51	51	51	51
Spinning noise (dB(A) re 1pW)	77	75	75	75
Stand-by power (W)	1,00	1,00	1,00	1,00
Left-on Mode power (W/5Min)	0,30	0,30	0,30	0,30
Programme Performance*				
Load (kg)	8	8	10	9
Energy (kWh)	0,68	0,68	1,02	0,95
Water (litres)	54	54	57	57
Duration (mins)	228	228	252	248
*Programme Performance = Standard Cotton 60°C, full load.				
Dimensions				
Height (mm)	850	850	850	850
Width (mm)	600	600	600	600
Depth (mm) (cabinet only)	605	605	605	605
Depth (mm) (total)	639	639	639	639
Net Weight (kgs)	79,5	79,5	79,5	79,5
Technical				
Adjustable Feet	•	•	•	•
Cord Length	1,5	1,5	1,8	1,8
Length of waste pipe	145	145	145	145
Accessories				
Stacking kit				

TABLES | LAUNDRY WASHING MACHINES




L6FBG862R



L6FBG842R



L6FBG741R



L6FBI861N

Overview

Wash capacity (kg)	8	8	7	8
Spin speed (rpm)	1600	1400	1400	1600
Display	Small LCD	Small LCD	Small LCD	3 digit LCD
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons

Technology

9000 Series Softwater				
8000 Series OKOMix				
7000 Series ProSteam				
6000 Series ProSense	•	•	•	•

Programmes

Cotton	•	•	•	•
Synthetics	•	•	•	•
Cotton Economy				•
Delicate	•	•	•	
ColourPro				
Wool/silk	•	•	•	•
Antiallergy	•	•	•	
Steam				
Quick 20 Min 3 Kg	•	•	•	•
OKOPower				
Outdoor	•	•	•	
Cotton 20				•
Duvets	•	•	•	
Easy Iron	•	•	•	•
Spin / Drain	•	•	•	
Sport				

Options

Delay start	•	•	•	•
Soft Plus	•	•	•	
Spin selection	•	•	•	•
Start/pause	•	•	•	•
Plus Steam				
Stains/Prewash	•	•	•	
Rinse	•	•	•	
Extra rinse				
Time saving	•	•	•	•
Economy	•	•	•	
Eco				

Features

Inverter Motor	•	•	•	•
Auto Off				
LED Drum Light				
Protex Drum				

Accreditation

Wool Mark	Blue	Blue	Blue	Blue
PSG				

Performance

Energy efficiency class	A+++	A+++	A+++	A+++
Wash performance	A	A	A	A
Spin drying efficiency label	A	B	B	A
Annual energy consumption (kWh)	160	160	144	160
Annual water consumption (litres)	104,00	104,00	9000	104,00
Washing noise (dB(A) re 1pW)	50	50	50	50
Spinning noise (dB(A) re 1pW)	75	74	74	75
Stand-by power (W)	1,00	1,00	1,00	1,00
Left-on Mode power (W/5Min)	0,30	0,30	0,30	0,30

Programme Performance*

Load (kg)	8	8	7	8
Energy (kWh)	0,8	0,8	0,72	0,8
Water (litres)	52	52	45	52
Duration (mins)	275	275	269	275

*Programme Performance =
Standard Cotton 60°C, full load.

Dimensions

Height (mm)	850	850	850	850
Width (mm)	600	600	600	600
Depth (mm) (cabinet only)	605	605	605	605
Depth (mm) (total)	639	639	639	639
Net Weight (kgs)	79,5	79,5	79,5	79,5

Technical

Adjustable Feet	•	•	•	•
Cord Length	1,8	1,8	1,8	1,8
Length of waste pipe	145	145	145	145

Accessories

Stacking kit

**TABLES | LAUNDRY
WASHING MACHINES**


L6FBI841N



L6FBI741N



L61271BI

Overview

Wash capacity (kg)	8	7	7
Spin speed (rpm)	1400	1400	1200
Display	3 digit LCD	3 digit LCD	Small LCD
Controls	Dial and buttons	Dial and buttons	Dial and buttons

Technology

9000 Series Softwater			
8000 Series OKOMix			
7000 Series ProSteam			
6000 Series ProSense	•	•	

Programmes

Cotton	•	•	•
Synthetics	•	•	•
Cotton Economy	•	•	•
Delicate	•	•	•
ColourPro			
Wool/Silk	•	•	•
Antiallergy			
Steam			
Quick 20 Min 3 Kg	•	•	
OKOPower			
Outdoor			
Cotton 20	•	•	
Duvets	•	•	
Easy Iron	•	•	•
Spin / Drain	•	•	
Sport			•

Options

Delay start	•	•	•
Soft Plus			
Spin selection	•	•	
Start/pause	•	•	•
Plus Steam			
Stains/Prewash			•
Rinse			•
Extra rinse			•
Time saving	•	•	
Economy			
ECO			

Features

Inverter Motor	•		
Auto Off			
LED Drum Light			
Profex Drum			

Accreditation

Wool Mark	Blue		
P&G			

Performance

Energy efficiency class	A+++	A+++	A++
Wash performance	A	A	A
Spin drying efficiency label	B	B	B
Annual energy consumption (kWh)	160	184	189
Annual water consumption (litres)	10400	9000	10400
Washing noise (dB(A) re 1pW)	50	50	56
Spinning noise (dB(A) re 1pW)	74	75	74
Stand-by power (W)	1.00	0.75	1.90
Left-on Mode power (W/5Min)	0.30	0.48	0.98

Programme Performance*

Load (kg)	8	7	7
Energy (kWh)	0.8	0.92	1.01
Water (litres)	52	45	52
Duration (mins)	275	250	180

*Programme Performance =
Standard Cotton 60°C, full load.

Dimensions


Height (mm)	850	850	820
Width (mm)	600	600	596
Depth (mm) (cabinet only)	605	605	544
Depth (mm) (total)	639	639	544
Net Weight (kgs)	79.5	79.5	60.4

Technical

Adjustable Feet	•	•	•
Cord Length	1.8	1.8	1.5
Length of waste pipe	145	145	145

Accessories

Stacking kit			
--------------	--	--	--

TABLES | LAUNDRY
TUMBLE DRYERS



T8DEC946S



T8DEC946R



T8DEC846R



T8DEE945R

Overview

Dry capacity (kg)	9	9	8	9
Drying Technology	Heat Pump	Heat Pump	Heat Pump	Heat Pump
Display	Large LCD	Large LCD	Large LCD	Medium LCD
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons

Technology

8000 Series AbsoluteCare™	•	•	•	•
7000 Series SemiDry	•	•	•	•
6000 Series ProSense	•	•	•	•

Programmes

Cotton	•	•	•	•
Cotton Eco	•	•	•	•
Synthetics	•	•	•	•
Delicate	•	•	•	•
Outdoor	•	•	•	•
Steam Refresh & Decrease	•	•	•	•
Cottons - cupboard dry plus	•	•	•	•
Cottons - cupboard dry	•	•	•	•
Cottons - extra dry	•	•	•	•
Cottons - iron dry	•	•	•	•
Synthetics - cupboard dry	•	•	•	•
Synthetics - extra dry	•	•	•	•
Synthetics - iron dry	•	•	•	•
Iron programmes - cotton	•	•	•	•
Iron programmes - Fresh-up	•	•	•	•
Iron programmes - synthetics	•	•	•	•
Bed Linen	•	•	•	•
Duvet	•	•	•	•
Easy Iron	•	•	•	•
Shirts	•	•	•	•
Jeans	•	•	•	•
Sports	•	•	•	•
Activewear	•	•	•	•
Wool	•	•	•	•
Silk	•	•	•	•
Mixed load	•	•	•	•

Options

Delay start	•	•	•	•
Mode	•	•	•	•
Anti-crease	•	•	•	•
Start/pause	•	•	•	•
Dryness level	•	•	•	•
Dry Mode	•	•	•	•
Delicate	•	•	•	•
Quiet mode	•	•	•	•
Steam refresh	•	•	•	•
Steam level	•	•	•	•
Time dry	•	•	•	•
Eco	•	•	•	•

Features

Inverter Motor	•	•	•	•
Auto Off	•	•	•	•
LED Drum Light	•	•	•	•
Protex Drum	•	•	•	•

Accreditation

Wool Mark	Blue	Blue	Blue	Blue
-----------	------	------	------	------

Performance

Energy efficiency class	A++	A++	A++	A++
Annual energy consumption (kWh)	259	259	235	259
Noise (dB(A) re 1pW)	65	65	66	65
Stand-by power (W)	19	19	19	19
Left-on Mode power (W/5Min)	10	10	10	10

Dimensions


Height (mm)	850	850	850	850
Width (mm)	600	600	600	600
Depth (mm) (cabinet only)	600	600	600	600
Depth (mm) (total)	630	630	630	630
Net Weight (kgs)	59.46	59.46	59.46	59.46

Technical

Adjustable Feet	•	•	•	•
Cord Length	1.45	1.45	1.45	1.45
Reverse Tumble Action	•	•	•	•

Accessories

Stacking kit	•	•	•	•
--------------	---	---	---	---

TABLES | LAUNDRY
TUMBLE DRYERS


T8DEE845R



T8DBG842R



T7DEE835R



T7DBG832R

Overview

Dry capacity (kg)	8	8	8	8
Drying Technology	Heat Pump	Heat Pump	Heat Pump	Heat Pump
Display	Medium LCD	Medium LCD	Medium LCD	Medium LCD
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons

Technology

8000 Series AbsoluteCare™	•	•		
7000 Series SeniDry	•	•	•	•
6000 Series ProSense	•	•	•	•

Programmes

Cotton	•	•	•	•
Cotton Eco				
Synthetics	•	•	•	•
Delicate				
Outdoor	•	•		
Steam Refresh & Decrease				
Cottons - cupboard dry plus	•	•		•
Cottons - cupboard dry			•	
Cottons - extra dry	•	•	•	•
Cottons - iron dry	•	•	•	•
Synthetics - cupboard dry	•	•	•	•
Synthetics - extra dry	•	•	•	•
Synthetics - iron dry	•	•	•	•
Iron programmes - cotton				
Iron programmes - Fresh-up				
Iron programmes - synthetics				
Bed Linen	•	•	•	•
Duvet	•	•	•	•
Easy Iron	•	•	•	•
Shirts				
Jeans				
Sports	•	•	•	•
Activewear				
Wool		•	•	•
Silk	•	•	•	•
Mixed load	•	•	•	•

Options

Delay start	•	•	•	•
Mode				
Anti-crease	•			
Start/pause	•	•	•	•
Dryness level	•	•	•	•
Dry Mode	•	•		
Delicate				
Quiet mode				
Steam refresh	•	•	•	•
Steam level				
Time dry	•	•	•	•
Eco				

Features

Inverter Motor	•	•		
Auto Off	•	•		
LED Drum Light	•			
Protex Drum	•	•	•	•

Accreditation

Wool Mark	Blue	Blue		
-----------	------	------	--	--

Performance

Energy efficiency class	A++	A++	A+	A+
Annual energy consumption (kWh)	235	235	308.2	308.2
Noise (dB(A) re 1pW)	66	66	66	66
Stand-by power (W)	19	19	19	19
Left-on Mode power (W/5Min)	10	10	10	10

Dimensions

Height (mm)	850	850	850	850
Width (mm)	600	600	600	600
Depth (mm) (cabinet only)	600	600	600	600
Depth (mm) (total)	630	630	630	630
Net Weight (kgs)	59.46	59.46	59.46	59.46

Technical

Adjustable Feet	•	•	•	•
Cord Length	1.45	1.45	1.45	1.45
Reverse Tumble Action	•	•	•	•

Accessories

Stacking kit	•	•	•	•
--------------	---	---	---	---

TABLES | LAUNDRY
TUMBLE DRYERS


T7DBG831R



T6DBG822N



T6DBG820N



T6DBG721N

Overview

Dry capacity (kg)	8	8	8	7
Drying Technology	Heat Pump	Condenser	Condenser	Condenser
Display	Medium LCD	Medium LCD	Medium LCD	Medium LCD
Controls	Dial and buttons	Dial and buttons	Dial and buttons	Dial and buttons

Technology

8000 Series AbsoluteCare™

7000 Series SemiDry

6000 Series ProSense

Programmes

Cotton	•	•	•	•
Cotton Eco		•	•	•
Synthetics	•	•	•	•
Delicate		•	•	
Outdoor				
Steam Refresh & Decrease				
Cottons - cupboard dry plus	•	•	•	•
Cottons - cupboard dry				
Cottons - extra dry	•	•	•	•
Cottons - iron dry	•	•	•	•
Synthetics - cupboard dry	•	•	•	•
Synthetics - extra dry	•	•	•	•
Synthetics - iron dry	•	•	•	•
Iron programmes - cotton				
Iron programmes - Fresh-up				
Iron programmes - synthetics				
Bed Linen	•	•	•	•
Duvet		•	•	•
Easy Iron	•	•	•	•
Shirts				
Jeans		•	•	•
Sports	•	•	•	•
Activewear	•			•
Wool	•			
Silk	•			
Mixed load	•	•	•	•

Options

Delay start	•	•	•	•
Mode				
Anti-crease				
Start/pause	•	•	•	•
Dryness level	•	•	•	•
Dry Mode				
Delicate		•	•	•
Quiet mode				
Steam refresh	•			
Steam level				
Time dry	•	•	•	•
Eco				

Features

Inverter Motor		•	•	
Auto Off				
LED Drum Light				
Protex Drum	•	•	•	•

Accreditation

Wool Mark

Performance

Energy efficiency class	A+	B	B	B
Annual energy consumption (kWh)	308.2	560.4	560.4	503.5
Noise (dB(A) re 1pW)	66	65	65	65
Stand-by power (W)	19	19	19	19
Left-on Mode power (W/5Min)	10	10	10	10

Dimensions

Height (mm)	850	850	850	850
Width (mm)	600	600	600	600
Depth (mm) (cabinet only)	600	600	600	540
Depth (mm) (total)	630	630	630	570
Net Weight (kgs)	59.46	43.46	43.46	43.46

Technical

Adjustable Feet	•	•	•	•
Cord Length	1.45	1.45	1.45	1.45
Reverse Tumble Action	•	•	•	•

Accessories

Stacking kit	•	•	•	•
--------------	---	---	---	---

TABLES | LAUNDRY
TUMBLE DRYERS



T6DBG720N



T6S170AV

Overview

Dry capacity (kg)	7	7
Drying Technology	Condenser	Vented
Display	Medium LCD	LED indicators
Controls	Dial and buttons	Dial and buttons

Technology

8000 Series AbsoluteCare™

7000 Series SeniDry

6000 Series ProSense

Programmes

Cotton

Cotton Eco

Synthetics

Delicate

Outdoor

Steam Refresh & Decrease

Cottons - cupboard dry plus

Cottons - cupboard dry

Cottons - extra dry

Cottons - iron dry

Synthetics - cupboard dry

Synthetics - extra dry

Synthetics - iron dry

Iron programmes - cotton

Iron programmes - Fresh-up

Iron programmes - synthetics

Bed Linen

Duvet

Easy Iron

Shirts

Jeans

Sports

Activewear

Wool

Silk

Mixed load

Options

Delay start

Mode

Anti-crease

Start/pause

Dryness level

Dry Mode

Delicate

Quiet mode

Steam refresh

Steam level

Time dry

Eco

Features

Inverter Motor

Auto Off

LED Drum Light

Protex Drum

Accreditation

Wool Mark

Performance

Energy efficiency class	B	C
Annual energy consumption (kWh)	503.5	512
Noise (dB(A) re 1pW)	65	64
Stand-by power (W)	19	19
Left-on Mode power (W/5Min)	10	0.5

Dimensions

Height (mm)	850	850
Width (mm)	600	600
Depth (mm) (cabinet only)	540	600
Depth (mm) (total)	570	630
Net Weight (kgs)	43.46	29.76

Technical

Adjustable Feet	•	•
Cord Length	1.45	1.6
Reverse Tumble Action	•	•

Accessories

Stacking kit	•	•
--------------	---	---


ENERGY INFORMATION / EU ENERGY EFFICIENCY INFORMATION

This scheme, which covers refrigerators, freezers, washing machines, tumble dryers, dishwashers and electric ovens is designed to offer consumers a standardised method of choosing the most energy efficient appliances.

For refrigerators and freezers, as well as stating the energy efficiency class (A+++ - most efficient, 'D' - least efficient) the label also gives the annual electricity consumption (i.e. running cost) freezing capacity, noise level and the usable storage capacity.

For dishwashers, as well as stating the energy efficiency class (A+++ - most efficient, 'D' - least efficient) the label also states the annual water consumption (l/yr), drying efficiency, place settings and noise level.

For washing machines, as well as stating the energy efficiency class (A+++ - most efficient, 'D' - least efficient) the label also states the annual water consumption (l/yr), load size (kg), spin speed efficiency and the washing & spinning noise levels.



Example of refrigeration energy label.



Example of dishwasher energy label.



Example of washing machine energy label.

For electric ovens, as well as stating the energy efficiency class ('A' - most efficient, 'G' - least efficient), the label also states the energy consumption (in kWh) and the usable volume of the oven. If the oven is a double oven it will carry this information for both ovens.